

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 October 2000 (19.10.2000)

PCT

(10) International Publication Number
WO 00/61612 A3

- (51) International Patent Classification⁷: C07K 14/47, C12N 15/12, 15/10, 15/62, C07K 16/30, G01N 33/53, C12N 15/11, C12Q 1/68, A61K 39/395, 38/17, A61P 35/00
- (21) International Application Number: PCT/US00/08896
- (22) International Filing Date: 3 April 2000 (03.04.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|-------------------------------|----|
| 09/285,479 | 2 April 1999 (02.04.1999) | US |
| 09/466,396 | 17 December 1999 (17.12.1999) | US |
| 09/476,496 | 30 December 1999 (30.12.1999) | US |
| 09/480,884 | 10 January 2000 (10.01.2000) | US |
| 09/510,376 | 22 February 2000 (22.02.2000) | US |
- (71) Applicant (for all designated States except US): CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): WANG, Tongtong [US/US]; 8049 NE 28th Street, Medina, WA 98039 (US); FAN, Liquan [CN/US]; 14116 SE 46th Street, Bellevue, WA 98006 (US).
- (74) Agents: MAKI, David, J.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 et al. (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
— With international search report.
- (88) Date of publication of the international search report:
26 April 2001
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 00/61612 A3

(54) Title: COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER

(57) Abstract: Compounds and methods for the treatment and diagnosis of lung cancer are provided. The inventive compounds include polypeptides containing at least a portion of a lung tumor protein. Vaccines and pharmaceutical compositions for immunotherapy of lung cancer comprising such polypeptides, or DNA molecules encoding such polypeptides, are also provided, together with DNA molecules for preparing the inventive polypeptides.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/08896

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07K14/47 C12N15/12 C12N15/10 C12N15/62 C07K16/30
G01N33/53 C12N15/11 C12Q1/68 A61K39/395 A61K38/17
A61P35/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	BRASS N ET AL: "Translation initiation factor eIF-4gamma is encoded by an amplified gene and induces an immune response in squamous cell lung carcinoma" HUMAN MOLECULAR GENETICS, GB, OXFORD UNIVERSITY PRESS, SURREY, vol. 6, no. 1, January 1997 (1997-01), pages 33-39, XP002112603 ISSN: 0964-6906 the whole document --- -/--	1,11,17, 18,21, 22,29, 40-53

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

5 October 2000

Date of mailing of the international search report

05.1.01

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel: (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Mateo Rosell, A.M.

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/US 00/08896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	BALDI A ET AL: "DIFFERENTIAL EXPRESSION OF RB2/P130 AND P107 IN NORMAL HUMAN TISSUES AND IN PRIMARY LUNG CANCER" CLINICAL CANCER RESEARCH, US, THE AMERICAN ASSOCIATION FOR CANCER RESEARCH, vol. 3, no. 10, October 1997 (1997-10), pages 1691-1697, XP002910343 ISSN: 1078-0432 the whole document ---	1,11, 40-47, 54,56,57
X	WO 98 35985 A (ELECTROPHORETICS INTERNATIONAL ;HANASH SAMIR M (US)) 20 August 1998 (1998-08-20) the whole document ---	1,11,17, 21,54,57
X	WO 96 30389 A (MILLENNIUM PHARM INC) 3 October 1996 (1996-10-03) the whole document page 10, line 15 -page 12, line 10 ---	1,9-11, 17,18, 40-60
X	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES, 17 March 1999 (1999-03-17), XP002149009 HINXTON, GB AC = AI468638. Soares NhHMPu S1 Homo sapiens cDNA clone IMAGE:2125318 3', mRNA sequence. EST. abstract ---	1,2,5-8, 58,59
X	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES, 18 April 1997 (1997-04-18), XP002149010 HINXTON, GB AC = AA340797. EST46165 Fetal kidney II Homo sapiens cDNA 3' end, mRNA sequence. EST. abstract ---	1,2,5-8, 58,59
X	EP 0 695 760 A (HOFFMANN LA ROCHE) 7 February 1996 (1996-02-07) the whole document ---	1,9-11, 18, 40-47, 54-57
X	WO 94 06929 A (MERCK PATENT GMBH ;STAHEL ROLF (CH)) 31 March 1994 (1994-03-31) abstract page 2, line 6-32 page 3, line 5-14 ---	1,11,54, 57
	-/--	

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/US 00/08896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 96 28473 A (MEDENICA RAJKO D) 19 September 1996 (1996-09-19) abstract page 2, line 15 -page 3, line 18 page 4, line 1-30 ---	1,11,17, 18,21, 22,35-47
X	WO 98 46788 A (KUFER PETER ;MICROMET GMBH (DE); ZIPPELIUS ALFRED (DE)) 22 October 1998 (1998-10-22) abstract page 1-10; examples 1-4,6 ---	1,18, 48-53, 58-60
X	WO 95 21862 A (BRIGHAM & WOMENS HOSPITAL) 17 August 1995 (1995-08-17) page 3, paragraph 2 -page 5, paragraph 4 page 10-41 ---	1,9-12, 17,18, 22,25, 35-39, 51,52, 58-60
X	WO 97 07244 A (US GOVERNMENT) 27 February 1997 (1997-02-27) the whole document ---	1
X	MARSHALL A AND HODGSON J: "DNAchips: an array of possibilities" NATURE BIOTECHNOLOGY, vol. 16, January 1998 (1998-01), pages 27-31, XP002917754 the whole document ---	1
X	RAMSEY GRAHAM: "DNA chips: state of the art" NATURE BIOTECHNOLOGY, vol. 16, January 1998 (1998-01), pages 40-44, XP002917751 the whole document ---	1
A	WO 91 18926 A (FORSGREN ARNE) 12 December 1991 (1991-12-12) cited in the application page 5, line 22-35 ---	14,25
	-/--	

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/08896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>LELIEVRE D ET AL: "STRUCTURAL PROPERTIES OF CHIMERIC PEPTIDES CONTAINING A T-CELL EPITOPE LINKED TO A FUSION PEPTIDE AND THEIR IMPORTANCE FOR IN VIVOINDUCTION OF CYTOTOXIC T-CELL RESPONSES" EUROPEAN JOURNAL OF BIOCHEMISTRY, BERLIN, DE, vol. 249, no. 3, 1997, pages 895-904, XP000929575 ISSN: 0014-2956 the whole document</p> <p>---</p>	12,14,25
A	<p>HOGAN KEVIN T ET AL: "The peptide recognized by HLA-A68.2-restricted, squamous cell carcinoma of the lung-specific cytotoxic T lymphocytes is derived from a mutated elongation factor 2 gene." CANCER RESEARCH, vol. 58, no. 22, 15 November 1998 (1998-11-15), pages 5144-5150, XP000946579 ISSN: 0008-5472 the whole document</p> <p>---</p>	14,25
A	<p>VISSEREN M J W ET AL: "IDENTIFICATION OF HLA-A 0201-RESTRICTED CTL EPITOPES ENCODED BY THE TUMOR-SPECIFIC MAGE-2 GENE PRODUCT" INTERNATIONAL JOURNAL OF CANCER, NEW YORK, NY, US, vol. 73, no. 1, 1997, pages 125-130, XP000914539 ISSN: 0020-7136 the whole document</p> <p>---</p>	14,25
P,X	<p>WO 99 47674 A (CORIXA CORP) 23 September 1999 (1999-09-23) cited in the application SEQ.ID.N.1 page 1, last paragraph -page 32, paragraph 1</p> <p>---</p>	1-60
P,X	<p>WO 99 38973 A (CORIXA CORP) 5 August 1999 (1999-08-05) page 1, line 28 -page 4, line 15 page 16, line 12 -page 17, line 10 page 18, line 14 -page 34, line 15</p> <p>---</p> <p>-/--</p>	1-60

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/08896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	<p>WANG TONGTONG ET AL: "Identification of genes differentially over-expressed in lung squamous cell carcinoma using combination of cDNA subtraction and microarray analysis." ONCOGENE, vol. 19, no. 12, 16 March 2000 (2000-03-16), pages 1519-1528, XP000951444 ISSN: 0950-9232 the whole document</p>	1-60
T	<p>----- HENDERSON R A ET AL: "Identification of lung tumor antigens for cancer immunotherapy: Immunological and molecular approaches." IMMUNOLOGICAL INVESTIGATIONS, vol. 29, no. 2, May 2000 (2000-05), pages 87-91, XP000951456 Fourteenth International Convocation on Immunology;Buffalo, New York, USA; October 08-11, 1999 ISSN: 0882-0139 the whole document -----</p>	1-60

INTERNATIONAL SEARCH REPORT

Internat. Application No.
PCT/US 00/08896

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
see FURTHER INFORMATION sheet PCT/ISA/210
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
1-60 all partially

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

1. Claims: Invention 1 : Claims 1-60 all partially.

An isolated polypeptide, comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence as recited in SEQ.ID.N.1 (a) or sequences that hybridize to SEQ.ID.N.1 (b) and the complements of sequences of (a) or (b); as well as an expression vector, a host cell, an antibody, a fusion protein, a pharmaceutical composition, a vaccine, oligonucleotides and diagnostic kits thereof.

2. Claims: Inventions 2 to 130 : Claims 1-60, all partially.

Same as invention 1, but according to each single sequence as recited in claim 1

(SEQ.ID.N.1-3,6-8,10-13,15-27,29,30,32,34-49,51,52,54,55,57-59,61-69,71,73,74,77,78,80-82,84,86-96,107-109,111,113,125,127-129,131-133,142,144,148-151,153,154,157,158,160,167,168,171,173,175,179,182,184-186,188-191,193,194,198-207,209,210,213,214,217,220-224,253,254-258,260,262-264,270,272,275,276,279-281,286,287,291,293,295,296,300,302,308-310,313,315-317,323,345,347 and 349)

and as recited in claim 3

(SEQ.ID.N.110,112,114,152,155,156,159,161,165,166,169,170,172,174,176,226-252,346,348 and 350)

starting from the second in the list: SEQ.ID.N.2 and following with SEQ.ID.N.3, SEQ.ID.N.6, etc... and ending with SEQ.ID.N.350.

and with the provision that sequences tht belong to the same antigen has been counted as one invention (see below)

3. Claims: Inventions 131-258 : Claims 25-61 all partially

A vaccine comprising an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein wherein the protein compises an aminoacid sequence encoded by a polynucleotide sequence as recited in claim 25

(SEQ.ID.N.4,5,9,14,28,31,33,50,53,56,60,70,72,75,76,79,83,85,97-106,115-124,126,130,134-141,143,145-147,162-164,177,178,180,181,183,187,192,195-197,208,211,212,215,216,218,219,255-259,261,265-269,271,273,274,277,278,282-285,288-290,292,294,297-299,301,303-307,311,312,314,319-322 and 324-337) and kits for diagnostic thereof.

Same as invention 130, but according to each single sequence as recited in claim 25 and not included in claim 1, starting from the SEQ.ID.N.4 and following with SEQ.ID.N.5, SEQ.ID.N.9, etc... and ending with SEQ.ID.N.337.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

and with the provision that sequences tht belong to the same antigen has been counted as one invention (see below)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.1

Although claims 21, 22, 29-31, 34, and 37-39 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.

Although claim(s) 40-53 are directed to a diagnostic method practised on the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 00/08896

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9835985 A	20-08-1998	AU 6111298 A EP 0961780 A	08-09-1998 08-12-1999
WO 9630389 A	03-10-1996	US 5633161 A AT 190982 T AU 708746 B AU 5437896 A CA 2216717 A DE 69607332 D DE 69607332 T EP 0817792 A EP 1006187 A ES 2147646 T GR 3033478 T PT 817792 T US 5674739 A US 6025137 A	27-05-1997 15-04-2000 12-08-1999 16-10-1996 03-10-1996 27-04-2000 30-11-2000 14-01-1998 07-06-2000 16-09-2000 29-09-2000 31-08-2000 07-10-1997 15-02-2000
EP 0695760 A	07-02-1996	WO 9604302 A	15-02-1996
WO 9406929 A	31-03-1994	AT 146528 T AU 683845 B AU 4705293 A DE 69306803 D DE 69306803 T EP 0662147 A JP 8504088 T US 5614373 A	15-01-1997 27-11-1997 12-04-1994 30-01-1997 15-05-1997 12-07-1995 07-05-1996 25-03-1997
WO 9628473 A	19-09-1996	US 5744585 A AU 5365296 A	28-04-1998 02-10-1996
WO 9846788 A	22-10-1998	AU 8013498 A EP 0972084 A	11-11-1998 19-01-2000
WO 9521862 A	17-08-1995	US 5550214 A AU 1914595 A	27-08-1996 29-08-1995
WO 9707244 A	27-02-1997	AU 6643596 A	12-03-1997
WO 9118926 A	12-12-1991	SE 466259 B AT 170531 T AU 650011 B AU 7559391 A CA 2083172 A DE 69130116 D DE 69130116 T DK 594610 T EP 0594610 A ES 2119776 T FI 925460 A JP 3066072 B NO 924507 A NO 20003716 A SE 9001949 A US 6139846 A US 5989828 A US 5888517 A	20-01-1992 15-09-1998 09-06-1994 31-12-1991 01-12-1991 08-10-1998 18-02-1999 02-11-1998 04-05-1994 16-10-1998 30-11-1992 17-07-2000 30-11-1992 30-11-1992 01-12-1991 31-10-2000 23-11-1999 30-03-1999

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 00/08896

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9118926 A		US 5858677 A	12-01-1999
		US 6025484 A	15-02-2000
WO 9947674 A	23-09-1999	AU 3094999 A	11-10-1999
		BR 9908823 A	21-11-2000
		EP 1064372 A	03-01-2001
		NO 20004631 A	15-11-2000
WO 9938973 A	05-08-1999	AU 2344399 A	16-08-1999
		EP 1051489 A	15-11-2000
		NO 20003853 A	27-09-2000



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: C07K 14/00	A2	(11) International Publication Number: WO 00/61612
		(43) International Publication Date: 19 October 2000 (19.10.2000)
(21) International Application Number: PCT/US00/08896	Published	
(22) International Filing Date: 03 April 2000 (03.04.2000)		
(30) Priority Data: 09/285,479 02 April 1999 (02.04.1999) US 09/466,396 17 December 1999 (17.12.1999) US 09/476,496 30 December 1999 (30.12.1999) US 09/480,884 10 January 2000 (10.01.2000) US 09/510,376 22 February 2000 (22.02.2000) US		
(60) Parent Application or Grant CORIXA CORPORATION [/]; (). WANG, Tongtong [/]; (). FAN, Liqun [/]; (). WANG, Tongtong [/]; (). FAN, Liqun [/]; (). MAKI, David, J. ; ().		
(54) Title: COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER (54) Titre: COMPOSES ET PROCEDES DE THERAPIE ET DE DIAGNOSTIC DU CANCER DU POUMON		
(57) Abstract Compounds and methods for the treatment and diagnosis of lung cancer are provided. The inventive compounds include polypeptides containing at least a portion of a lung tumor protein. Vaccines and pharmaceutical compositions for immunotherapy of lung cancer comprising such polypeptides, or DNA molecules encoding such polypeptides, are also provided, together with DNA molecules for preparing the inventive polypeptides. (57) Abrégé L'invention concerne des composés et des procédés de traitement et de diagnostic du cancer du poumon. Lesdits composés sont notamment des polypeptides contenant au moins une partie d'une protéine de tumeur pulmonaire. L'invention traite également de vaccins et compositions pharmaceutiques destinés à l'immunothérapie du cancer du poumon et comprenant lesdits polypeptides, ou des molécules d'ADN codant de tels polypeptides, ainsi que des molécules d'ADN servant à la préparation des polypeptides selon l'invention.		

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : C07K 14/00		A2	(11) International Publication Number: WO 00/61612 (43) International Publication Date: 19 October 2000 (19.10.00)
(21) International Application Number: PCT/US00/08896 (22) International Filing Date: 3 April 2000 (03.04.00) (30) Priority Data: 09/285,479 2 April 1999 (02.04.99) US 09/466,396 17 December 1999 (17.12.99) US 09/476,496 30 December 1999 (30.12.99) US 09/480,884 10 January 2000 (10.01.00) US 09/510,376 22 February 2000 (22.02.00) US (71) Applicant (for all designated States except US): CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): WANG, Tongtong [US/US]; 8049 NE 28th Street, Medina, WA 98039 (US). FAN, Liqun [CN/US]; 14116 SE 46th Street, Bellevue, WA 98006 (US). (74) Agents: MAKI, David, J.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US) et al.			(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER			
(57) Abstract Compounds and methods for the treatment and diagnosis of lung cancer are provided. The inventive compounds include polypeptides containing at least a portion of a lung tumor protein. Vaccines and pharmaceutical compositions for immunotherapy of lung cancer comprising such polypeptides, or DNA molecules encoding such polypeptides, are also provided, together with DNA molecules for preparing the inventive polypeptides.			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LJ	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Description

5

10

15

20

25

30

35

40

45

50

55

COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER

TECHNICAL FIELD

The present invention relates generally to therapy and diagnosis of cancer, such as lung cancer. The invention is more specifically related to polypeptides comprising at least a portion of a lung tumor protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for prevention and treatment of lung cancer, and for the diagnosis and monitoring of such cancers.

BACKGROUND OF THE INVENTION

Lung cancer is the primary cause of cancer death among both men and women in the U.S., with an estimated 172,000 new cases being reported in 1994. The five-year survival rate among all lung cancer patients, regardless of the stage of disease at diagnosis, is only 13%. This contrasts with a five-year survival rate of 46% among cases detected while the disease is still localized. However, only 16% of lung cancers are discovered before the disease has spread.

Early detection is difficult since clinical symptoms are often not seen until the disease has reached an advanced stage. Currently, diagnosis is aided by the use of chest x-rays, analysis of the type of cells contained in sputum and fiberoptic examination of the bronchial passages. Treatment regimens are determined by the type and stage of the cancer, and include surgery, radiation therapy and/or chemotherapy. In spite of considerable research into therapies for the disease, lung cancer remains difficult to treat.

Accordingly, there remains a need in the art for improved vaccines, treatment methods and diagnostic techniques for lung cancer.

SUMMARY OF THE INVENTION

Briefly stated, the present invention provides compositions and methods for the diagnosis and therapy of cancer, such as lung cancer. In one aspect, the present

invention provides polypeptides comprising at least a portion of a lung tumor protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises a sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253-337, 345, 347 and 349; (b) variants of a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253-337, 345, 347 and 349; and (c) complements of a sequence of (a) or (b). In specific embodiments, the polypeptides of the present invention comprise at least a portion of a tumor protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 152, 155, 156, 165, 166, 169, 170, 172, 174, 176, 226-252, 338-344 and 346, and variants thereof.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a lung tumor protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines for prophylactic or therapeutic use are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and an immunostimulant.

5 The present invention further provides pharmaceutical compositions that
comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to
10 a lung tumor protein; and (b) a physiologically acceptable carrier.

10 Within further aspects, the present invention provides pharmaceutical
5 compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as
described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen
15 presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B
cells.

20 Within related aspects, vaccines are provided that comprise: (a) an
10 antigen presenting cell that expresses a polypeptide as described above, and (b) an
immunostimulant.

25 The present invention further provides, in other aspects, fusion proteins
that comprise at least one polypeptide as described above, as well as polynucleotides
encoding such fusion proteins.

15 Within related aspects, pharmaceutical compositions comprising a fusion
protein, or a polynucleotide encoding a fusion protein, in combination with a
30 physiologically acceptable carrier are provided.

30 Vaccines are further provided, within other aspects, that comprise a
fusion protein, or a polynucleotide encoding a fusion protein, in combination with an
20 immunostimulant.

35 Within further aspects, the present invention provides methods for
inhibiting the development of a cancer in a patient, comprising administering to a
patient a pharmaceutical composition or vaccine as recited above.

40 The present invention further provides, within other aspects, methods for
25 removing tumor cells from a biological sample, comprising contacting a biological
sample with T cells that specifically react with a lung tumor protein, wherein the step of
contacting is performed under conditions and for a time sufficient to permit the removal
45 of cells expressing the protein from the sample.

50 Within related aspects, methods are provided for inhibiting the
30 development of a cancer in a patient, comprising administering to a patient a biological
sample treated as described above.

5 Methods are further provided, within other aspects, for stimulating
and/or expanding T cells specific for a lung tumor protein, comprising contacting T
cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide
10 encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a
polypeptide; under conditions and for a time sufficient to permit the stimulation and/or
5 expansion of T cells. Determined T cell populations comprising T cells prepared as
described above are also provided.

15 Within further aspects, the present invention provides methods for
inhibiting the development of a cancer in a patient, comprising administering to a
10 patient an effective amount of a T cell population as described above.

20 The present invention further provides methods for inhibiting the
development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺
and/or CD8⁺ T cells determined from a patient with one or more of: (i) a polypeptide
25 comprising at least an immunogenic portion of a lung tumor protein; (ii) a
polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that
15 expressed such a polypeptide; and (b) administering to the patient an effective amount
of the proliferated T cells, and thereby inhibiting the development of a cancer in the
30 patient. Proliferated cells may, but need not, be cloned prior to administration to the
patient.

20 Within further aspects, the present invention provides methods for
35 determining the presence or absence of a cancer in a patient, comprising: (a) contacting
a biological sample obtained from a patient with a binding agent that binds to a
polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that
40 binds to the binding agent; and (c) comparing the amount of polypeptide with a
predetermined cut-off value, and therefrom determining the presence or absence of a
25 cancer in the patient. Within preferred embodiments, the binding agent is an antibody,
more preferably a monoclonal antibody. The cancer may be lung cancer.

45 The present invention also provides, within other aspects, methods for
monitoring the progression of a cancer in a patient. Such methods comprise the steps
30 of: (a) contacting a biological sample obtained from a patient at a first point in time
50 with a binding agent that binds to a polypeptide as recited above; (b) detecting in the

sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein; (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

5

SEQUENCE IDENTIFIERS

15 SEQ ID NO: 1 is the determined cDNA sequence for LST-S1-2

SEQ ID NO: 2 is the determined cDNA sequence for LST-S1-28

SEQ ID NO: 3 is the determined cDNA sequence for LST-S1-90

10 SEQ ID NO: 4 is the determined cDNA sequence for LST-S1-144

SEQ ID NO: 5 is the determined cDNA sequence for LST-S1-133

SEQ ID NO: 6 is the determined cDNA sequence for LST-S1-169

SEQ ID NO: 7 is the determined cDNA sequence for LST-S2-6

25 SEQ ID NO: 8 is the determined cDNA sequence for LST-S2-11

15 SEQ ID NO: 9 is the determined cDNA sequence for LST-S2-17

SEQ ID NO: 10 is the determined cDNA sequence for LST-S2-25

30 SEQ ID NO: 11 is the determined cDNA sequence for LST-S2-39

SEQ ID NO: 12 is a first determined cDNA sequence for LST-S2-43

SEQ ID NO: 13 is a second determined cDNA sequence for LST-S2-43

20 SEQ ID NO: 14 is the determined cDNA sequence for LST-S2-65

35 SEQ ID NO: 15 is the determined cDNA sequence for LST-S2-68

SEQ ID NO: 16 is the determined cDNA sequence for LST-S2-72

SEQ ID NO: 17 is the determined cDNA sequence for LST-S2-74

40 SEQ ID NO: 18 is the determined cDNA sequence for LST-S2-103

25 SEQ ID NO: 19 is the determined cDNA sequence for LST-S2-N1-1F

SEQ ID NO: 20 is the determined cDNA sequence for LST-S2-N1-2A

45 SEQ ID NO: 21 is the determined cDNA sequence for LST-S2-N1-4H

SEQ ID NO: 22 is the determined cDNA sequence for LST-S2-N1-5A

SEQ ID NO: 23 is the determined cDNA sequence for LST-S2-N1-6B

30 SEQ ID NO: 24 is the determined cDNA sequence for LST-S2-N1-7B

50 SEQ ID NO: 25 is the determined cDNA sequence for LST-S2-N1-7H

5

7

SEQ ID NO: 26 is the determined cDNA sequence for LST-S2-N1-8A

SEQ ID NO: 27 is the determined cDNA sequence for LST-S2-N1-8D

10

SEQ ID NO: 28 is the determined cDNA sequence for LST-S2-N1-9A

SEQ ID NO: 29 is the determined cDNA sequence for LST-S2-N1-9E

5 SEQ ID NO: 30 is the determined cDNA sequence for LST-S2-N1-10A

SEQ ID NO: 31 is the determined cDNA sequence for LST-S2-N1-10G

15

SEQ ID NO: 32 is the determined cDNA sequence for LST-S2-N1-11A

SEQ ID NO: 33 is the determined cDNA sequence for LST-S2-N1-12C

SEQ ID NO: 34 is the determined cDNA sequence for LST-S2-N1-12E

20

10 SEQ ID NO: 35 is the determined cDNA sequence for LST-S2-B1-3D

SEQ ID NO: 36 is the determined cDNA sequence for LST-S2-B1-6C

SEQ ID NO: 37 is the determined cDNA sequence for LST-S2-B1-5D

SEQ ID NO: 38 is the determined cDNA sequence for LST-S2-B1-5F

25

SEQ ID NO: 39 is the determined cDNA sequence for LST-S2-B1-6G

15 SEQ ID NO: 40 is the determined cDNA sequence for LST-S2-B1-8A

SEQ ID NO: 41 is the determined cDNA sequence for LST-S2-B1-8D

30

SEQ ID NO: 42 is the determined cDNA sequence for LST-S2-B1-10A

SEQ ID NO: 43 is the determined cDNA sequence for LST-S2-B1-9B

SEQ ID NO: 44 is the determined cDNA sequence for LST-S2-B1-9F

20 SEQ ID NO: 45 is the determined cDNA sequence for LST-S2-B1-12D

35

SEQ ID NO: 46 is the determined cDNA sequence for LST-S2-I2-2B

SEQ ID NO: 47 is the determined cDNA sequence for LST-S2-I2-5F

SEQ ID NO: 48 is the determined cDNA sequence for LST-S2-I2-6B

40

SEQ ID NO: 49 is the determined cDNA sequence for LST-S2-I2-7F

25 SEQ ID NO: 50 is the determined cDNA sequence for LST-S2-I2-8G

SEQ ID NO: 51 is the determined cDNA sequence for LST-S2-I2-9E

SEQ ID NO: 52 is the determined cDNA sequence for LST-S2-I2-12B

45

SEQ ID NO: 53 is the determined cDNA sequence for LST-S2-H2-2C

SEQ ID NO: 54 is the determined cDNA sequence for LST-S2-H2-1G

30 SEQ ID NO: 55 is the determined cDNA sequence for LST-S2-H2-4G

50

SEQ ID NO: 56 is the determined cDNA sequence for LST-S2-H2-3H

55

5

8

SEQ ID NO: 57 is the determined cDNA sequence for LST-S2-H2-5G

SEQ ID NO: 58 is the determined cDNA sequence for LST-S2-H2-9B

SEQ ID NO: 59 is the determined cDNA sequence for LST-S2-H2-10H

10

SEQ ID NO: 60 is the determined cDNA sequence for LST-S2-H2-12D

5 SEQ ID NO: 61 is the determined cDNA sequence for LST-S3-2

SEQ ID NO: 62 is the determined cDNA sequence for LST-S3-4

15

SEQ ID NO: 63 is the determined cDNA sequence for LST-S3-7

SEQ ID NO: 64 is the determined cDNA sequence for LST-S3-8

SEQ ID NO: 65 is the determined cDNA sequence for LST-S3-12

20

10 SEQ ID NO: 66 is the determined cDNA sequence for LST-S3-13

SEQ ID NO: 67 is the determined cDNA sequence for LST-S3-14

SEQ ID NO: 68 is the determined cDNA sequence for LST-S3-16

SEQ ID NO: 69 is the determined cDNA sequence for LST-S3-21

25

SEQ ID NO: 70 is the determined cDNA sequence for LST-S3-22

15 SEQ ID NO: 71 is the determined cDNA sequence for LST-S1-7

SEQ ID NO: 72 is the determined cDNA sequence for LST-S1-A-1E

30

SEQ ID NO: 73 is the determined cDNA sequence for LST-S1-A-1G

SEQ ID NO: 74 is the determined cDNA sequence for LST-S1-A-3E

SEQ ID NO: 75 is the determined cDNA sequence for LST-S1-A-4E

20 SEQ ID NO: 76 is the determined cDNA sequence for LST-S1-A-6D

35

SEQ ID NO: 77 is the determined cDNA sequence for LST-S1-A-8D

SEQ ID NO: 78 is the determined cDNA sequence for LST-S1-A-10A

SEQ ID NO: 79 is the determined cDNA sequence for LST-S1-A-10C

40

SEQ ID NO: 80 is the determined cDNA sequence for LST-S1-A-9D

25 SEQ ID NO: 81 is the determined cDNA sequence for LST-S1-A-10D

SEQ ID NO: 82 is the determined cDNA sequence for LST-S1-A-9H

SEQ ID NO: 83 is the determined cDNA sequence for LST-S1-A-11D

45

SEQ ID NO: 84 is the determined cDNA sequence for LST-S1-A-12D

SEQ ID NO: 85 is the determined cDNA sequence for LST-S1-A-11E

30 SEQ ID NO: 86 is the determined cDNA sequence for LST-S1-A-12E

50

SEQ ID NO: 87 is the determined cDNA sequence for L513S (T3).

55

SEQ ID NO: 88 is the determined cDNA sequence for L513S contig 1.

SEQ ID NO: 89 is a first determined cDNA sequence for L514S.

SEQ ID NO: 90 is a second determined cDNA sequence for L514S.

SEQ ID NO: 91 is a first determined cDNA sequence for L516S.

SEQ ID NO: 92 is a second determined cDNA sequence for L516S.

SEQ ID NO: 93 is the determined cDNA sequence for L517S.

SEQ ID NO: 94 is the extended cDNA sequence for LST-S1-169 (also known as L519S).

SEQ ID NO: 95 is a first determined cDNA sequence for L520S.

SEQ ID NO: 96 is a second determined cDNA sequence for L520S.

SEQ ID NO: 97 is a first determined cDNA sequence for L521S.

SEQ ID NO: 98 is a second determined cDNA sequence for L521S.

SEQ ID NO: 99 is the determined cDNA sequence for L522S.

SEQ ID NO: 100 is the determined cDNA sequence for L523S.

SEQ ID NO: 101 is the determined cDNA sequence for L524S.

SEQ ID NO: 102 is the determined cDNA sequence for L525S.

SEQ ID NO: 103 is the determined cDNA sequence for L526S.

SEQ ID NO: 104 is the determined cDNA sequence for L527S.

SEQ ID NO: 105 is the determined cDNA sequence for L528S.

SEQ ID NO: 106 is the determined cDNA sequence for L529S.

SEQ ID NO: 107 is a first determined cDNA sequence for L530S.

SEQ ID NO: 108 is a second determined cDNA sequence for L530S.

SEQ ID NO: 109 is the determined full-length cDNA sequence for L531S short form

SEQ ID NO: 110 is the predicted amino acid sequence encoded by SEQ ID NO: 109.

SEQ ID NO: 111 is the determined full-length cDNA sequence for L531S long form

SEQ ID NO: 112 is the predicted amino acid sequence encoded by SEQ ID NO: 111.

SEQ ID NO: 113 is the determined full-length cDNA sequence for L520S.

SEQ ID NO: 114 is the predicted amino acid sequence encoded by SEQ ID NO: 113.

SEQ ID NO: 115 is the determined cDNA sequence for contig 1.

SEQ ID NO: 116 is the determined cDNA sequence for contig 3.

SEQ ID NO: 117 is the determined cDNA sequence for contig 4.

5

10

SEQ ID NO: 118 is the determined cDNA sequence for contig 5.

SEQ ID NO: 119 is the determined cDNA sequence for contig 7.

SEQ ID NO: 120 is the determined cDNA sequence for contig 8.

10

SEQ ID NO: 121 is the determined cDNA sequence for contig 9.

5 SEQ ID NO: 122 is the determined cDNA sequence for contig 10.

SEQ ID NO: 123 is the determined cDNA sequence for contig 12.

15

SEQ ID NO: 124 is the determined cDNA sequence for contig 11.

SEQ ID NO: 125 is the determined cDNA sequence for contig 13.

SEQ ID NO: 126 is the determined cDNA sequence for contig 15.

20

10 SEQ ID NO: 127 is the determined cDNA sequence for contig 16.

SEQ ID NO: 128 is the determined cDNA sequence for contig 17.

SEQ ID NO: 129 is the determined cDNA sequence for contig 19.

SEQ ID NO: 130 is the determined cDNA sequence for contig 20.

25

SEQ ID NO: 131 is the determined cDNA sequence for contig 22.

15 SEQ ID NO: 132 is the determined cDNA sequence for contig 24.

SEQ ID NO: 133 is the determined cDNA sequence for contig 29.

SEQ ID NO: 134 is the determined cDNA sequence for contig 31.

30

SEQ ID NO: 135 is the determined cDNA sequence for contig 33.

SEQ ID NO: 136 is the determined cDNA sequence for contig 38.

20 SEQ ID NO: 137 is the determined cDNA sequence for contig 39.

35

SEQ ID NO: 138 is the determined cDNA sequence for contig 41.

SEQ ID NO: 139 is the determined cDNA sequence for contig 43.

SEQ ID NO: 140 is the determined cDNA sequence for contig 44.

40

SEQ ID NO: 141 is the determined cDNA sequence for contig 45.

25 SEQ ID NO: 142 is the determined cDNA sequence for contig 47.

SEQ ID NO: 143 is the determined cDNA sequence for contig 48.

SEQ ID NO: 144 is the determined cDNA sequence for contig 49.

45

SEQ ID NO: 145 is the determined cDNA sequence for contig 50.

SEQ ID NO: 146 is the determined cDNA sequence for contig 53.

30 SEQ ID NO: 147 is the determined cDNA sequence for contig 54.

50

SEQ ID NO: 148 is the determined cDNA sequence for contig 56.

55

5

11

SEQ ID NO: 149 is the determined cDNA sequence for contig 57.

SEQ ID NO: 150 is the determined cDNA sequence for contig 58.

SEQ ID NO: 151 is the full-length cDNA sequence for L530S.

10

SEQ ID NO: 152 is the amino acid sequence encoded by SEQ ID NO: 151

5 SEQ ID NO: 153 is the full-length cDNA sequence of a first variant of L514S

SEQ ID NO: 154 is the full-length cDNA sequence of a second variant of L514S

15

SEQ ID NO: 155 is the amino acid sequence encoded by SEQ ID NO: 153.

SEQ ID NO: 156 is the amino acid sequence encoded by SEQ ID NO: 154.

SEQ ID NO: 157 is the determined cDNA sequence for contig 59.

20

10 SEQ ID NO: 158 is the full-length cDNA sequence for L763P (also referred to as contig 22).

SEQ ID NO: 159 is the amino acid sequence encoded by SEQ ID NO: 158.

SEQ ID NO: 160 is the full-length cDNA sequence for L762P (also referred to as contig 17).

25

15 SEQ ID NO: 161 is the amino acid sequence encoded by SEQ ID NO: 160.

SEQ ID NO: 162 is the determined cDNA sequence for L515S.

SEQ ID NO: 163 is the full-length cDNA sequence of a first variant of L524S.

30

SEQ ID NO: 164 is the full-length cDNA sequence of a second variant of L524S.

SEQ ID NO: 165 is the amino acid sequence encoded by SEQ ID NO: 163.

20 SEQ ID NO: 166 is the amino acid sequence encoded by SEQ ID NO: 164.

35

SEQ ID NO: 167 is the full-length cDNA sequence of a first variant of L762P.

SEQ ID NO: 168 is the full-length cDNA sequence of a second variant of L762P.

SEQ ID NO: 169 is the amino acid sequence encoded by SEQ ID NO: 167.

40

SEQ ID NO: 170 is the amino acid sequence encoded by SEQ ID NO: 168.

25 SEQ ID NO: 171 is the full-length cDNA sequence for L773P (also referred to as contig 56).

SEQ ID NO: 172 is the amino acid sequence encoded by SEQ ID NO: 171.

45

SEQ ID NO: 173 is an extended cDNA sequence for L519S.

SEQ ID NO: 174 is the predicted amino acid sequence encoded by SEQ ID NO: 174.

30 SEQ ID NO: 175 is the full-length cDNA sequence for L523S.

50

SEQ ID NO: 176 is the predicted amino acid sequence encoded by SEQ ID NO: 175.

55

5

12

SEQ ID NO: 177 is the determined cDNA sequence for LST-sub5-7A.

SEQ ID NO: 178 is the determined cDNA sequence for LST-sub5-8G.

SEQ ID NO: 179 is the determined cDNA sequence for LST-sub5-8H.

10

SEQ ID NO: 180 is the determined cDNA sequence for LST-sub5-10B.

5 SEQ ID NO: 181 is the determined cDNA sequence for LST-sub5-10H.

SEQ ID NO: 182 is the determined cDNA sequence for LST-sub5-12B.

15

SEQ ID NO: 183 is the determined cDNA sequence for LST-sub5-11C.

SEQ ID NO: 184 is the determined cDNA sequence for LST-sub6-1c.

SEQ ID NO: 185 is the determined cDNA sequence for LST-sub6-2f.

20

10 SEQ ID NO: 186 is the determined cDNA sequence for LST-sub6-2G.

SEQ ID NO: 187 is the determined cDNA sequence for LST-sub6-4d.

SEQ ID NO: 188 is the determined cDNA sequence for LST-sub6-4e.

SEQ ID NO: 189 is the determined cDNA sequence for LST-sub6-4f.

25

SEQ ID NO: 190 is the determined cDNA sequence for LST-sub6-3h.

15 SEQ ID NO: 191 is the determined cDNA sequence for LST-sub6-5d.

SEQ ID NO: 192 is the determined cDNA sequence for LST-sub6-5h.

SEQ ID NO: 193 is the determined cDNA sequence for LST-sub6-6h.

30

SEQ ID NO: 194 is the determined cDNA sequence for LST-sub6-7a.

SEQ ID NO: 195 is the determined cDNA sequence for LST-sub6-8a.

20 SEQ ID NO: 196 is the determined cDNA sequence for LST-sub6-7d.

35

SEQ ID NO: 197 is the determined cDNA sequence for LST-sub6-7e.

SEQ ID NO: 198 is the determined cDNA sequence for LST-sub6-8e.

SEQ ID NO: 199 is the determined cDNA sequence for LST-sub6-7g.

40

SEQ ID NO: 200 is the determined cDNA sequence for LST-sub6-9f.

25 SEQ ID NO: 201 is the determined cDNA sequence for LST-sub6-9h.

SEQ ID NO: 202 is the determined cDNA sequence for LST-sub6-11b.

SEQ ID NO: 203 is the determined cDNA sequence for LST-sub6-11c.

45

SEQ ID NO: 204 is the determined cDNA sequence for LST-sub6-12c.

SEQ ID NO: 205 is the determined cDNA sequence for LST-sub6-12e.

30 SEQ ID NO: 206 is the determined cDNA sequence for LST-sub6-12f.

50

SEQ ID NO: 207 is the determined cDNA sequence for LST-sub6-11g.

55

SEQ ID NO: 208 is the determined cDNA sequence for LST-sub6-12g.

SEQ ID NO: 209 is the determined cDNA sequence for LST-sub6-12h.

SEQ ID NO: 210 is the determined cDNA sequence for LST-sub6-II-1a.

SEQ ID NO: 211 is the determined cDNA sequence for LST-sub6-II-2b.

SEQ ID NO: 212 is the determined cDNA sequence for LST-sub6-II-2g.

SEQ ID NO: 213 is the determined cDNA sequence for LST-sub6-II-1h.

SEQ ID NO: 214 is the determined cDNA sequence for LST-sub6-II-4a.

SEQ ID NO: 215 is the determined cDNA sequence for LST-sub6-II-4b.

SEQ ID NO: 216 is the determined cDNA sequence for LST-sub6-II-3e.

SEQ ID NO: 217 is the determined cDNA sequence for LST-sub6-II-4f.

SEQ ID NO: 218 is the determined cDNA sequence for LST-sub6-II-4g.

SEQ ID NO: 219 is the determined cDNA sequence for LST-sub6-II-4h.

SEQ ID NO: 220 is the determined cDNA sequence for LST-sub6-II-5c.

SEQ ID NO: 221 is the determined cDNA sequence for LST-sub6-II-5e.

SEQ ID NO: 222 is the determined cDNA sequence for LST-sub6-II-6f.

SEQ ID NO: 223 is the determined cDNA sequence for LST-sub6-II-5g.

SEQ ID NO: 224 is the determined cDNA sequence for LST-sub6-II-6g.

SEQ ID NO: 225 is the amino acid sequence for L528S.

SEQ ID NO: 226-251 are synthetic peptides derived from L762P.

SEQ ID NO: 252 is the expressed amino acid sequence of L514S.

SEQ ID NO: 253 is the DNA sequence corresponding to SEQ ID NO: 252.

SEQ ID NO: 254 is the DNA sequence of a L762P expression construct.

SEQ ID NO: 255 is the determined cDNA sequence for clone 23785.

SEQ ID NO: 256 is the determined cDNA sequence for clone 23786.

SEQ ID NO: 257 is the determined cDNA sequence for clone 23788.

SEQ ID NO: 258 is the determined cDNA sequence for clone 23790.

SEQ ID NO: 259 is the determined cDNA sequence for clone 23793.

SEQ ID NO: 260 is the determined cDNA sequence for clone 23794.

SEQ ID NO: 261 is the determined cDNA sequence for clone 23795.

SEQ ID NO: 262 is the determined cDNA sequence for clone 23796.

SEQ ID NO: 263 is the determined cDNA sequence for clone 23797.

5

14

SEQ ID NO: 264 is the determined cDNA sequence for clone 23798.

SEQ ID NO: 265 is the determined cDNA sequence for clone 23799.

SEQ ID NO: 266 is the determined cDNA sequence for clone 23800.

SEQ ID NO: 267 is the determined cDNA sequence for clone 23802.

SEQ ID NO: 268 is the determined cDNA sequence for clone 23803.

SEQ ID NO: 269 is the determined cDNA sequence for clone 23804.

SEQ ID NO: 270 is the determined cDNA sequence for clone 23805.

SEQ ID NO: 271 is the determined cDNA sequence for clone 23806.

SEQ ID NO: 272 is the determined cDNA sequence for clone 23807.

SEQ ID NO: 273 is the determined cDNA sequence for clone 23808.

SEQ ID NO: 274 is the determined cDNA sequence for clone 23809.

SEQ ID NO: 275 is the determined cDNA sequence for clone 23810.

SEQ ID NO: 276 is the determined cDNA sequence for clone 23811.

SEQ ID NO: 277 is the determined cDNA sequence for clone 23812.

SEQ ID NO: 278 is the determined cDNA sequence for clone 23813.

SEQ ID NO: 279 is the determined cDNA sequence for clone 23815.

SEQ ID NO: 280 is the determined cDNA sequence for clone 25298.

SEQ ID NO: 281 is the determined cDNA sequence for clone 25299.

SEQ ID NO: 282 is the determined cDNA sequence for clone 25300.

SEQ ID NO: 283 is the determined cDNA sequence for clone 25301.

SEQ ID NO: 284 is the determined cDNA sequence for clone 25304.

SEQ ID NO: 285 is the determined cDNA sequence for clone 25309.

SEQ ID NO: 286 is the determined cDNA sequence for clone 25312.

SEQ ID NO: 287 is the determined cDNA sequence for clone 25317.

SEQ ID NO: 288 is the determined cDNA sequence for clone 25321.

SEQ ID NO: 289 is the determined cDNA sequence for clone 25323.

SEQ ID NO: 290 is the determined cDNA sequence for clone 25327.

SEQ ID NO: 291 is the determined cDNA sequence for clone 25328.

SEQ ID NO: 292 is the determined cDNA sequence for clone 25332.

SEQ ID NO: 293 is the determined cDNA sequence for clone 25333.

SEQ ID NO: 294 is the determined cDNA sequence for clone 25336.

55

5

15

SEQ ID NO: 295 is the determined cDNA sequence for clone 25340.

SEQ ID NO: 296 is the determined cDNA sequence for clone 25342.

10

SEQ ID NO: 297 is the determined cDNA sequence for clone 25356.

SEQ ID NO: 298 is the determined cDNA sequence for clone 25357.

5 SEQ ID NO: 299 is the determined cDNA sequence for clone 25361.

SEQ ID NO: 300 is the determined cDNA sequence for clone 25363.

15

SEQ ID NO: 301 is the determined cDNA sequence for clone 25397.

SEQ ID NO: 302 is the determined cDNA sequence for clone 25402.

SEQ ID NO: 303 is the determined cDNA sequence for clone 25403.

20

10 SEQ ID NO: 304 is the determined cDNA sequence for clone 25405.

SEQ ID NO: 305 is the determined cDNA sequence for clone 25407.

SEQ ID NO: 306 is the determined cDNA sequence for clone 25409.

SEQ ID NO: 307 is the determined cDNA sequence for clone 25396.

25

SEQ ID NO: 308 is the determined cDNA sequence for clone 25414.

15 SEQ ID NO: 309 is the determined cDNA sequence for clone 25410.

SEQ ID NO: 310 is the determined cDNA sequence for clone 25406.

30

SEQ ID NO: 311 is the determined cDNA sequence for clone 25306.

SEQ ID NO: 312 is the determined cDNA sequence for clone 25362.

SEQ ID NO: 313 is the determined cDNA sequence for clone 25360.

20 SEQ ID NO: 314 is the determined cDNA sequence for clone 25398.

35

SEQ ID NO: 315 is the determined cDNA sequence for clone 25355.

SEQ ID NO: 316 is the determined cDNA sequence for clone 25351.

SEQ ID NO: 317 is the determined cDNA sequence for clone 25331.

40

SEQ ID NO: 318 is the determined cDNA sequence for clone 25338.

25 SEQ ID NO: 319 is the determined cDNA sequence for clone 25335.

SEQ ID NO: 320 is the determined cDNA sequence for clone 25329.

SEQ ID NO: 321 is the determined cDNA sequence for clone 25324.

45

SEQ ID NO: 322 is the determined cDNA sequence for clone 25322.

SEQ ID NO: 323 is the determined cDNA sequence for clone 25319.

30 SEQ ID NO: 324 is the determined cDNA sequence for clone 25316.

50

SEQ ID NO: 325 is the determined cDNA sequence for clone 25311.

55

SEQ ID NO: 326 is the determined cDNA sequence for clone 25310.

SEQ ID NO: 327 is the determined cDNA sequence for clone 25302.

SEQ ID NO: 328 is the determined cDNA sequence for clone 25315.

SEQ ID NO: 329 is the determined cDNA sequence for clone 25308.

5 SEQ ID NO: 330 is the determined cDNA sequence for clone 25303.

SEQ ID NO: 331-337 are the cDNA sequences of isoforms of the p53 tumor suppressor
homologue, p63 (also referred to as L530S).

SEQ ID NO: 338-344 are the amino acid sequences encoded by SEQ ID NO: 331-337,
respectively.

10 SEQ ID NO: 345 is a second cDNA sequence for the antigen L763P.

SEQ ID NO: 346 is the amino acid sequence encoded by the sequence of SEQ ID NO:
345.

SEQ ID NO: 347 is a determined full-length cDNA sequence for L523S.

SEQ ID NO: 348 is the predicted amino acid sequence encoded by SEQ ID NO: 347.

15 SEQ ID NO: 349 is the cDNA sequence encoding the N-terminal portion of L773P.

SEQ ID NO: 350 is the amino acid sequence of the N-terminal portion of L773P.

30 DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to
20 compositions and methods for the therapy and diagnosis of cancer, such as lung cancer.
35 The compositions described herein may include lung tumor polypeptides,
polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen
presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the
40 present invention generally comprise at least a portion (such as an immunogenic
25 portion) of a lung tumor protein or a variant thereof. A "lung tumor protein" is a protein
that is expressed in lung tumor cells at a level that is at least two fold, and preferably at
least five fold, greater than the level of expression in a normal tissue, as determined
45 using a representative assay provided herein. Certain lung tumor proteins are tumor
proteins that react detectably (within an immunoassay, such as an ELISA or Western
30 blot) with antisera of a patient afflicted with lung cancer. Polynucleotides of the subject
50 invention generally comprise a DNA or RNA sequence that encodes all or a portion of

such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery human lung tumor proteins. Sequences of polynucleotides encoding specific tumor proteins are provided in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349.

LUNG TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a lung tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a lung tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a lung tumor protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (i.e., an endogenous sequence that encodes a lung tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the

5 encoded polypeptide is not diminished, relative to a native tumor protein. The effect on
the immunogenicity of the encoded polypeptide may generally be assessed as described
herein. Variants preferably exhibit at least about 70% identity, more preferably at least
10 about 80% identity and most preferably at least about 90% identity to a polynucleotide
5 sequence that encodes a native lung tumor protein or a portion thereof. The term
"variants" also encompasses homologous genes of xenogenic origin.

15 Two polynucleotide or polypeptide sequences are said to be "identical" if
the sequence of nucleotides or amino acids in the two sequences is the same when
aligned for maximum correspondence as described below. Comparisons between two
20 sequences are typically performed by comparing the sequences over a comparison
window to identify and compare local regions of sequence similarity. A "comparison
window" as used herein, refers to a segment of at least about 20 contiguous positions,
usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a
25 reference sequence of the same number of contiguous positions after the two sequences
15 are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using
30 the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR,
Inc., Madison, WI), using default parameters. This program embodies several
alignment schemes described in the following references: Dayhoff, M.O. (1978) A
20 model of evolutionary change in proteins - Matrices for detecting distant relationships.
In Dayhoff, M.O. (ed.) Atlas of Protein Sequence and Structure, National Biomedical
35 Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990)
Unified Approach to Alignment and Phylogenies pp. 626-645 *Methods in Enzymology*
vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989)
40 *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson,
E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-
425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy - the Principles and*
45 *Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and
Lipman, D.J. (1983) *Proc. Natl. Acad. Sci. USA* 80:726-730.

30 Preferably, the "percentage of sequence identity" is determined by
50 comparing two optimally aligned sequences over a window of comparison of at least 20

positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (i.e. gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (i.e. the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native lung tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (i.e., expression that

is at least two fold greater in a lung tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as lung tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (e.g., a lung tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (e.g., by nick-translation or end-labeling with ³²P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (see Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.* NCBI BLAST searches), and such ESTs

may be used to generate a contiguous full length sequence. Full length DNA sequences may also be obtained by analysis of genomic fragments.

Certain nucleic acid sequences of cDNA molecules encoding portions of lung tumor proteins are provided in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a lung tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (e.g., by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a lung tumor polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In* Huber and Carr, *Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (e.g., promoter, enhancer or transcription

initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl- methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (e.g., avian pox virus). The polynucleotides may also be administered as naked

5 plasmid vectors. Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of
10 transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may
5 also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

15 Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and
20 liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

25 15 LUNG TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise
30 at least an immunogenic portion of a lung tumor protein or a variant thereof, as described herein. As noted above, a "lung tumor protein" is a protein that is expressed by lung tumor cells. Proteins that are lung tumor proteins also react detectably within
20 an immunoassay (such as an ELISA) with antisera from a patient with lung cancer. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such
35 sequences may (but need not) possess further immunogenic or antigenic properties.

40 An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen
25 receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a lung tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or
30 transmembrane domain have been deleted. Other preferred immunogenic portions may

contain a small N- and/or C-terminal deletion (e.g., 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (i.e., they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native lung tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (e.g., in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

As noted above, a composition may comprise a variant of a native lung tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native lung tumor protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include

those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein.

Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydropathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the

polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast, higher eukaryotic and plant cells. Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans,

5 or may assist in expressing the protein (an expression enhancer) at higher yields than
the native recombinant protein. Certain preferred fusion partners are both
10 immunological and expression enhancing fusion partners. Other fusion partners may be
selected so as to increase the solubility of the protein or to enable the protein to be
5 targeted to desired intracellular compartments. Still further fusion partners include
affinity tags, which facilitate purification of the protein.

15 Fusion proteins may generally be prepared using standard techniques,
including chemical conjugation. Preferably, a fusion protein is expressed as a
recombinant protein, allowing the production of increased levels, relative to a non-fused
20 protein, in an expression system. Briefly, DNA sequences encoding the polypeptide
components may be assembled separately, and ligated into an appropriate expression
vector. The 3' end of the DNA sequence encoding one polypeptide component is
ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the
25 second polypeptide component so that the reading frames of the sequences are in phase.
15 This permits translation into a single fusion protein that retains the biological activity of
both component polypeptides.

30 A peptide linker sequence may be employed to separate the first and the
second polypeptide components by a distance sufficient to ensure that each polypeptide
folds into its secondary and tertiary structures. Such a peptide linker sequence is
20 incorporated into the fusion protein using standard techniques well known in the art.
35 Suitable peptide linker sequences may be chosen based on the following factors:
(1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a
secondary structure that could interact with functional epitopes on the first and second
40 polypeptides; and (3) the lack of hydrophobic or charged residues that might react with
25 the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly,
Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be
used in the linker sequence. Amino acid sequences which may be usefully employed as
45 linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al.,
Proc. Natl. Acad. Sci. USA 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S.
30 Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino
50 acids in length. Linker sequences are not required when the first and second

polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (see, for example, Stoute et al. *New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (e.g., the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible

for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (see *Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a lung tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a lung tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a lung tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about 10^3 L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as lung cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a lung tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, sputum urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. *See, e.g.*, Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (*e.g.*, mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically.

Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (i.e., reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane,

Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spittler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter *et al.*), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn *et al.*), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell *et al.*), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler *et al.*).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato *et al.*), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih *et al.*). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison *et al.* discloses representative chelating compounds and their synthesis.

5 A variety of routes of administration for the antibodies and
immunoconjugates may be used. Typically, administration will be intravenous,
10 intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the
precise dose of the antibody/immunoconjugate will vary depending upon the antibody
5 used, the antigen density on the tumor, and the rate of clearance of the antibody.

15 T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T
cells specific for a lung tumor protein. Such cells may generally be prepared *in vitro* or
10 *ex vivo*, using standard procedures. For example, T cells may be isolated from bone
marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient,
20 using a commercially available cell separation system, such as the Isolex™ System,
available from Nexell Therapeutics, Inc. Irvine, CA (see also U.S. Patent No.
25 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO
15 92/07243). Alternatively, T cells may be derived from related or unrelated humans,
non-human mammals, cell lines or cultures.

30 T cells may be stimulated with a lung tumor polypeptide, polynucleotide
encoding a lung tumor polypeptide and/or an antigen presenting cell (APC) that
expresses such a polypeptide. Such stimulation is performed under conditions and for a
20 time sufficient to permit the generation of T cells that are specific for the polypeptide.
35 Preferably, a lung tumor polypeptide or polynucleotide is present within a delivery
vehicle, such as a microsphere, to facilitate the generation of specific T cells.

40 T cells are considered to be specific for a lung tumor polypeptide if the T
cells specifically proliferate, secrete cytokines or kill target cells coated with the
25 polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be
evaluated using any of a variety of standard techniques. For example, within a
45 chromium release assay or proliferation assay, a stimulation index of more than two
fold increase in lysis and/or proliferation, compared to negative controls, indicates T
cell specificity. Such assays may be performed, for example, as described in Chen et
30 al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of
50 T cells may be accomplished by a variety of known techniques. For example, T cell

proliferation can be detected by measuring an increased rate of DNA synthesis (e.g., by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a lung tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (e.g., TNF or IFN-γ) is indicative of T cell activation (see Coligan et al., Current Protocols in Immunology, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a lung tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Lung tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a lung tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a lung tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a lung tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a lung tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (i.e., vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and an immunostimulant. An immunostimulant

5 may be any substance that enhances or potentiates an immune response to an exogenous antigen. Examples of immunostimulants include adjuvants, biodegradable
10 microspheres (e.g., polylactic galactide) and liposomes (into which the compound is incorporated; see e.g., Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is
5 generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995).
15 Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present,
20 either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding
25 one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of
15 delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery
30 techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for
20 expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or
35 secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other pox virus, retrovirus, or adenovirus),
40 which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner
45 et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805;
30 Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl.*

5

10

5

15

20

25

15

30

35

40

25

45

30

50

55

5
10
15
20
25
30
35
40
45
50
55

Acad. Sci. USA 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of immunostimulants may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A,

Bordetella pertussis or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- γ , TNF α , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6 and IL-10) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT) (see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555 and WO 99/33488. Immunostimulatory DNA sequences are also described, for example, by Sato et al., *Science* 273:352, 1996. Another preferred adjuvant is a saponin, preferably QS21 (Aquila Biopharmaceuticals Inc.,

5 Framingham, MA), which may be used alone or in combination with other adjuvants.
For example, an enhanced system involves the combination of a monophosphoryl lipid
10 A and saponin derivative, such as the combination of QS21 and 3D-MPL as described
in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with
5 cholesterol, as described in WO 96/33739. Other preferred formulations comprises an
oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation
15 involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in
WO 95/17210.

Other preferred adjuvants include Montanide ISA 720 (Seppic, France),
20 SAF (Chiron, California, United States), ISCOMS (CSL), MF-59 (Chiron), the SBAS
series of adjuvants (e.g., SBAS-2 or SBAS-4, available from SmithKline Beecham,
Rixensart, Belgium), Detox (Ribi ImmunoChem Research Inc., Hamilton, MT), RC-529
(Ribi ImmunoChem Research Inc., Hamilton, MT) and Aminoalkyl glucosaminide 4-
25 phosphates (AGPs).

15 Any vaccine provided herein may be prepared using well known
methods that result in a combination of antigen, immune response enhancer and a
suitable carrier or excipient. The compositions described herein may be administered as
30 part of a sustained release formulation (i.e., a formulation such as a capsule, sponge or
gel (composed of polysaccharides, for example) that effects a slow release of compound
20 following administration). Such formulations may generally be prepared using well
35 known technology (see, e.g. Coombes et al., *Vaccine* 14:1429-1438, 1996) and
administered by, for example, oral, rectal or subcutaneous implantation, or by
40 implantation at the desired target site. Sustained-release formulations may contain a
polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained
25 within a reservoir surrounded by a rate controlling membrane.

Carriers for use within such formulations are biocompatible, and may
45 also be biodegradable; preferably the formulation provides a relatively constant level of
active component release. Such carriers include microparticles of poly(lactide-co-
glycolide), as well as polyacrylate, latex, starch, cellulose and dextran. Other delayed-
30 release carriers include supramolecular biovectors, which comprise a non-liquid
50 hydrophilic core (e.g., a cross-linked polysaccharide or oligosaccharide) and, optionally,

an external layer comprising an amphiphilic compound, such as a phospholipid (*see e.g.*, U.S. Patent No. 5,151,254 and PCT applications WO 94/20078, WO/94/23701 and WO 96/06638). The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take up, process and present antigens with high efficiency, and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood,

bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor and mannose receptor. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (e.g., CD54 and CD11) and costimulatory molecules (e.g., CD40, CD80, CD86 and 4-1BB).

APCs may generally be transfected with a polynucleotide encoding a lung tumor protein (or portion or other variant thereof) such that the lung tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the lung tumor polypeptide, DNA

(naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

Vaccines and pharmaceutical compositions may be presented in unit-dose or multi-dose containers, such as sealed ampoules or vials. Such containers are preferably hermetically sealed to preserve sterility of the formulation until use. In general, formulations may be stored as suspensions, solutions or emulsions in oily or aqueous vehicles. Alternatively, a vaccine or pharmaceutical composition may be stored in a freeze-dried condition requiring only the addition of a sterile liquid carrier immediately prior to use.

CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as lung cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast and/or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive

long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (see, for example, Cheever et al., *Immunological Reviews* 157:177, 1997).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (e.g., intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (e.g., by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (e.g., more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 25 μ g to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (e.g., more frequent remissions, complete or partial, or longer disease-free

5 survival) in treated patients as compared to non-treated patients. Increases in
preexisting immune responses to a lung tumor protein generally correlate with an
10 improved clinical outcome. Such immune responses may generally be evaluated using
standard proliferation, cytotoxicity or cytokine assays, which may be performed using
5 samples obtained from a patient before and after treatment.

15 METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of
one or more lung tumor proteins and/or polynucleotides encoding such proteins in a
20 biological sample (for example, blood, sera, sputum urine and/or tumor biopsies)
obtained from the patient. In other words, such proteins may be used as markers to
indicate the presence or absence of a cancer such as lung cancer. In addition, such
proteins may be useful for the detection of other cancers. The binding agents provided
25 herein generally permit detection of the level of antigen that binds to the agent in the
biological sample. Polynucleotide primers and probes may be used to detect the level
15 of mRNA encoding a tumor protein, which is also indicative of the presence or absence
of a cancer. In general, a lung tumor sequence should be present at a level that is at
30 least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in
20 the art for using a binding agent to detect polypeptide markers in a sample. See, e.g.,
35 Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory,
1988. In general, the presence or absence of a cancer in a patient may be determined by
(a) contacting a biological sample obtained from a patient with a binding agent; (b)
40 detecting in the sample a level of polypeptide that binds to the binding agent; and (c)
25 comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent
45 immobilized on a solid support to bind to and remove the polypeptide from the
remainder of the sample. The bound polypeptide may then be detected using a
detection reagent that contains a reporter group and specifically binds to the binding
30 agent/polypeptide complex. Such detection reagents may comprise, for example, a
50 binding agent that specifically binds to the polypeptide or an antibody or other agent

5

47

10

15

that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length lung tumor proteins and portions thereof to which the binding agent binds, as described above.

20

25

30

35

40

45

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 μ g, and preferably about 100 ng to about 1 μ g, is sufficient to immobilize an adequate amount of binding agent.

50

55

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the

5 binding agent. For example, the binding agent may be covalently attached to supports
having an appropriate polymer coating using benzoquinone or by condensation of an
10 aldehyde group on the support with an amine and an active hydrogen on the binding
partner (*see, e.g.,* Pierce Immunotechnology Catalog and Handbook, 1991, at
5 A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay.
15 This assay may be performed by first contacting an antibody that has been immobilized
on a solid support, commonly the well of a microtiter plate, with the sample, such that
polypeptides within the sample are allowed to bind to the immobilized antibody.
20 Unbound sample is then removed from the immobilized polypeptide-antibody
complexes and a detection reagent (preferably a second antibody capable of binding to a
different site on the polypeptide) containing a reporter group is added. The amount of
25 detection reagent that remains bound to the solid support is then determined using a
method appropriate for the specific reporter group.

15 More specifically, once the antibody is immobilized on the support as
described above, the remaining protein binding sites on the support are typically
30 blocked. Any suitable blocking agent known to those of ordinary skill in the art, such
as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The
immobilized antibody is then incubated with the sample, and polypeptide is allowed to
20 bind to the antibody. The sample may be diluted with a suitable diluent, such as
phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact
35 time (*i.e.,* incubation time) is a period of time that is sufficient to detect the presence of
polypeptide within a sample obtained from an individual with lung cancer. Preferably,
40 the contact time is sufficient to achieve a level of binding that is at least about 95% of
25 that achieved at equilibrium between bound and unbound polypeptide. Those of
ordinary skill in the art will recognize that the time necessary to achieve equilibrium
45 may be readily determined by assaying the level of binding that occurs over a period of
time. At room temperature, an incubation time of about 30 minutes is generally
sufficient.

30 Unbound sample may then be removed by washing the solid support
50 with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second

antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide.

An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as lung cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered

5

50

10

positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

5

15

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent.

25

15

Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

30

35

40

25

45

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use lung tumor polypeptides to detect antibodies that bind to such polypeptides in a

30

50

55

biological sample. The detection of such lung tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a lung tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a lung tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with polypeptide (e.g., 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of lung tumor polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a lung tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a lung tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (i.e., hybridizes to) a polynucleotide encoding the lung tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a lung tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%,

preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a lung tumor protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349. Techniques for both PCR based assays and hybridization assays are well known in the art (*see*, for example, Mullis et al., *Cold Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich ed., *PCR Technology*, Stockton Press, NY, 1989).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the

level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor.

One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple lung tumor protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a lung tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a lung tumor protein in a biological sample. Such kits generally comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a lung tumor protein. Such an oligonucleotide may be used,

5

54

for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a lung tumor protein.

10

The following Examples are offered by way of illustration and not by way of limitation.

5

15

20

25

30

35

40

45

50

55

5

55

EXAMPLE 1

ISOLATION AND CHARACTERIZATION OF cDNA SEQUENCES
ENCODING LUNG TUMOR POLYPEPTIDES

10

5

This example illustrates the isolation of cDNA molecules encoding lung tumor-specific polypeptides from lung tumor cDNA libraries.

15

A. ISOLATION OF cDNA SEQUENCES FROM A LUNG SQUAMOUS CELL
CARCINOMA LIBRARY

20

A human lung squamous cell carcinoma cDNA expression library was constructed from poly A⁺ RNA from a pool of two patient tissues using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD) following the manufacturer's protocol. Specifically, lung carcinoma tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A⁺ RNA was then purified using an oligo dT cellulose column as described in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989. First-strand cDNA was synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with BstXI/EcoRI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with cDNA size fractionation columns (BRL Life Technologies), the cDNA was ligated into the BstXI/NotI site of pcDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life Technologies) by electroporation.

25

30

35

40

25

Using the same procedure, a normal human lung cDNA expression library was prepared from a pool of four tissue specimens. The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The lung squamous cell carcinoma library contained 2.7×10^6 independent colonies, with 100% of clones having an insert and the average insert size being 2100 base pairs. The normal

45

30

50

55

lung cDNA library contained 1.4×10^6 independent colonies, with 90% of clones having inserts and the average insert size being 1800 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA

cDNA library subtraction was performed using the above lung squamous cell carcinoma and normal lung cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a lung squamous cell carcinoma-specific subtracted cDNA library was generated as follows. Normal tissue cDNA library (80 μ g) was digested with BamHI and XhoI, followed by a filling-in reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 133 μ l of H₂O, heat-denatured and mixed with 133 μ l (133 μ g) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (67 μ l) was added and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 μ l H₂O to form the driver DNA.

To form the tracer DNA, 10 μ g lung squamous cell carcinoma cDNA library was digested with NotI and SpeI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech, Palo Alto, CA). Typically, 5 μ g of cDNA was recovered after the sizing column. Following ethanol precipitation, the tracer DNA was dissolved in 5 μ l H₂O. Tracer DNA was mixed with 15 μ l driver DNA and 20 μ l of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 μ l H₂O, mixed with 8 μ l driver DNA and 20 μ l of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into NotI/SpeI site of chloramphenicol resistant pBCSK' (Stratagene, La Jolla, CA) and

transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a lung squamous cell carcinoma specific subtracted cDNA library (herein after referred to as "lung subtraction I").

A second lung squamous cell carcinoma specific subtracted cDNA library (referred to as "lung subtraction II") was generated in a similar way to the lung subtraction library I, except that eight frequently recovered genes from lung subtraction I were included in the driver DNA, and 24,000 independent clones were recovered.

To analyze the subtracted cDNA libraries, plasmid DNA was prepared from 320 independent clones, randomly picked from the subtracted lung squamous cell carcinoma specific libraries. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A and/or Model 377 (Foster City, CA). The cDNA sequences for sixty isolated clones are provided in SEQ ID NO: 1-60. These sequences were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). No significant homologies were found to the sequences provided in SEQ ID NO: 2, 3, 19, 38 and 46. The sequences of SEQ ID NO: 1, 6-8, 10-13, 15, 17, 18, 20-27, 29, 30, 32, 34-37, 39-45, 47-49, 51, 52, 54, 55 and 57-59 were found to show some homology to previously identified expressed sequence tags (ESTs). The sequences of SEQ ID NO: 9, 28, 31 and 33 were found to show some homology to previously identified non-human gene sequences and the sequences of SEQ ID NO: 4, 5, 14, 50, 53, 56 and 60 were found to show some homology to gene sequences previously identified in humans.

The subtraction procedure described above was repeated using the above lung squamous cell carcinoma cDNA library as the tracer DNA, and the above normal lung tissue cDNA library and a cDNA library from normal liver and heart (constructed from a pool of one sample of each tissue as described above), plus twenty other cDNA clones that were frequently recovered in lung subtractions I and II, as the driver DNA (lung subtraction III). The normal liver and heart cDNA library contained 1.76×10^6 independent colonies, with 100% of clones having inserts and the average insert size being 1600 base pairs. Ten additional clones were isolated (SEQ ID NO: 61-70). Comparison of these cDNA sequences with those in the gene bank as described above,

revealed no significant homologies to the sequences provided in SEQ ID NO: 62 and 67. The sequences of SEQ ID NO: 61, 63-66, 68 and 69 were found to show some homology to previously isolated ESTs and the sequence provided in SEQ ID NO: 70 was found to show some homology to a previously identified rat gene.

In further studies, the subtraction procedure described above was repeated using the above lung squamous cell carcinoma cDNA library as the tracer DNA, and a cDNA library from a pool of normal lung, kidney, colon, pancreas, brain, resting PBMC, heart, skin and esophagus as the driver DNA, with esophagus cDNAs making up one third of the driver material. Since esophagus is enriched in normal epithelial cells, including differentiated squamous cells, this procedure is likely to enrich genes that are tumor specific rather than tissues specific. The cDNA sequences of 48 clones determined in this subtraction are provided in SEQ ID NO: 177-224. The sequences of SEQ ID NO: 177, 178, 180, 181, 183, 187, 192, 195-197, 208, 211, 212, 215, 216, 218 and 219 showed some homology to previously identified genes. The sequences of SEQ ID NO: 179, 182, 184-186, 188-191, 193, 194, 198-207, 209 210, 213, 214, 217, 220 and 224 showed some homology to previously determined ESTs. The sequence of SEQ ID NO: 221-223 showed no homology to any previously determined sequence.

B. ISOLATION OF cDNA SEQUENCES FROM A LUNG ADENOCARCINOMA LIBRARY

A human lung adenocarcinoma cDNA expression library was constructed as described above. The library contained 3.2×10^6 independent colonies, with 100% of clones having an insert and the average insert size being 1500 base pairs. Library subtraction was performed as described above using the normal lung and normal liver and heart cDNA expression libraries described above as the driver DNA. Twenty-six hundred independent clones were recovered.

Initial cDNA sequence analysis from 100 independent clones revealed many ribosomal protein genes. The cDNA sequences for fifteen clones isolated in this subtraction are provided in SEQ ID NO: 71-86. Comparison of these sequences with those in the gene bank as described above revealed no significant homologies to the

sequence provided in SEQ ID NO: 84. The sequences of SEQ ID NO: 71, 73, 74, 77, 78 and 80-82 were found to show some homology to previously isolated ESTs, and the sequences of SEQ ID NO: 72, 75, 76, 79, 83 and 85 were found to show some homology to previously identified human genes.

In further studies, a cDNA library (referred to as mets3616A) was constructed from a metastatic lung adenocarcinoma. The determined cDNA sequences of 25 clones sequenced at random from this library are provided in SEQ ID NO: 255-279. The mets3616A cDNA library was subtracted against a cDNA library prepared from a pool of normal lung, liver, pancreas, skin, kidney, brain and resting PBMC. To increase the specificity of the subtraction, the driver was spiked with genes that were determined to be most abundant in the mets3616A cDNA library, such as EF1-alpha, integrin-beta and anticoagulant protein PP4, as well as with cDNAs that were previously found to be differentially expressed in subtracted lung adenocarcinoma cDNA libraries. The determined cDNA sequences of 51 clones isolated from the subtracted library (referred to as mets3616A-S1) are provided in SEQ ID NO: 280-330.

Comparison of the sequences of SEQ ID NO: 255-330 with those in the public databases revealed no significant homologies to the sequences of SEQ ID NO: 255-258, 260, 262-264, 270, 272, 275, 276, 279, 281, 287, 291, 296, 300 and 310. The sequences of SEQ ID NO: 259, 261, 265-269, 271, 273, 274, 277, 278, 282-285, 288-290, 292, 294, 297-299, 301, 303-309, 313, 314, 316, 320-324 and 326-330 showed some homology to previously identified gene sequences, while the sequences of SEQ ID NO: 280, 286, 293, 302, 310, 312, 315, 317-319 and 325 showed some homology to previously isolated expressed sequence tags (ESTs).

EXAMPLE 2

DETERMINATION OF TISSUE SPECIFICITY OF LUNG TUMOR POLYPEPTIDES

Using gene specific primers, mRNA expression levels for seven representative lung tumor polypeptides described in Example 1 were examined in a variety of normal and tumor tissues using RT-PCR.

5 Briefly, total RNA was extracted from a variety of normal and tumor
tissues using Trizol reagent as described above. First strand synthesis was carried out
10 using 2 µg of total RNA with SuperScript II reverse transcriptase (BRL Life
Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-
5 specific primers. To ensure the semi-quantitative nature of the RT-PCR, β-actin was
used as an internal control for each of the tissues examined. 1 µl of 1:30 dilution of
15 cDNA was employed to enable the linear range amplification of the β-actin template
and was sensitive enough to reflect the differences in the initial copy numbers. Using
these conditions, the β-actin levels were determined for each reverse transcription
20 reaction from each tissue. DNA contamination was minimized by DNase treatment and
by assuring a negative PCR result when using first strand cDNA that was prepared
without adding reverse transcriptase.

25 mRNA Expression levels were examined in five different types of tumor
tissue (lung squamous cell carcinoma from 3 patients, lung adenocarcinoma, colon
15 tumor from 2 patients, breast tumor and prostate tumor), and thirteen different normal
tissues (lung from 4 donors, prostate, brain, kidney, liver, ovary, skeletal muscle, skin,
30 small intestine, stomach, myocardium, retina and testes). Using a 10-fold amount of
cDNA, the antigen LST-S1-90 (SEQ ID NO: 3) was found to be expressed at high
levels in lung squamous cell carcinoma and in breast tumor, and at low to undetectable
20 levels in the other tissues examined.

35 The antigen LST-S2-68 (SEQ ID NO: 15) appears to be specific to lung
and breast tumor, however, expression was also detected in normal kidney. Antigens
LST-S1-169 (SEQ ID NO: 6) and LST-S1-133 (SEQ ID NO: 5) appear to be very
40 abundant in lung tissues (both normal and tumor), with the expression of these two
25 genes being decreased in most of the normal tissues tested. Both LST-S1-169 and LST-
S1-133 were also expressed in breast and colon tumors. Antigens LST-S1-6 (SEQ ID
NO: 7) and LST-S2-I2-5F (SEQ ID NO: 47) did not show tumor or tissue specific
45 expression, with the expression of LST-S1-28 being rare and only detectable in a few
tissues. The antigen LST-S3-7 (SEQ ID NO: 63) showed lung and breast tumor
30 specific expression, with its message only being detected in normal testes when the
50 PCR was performed for 30 cycles. Lower level expression was detected in some

normal tissues when the cycle number was increased to 35. Antigen LST-S3-13 (SEQ ID NO: 66) was found to be expressed in 3 out of 4 lung tumors, one breast tumor and both colon tumor samples. Its expression in normal tissues was lower compared to tumors, and was only detected in 1 out of 4 normal lung tissues and in normal tissues from kidney, ovary and retina. Expression of antigens LST-S3-4 (SEQ ID NO: 62) and LST-S3-14 (SEQ ID NO: 67) was rare and did not show any tissue or tumor specificity. Consistent with Northern blot analyses, the RT-PCT results on antigen LAT-S1-A-10A (SEQ ID NO: 78) suggested that its expression is high in lung, colon, stomach and small intestine tissues, including lung and colon tumors, whereas its expression was low or undetectable in other tissues.

A total of 2002 cDNA fragments isolated in lung subtractions I, II and III, described above, were colony PCR amplified and their mRNA expression levels in lung tumor, normal lung, and various other normal and tumor tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Seventeen non-redundant cDNA clones showed over-expression in lung squamous tumors, with expression in normal tissues tested (lung, skin, lymph node, colon, liver, pancreas, breast, heart, bone marrow, large intestine, kidney, stomach, brain, small intestine, bladder and salivary gland) being either undetectable, or 10-fold less compared to lung squamous tumors. The determined partial cDNA sequences for the clone L513S are provided in SEQ ID NO: 87 and 88; those for L514S are provided in SEQ ID NO: 89 and 90; those for L516S in SEQ ID NO: 91 and 92; that for L517S in SEQ ID NO: 93; that for L519S in SEQ ID NO: 94; those for L520S in SEQ ID NO: 95 and 96; those for L521S in SEQ ID NO: 97 and 98; that for L522S in SEQ ID NO: 99; that for L523S in SEQ ID NO: 100; that for L524S in SEQ ID NO: 101; that for L525S in SEQ ID NO: 102; that for L526S in SEQ ID NO: 103; that for L527S in SEQ ID NO: 104; that for L528S in SEQ ID NO: 105; that for L529S in SEQ ID NO: 106;

and those for L530S in SEQ ID NO: 107 and 108. Additionally, the full-length cDNA sequence for L530S is provided in SEQ ID NO: 151, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 152. L530S shows homology to a splice variant of a p53 tumor suppressor homologue, p63. The cDNA sequences of 7 known isoforms of p63 are provided in SEQ ID NO: 331-337, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 338-344, respectively.

Due to polymorphisms, the clone L531S appears to have two forms. A first determined full-length cDNA sequence for L531S is provided in SEQ ID NO: 109, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 110. A second determined full-length cDNA sequence for L531S is provided in SEQ ID NO: 111, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 112. The sequence of SEQ ID NO: 111 is identical to that of SEQ ID NO: 109, except that it contains a 27 bp insertion. Similarly, L514S also has two alternatively spliced forms; the first variant cDNA is listed as SEQ ID NO: 153, with the corresponding amino acid sequence being provided in SEQ ID NO: 155. The second variant form of L514S full-length cDNA is provided in SEQ ID NO: 154, with its corresponding amino acid sequence being provided in SEQ ID NO: 156.

Full length cloning for L524S (SEQ ID NO: 101) yielded two variants (SEQ ID NO: 163 and 164) with the corresponding predicted amino acid sequences of SEQ ID NO: 165 and 166, respectively. Both variants have been shown to encode parathyroid hormone-related peptide.

Attempts to isolate the full-length cDNA for L519S, resulted in the isolation of the extended cDNA sequence provided in SEQ ID NO: 173, which contains a potential open reading frame. The predicted amino acid sequence encoded by the sequence of SEQ ID NO: 173 is provided in SEQ ID NO: 174. Additionally, the full-length cDNA sequence for the clone of SEQ ID NO: 100 (known as L523S), a known gene, is provided in SEQ ID NO: 175, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 176. In further studies, a full-length cDNA sequence for L523S was isolated from a L523S-positive tumor cDNA library by PCR amplification using gene specific primers designed from the sequence of SEQ ID NO: 175. The determined cDNA sequence is provided in SEQ ID NO: **. The amino acid

sequence encoded by this sequence is provided in SEQ ID NO: **. This protein sequence differs from the previously published protein sequence at two amino acid positions, namely at positions 158 and 410.

Comparison of the sequences of L514S and L531S (SEQ ID NO: 87 and 88, 89 and 90, and 109, respectively) with those in the gene bank, as described above, revealed no significant homologies to known sequences. The sequences of L513S, L516S, L517S, L519S, L520S and L530S (SEQ ID NO: 87 and 88, 91 and 92, 93, 94, 95 and 96, 107 and 108, respectively) were found to show some homology to previously identified ESTs. The sequences of L521S, L522S, L523S, L524S, L525S, L526S, L527S, L528S and L529S (SEQ ID NO: 97 and 98, 99, 99, 101, 102, 103, 104, 105, and 106, respectively) were found to represent known genes. The determined full-length cDNA sequences for L520S is provided in SEQ ID NO: 113, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 114. Subsequent microarray analysis has shown L520S to be overexpressed in breast tumors in addition to lung squamous tumors.

Further analysis has demonstrated that L529S (SEQ ID NO: 106 and 115), L525S (SEQ ID NO: 102 and 120) and L527S (SEQ ID NO: 104) are cytoskeletal components and potentially squamous cell specific proteins. L529S is connexin 26, a gap junction protein. It is highly expressed in lung squamous tumor 9688T, and moderately over-expressed in two others. However, lower level expression of connexin 26 is also detectable in normal skin, colon, liver and stomach. The over-expression of connexin 26 in some breast tumors has been reported and a mutated form of L529S may result in over-expression in lung tumors. L525S is plakophilin 1, a desmosomal protein found in plaque-bearing adhering junctions of the skin. Expression levels for L525S mRNA is highly elevated in three out of four lung squamous tumors tested, and in normal skin. L527S has been identified as keratin 6 isoform, type II 58 Kd keratin, and cytokeratin 13 and shows over-expression in squamous tumors and low expression in normal skin, breast and colon tissues. Notably, keratin and keratin-related genes have been extensively documented as potential markers for lung cancer including CYFRA2.1 (Pastor, A., et al, *Eur. Respir. J.*, 10:603-609, 1997). L513S (SEQ ID NO: 87 and 88)

5

64

shows moderate over-expression in several tumor tissues tested, and encodes a protein that was first isolated as a pemphigus vulgaris antigen.

10

L520S (SEQ ID NO: 95 and 96) and L521S (SEQ ID NO: 97 and 98) are highly expressed in lung squamous tumors, and L520S is up-regulated in normal salivary gland and L521S is over-expressed in normal skin. Both belong to a family of small proline rich proteins and represent markers for fully differentiated squamous cells. L521S has been described as a specific marker for lung squamous tumor (Hu, R., et al, *Lung Cancer*, 20:25-30, 1998). L515S (SEQ ID NO: 162) encodes IGF- β 2 and L516S is an aldose reductase homologue and both are moderately expressed in lung squamous tumors and in normal colon. Notably, L516S (SEQ ID NO: 91 and 92) is up-regulated in metastatic tumors but not primary lung adenocarcinoma, an indication of its potential role in metastasis and a potential prognostic marker. L522S (SEQ ID NO: 99) is moderately over-expressed in lung squamous tumors with minimum expression in normal tissues. L522S has been shown to belong to a class IV alcohol dehydrogenase, ADH7, and its expression profile suggests it is a squamous cell specific antigen. L523S (SEQ ID NO: 100) is moderately over-expressed in lung squamous tumor, human pancreatic cancer cell lines and pancreatic cancer tissues, suggesting this gene may be a shared antigen between pancreatic and lung squamous cell cancer.

15

20

25

L524S (SEQ ID NO: 101) is over-expressed in the majority of squamous tumors tested and is homologous with parathyroid hormone-related peptide (PTHrP), which is best known to cause humoral hypercalcaemia associated with malignant tumors such as leukemia, prostate and breast cancer. It is also believed that PTHrP is most commonly associated with squamous carcinoma of lung and rarely with lung adenocarcinoma (Davidson, L.A., et al, *J. Pathol.*, 178: 398-401, 1996). L528S (SEQ ID NO: 105) is highly over-expressed in two lung squamous tumors with moderate expression in two other squamous tumors, one lung adenocarcinoma and some normal tissues, including skin, lymph nodes, heart, stomach and lung. It encodes the NMB gene that is similar to the precursor of melanocyte specific gene Pmel17, which is reported to be preferentially expressed in low-metastatic potential melanoma cell lines. This suggests that L528S may be a shared antigen in both melanoma and lung squamous cell carcinoma. L526S (SEQ ID NO: 103) is overexpressed in all lung

35

40

25

45

30

50

55

squamous cell tumor tissues tested and has been shown to share homology with a gene (ATM) in which a mutation causes ataxia telangiectasia, a genetic disorder in humans causing a predisposition to cancer, among other symptoms. ATM encodes a protein that activates p53 mediated cell-cycle checkpoint through direct binding and phosphorylation of the p53 molecule. Approximately 40% of lung cancer is associated with p53 mutations, and it is speculated that over-expression of ATM is a result of compensation for loss of p53 function, but it is unknown whether over-expression is the cause of result of lung squamous cell carcinoma. Additionally, expression of L526S (ATM) is also detected in a metastatic but not lung adenocarcinoma, suggesting a role in metastasis.

Expression of L523S (SEQ ID NO: 175), was also examined by real time RT-PCR as described above. In a first study using a panel of lung squamous tumors, L523S was found to be expressed in 4/7 lung squamous tumors, 2/3 head and neck squamous tumors and 2/2 lung adenocarcinomas, with low level expression being observed in skeletal muscle, soft palate and tonsil. In a second study using a lung adenocarcinoma panel, expression of L523S was observed in 4/9 primary adenocarcinomas, 2/2 lung pleural effusions, 1/1 metastatic lung adenocarcinomas and 2/2 lung squamous tumors, with little expression being observed in normal tissues.

Expression of L523S in lung tumors and various normal tissues was also examined by Northern blot analysis, using standard techniques. In a first study, L523S was found to be expressed in a number of lung adenocarcinomas and squamous cell carcinomas, as well as normal tonsil. No expression was observed in normal lung. In a second study using a normal tissue blot (HB-12) from Clontech, no expression was observed in brain, skeletal muscle, colon, thymus, spleen, kidney, liver, small intestine, lung or PBMC, although there was strong expression in placenta.

EXAMPLE 3

ISOLATION AND CHARACTERIZATION OF LUNG TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

5
10
15
20
25
30
35
40
45
50
55

Eight hundred and fifty seven clones from a cDNA subtraction library, containing cDNA from a pool of two human lung squamous tumors subtracted against eight normal human tissue cDNAs including lung, PBMC, brain, heart, kidney, liver, pancreas, and skin, (Clontech, Palo Alto, CA) were derived and submitted to a first round of PCR amplification. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector P7- Adv vector (Clontech, Palo Alto, CA) and transformed into DH5 α *E. coli* (Gibco, BRL). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

One hundred and sixty two positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the the EMBL and GenBank databases, as described above, revealed no significant homologies to 13 of these clones, hereinafter referred to as Contigs 13, 16, 17, 19, 22, 24, 29, 47, 49, 56-59. The determined cDNA sequences for these clones are provided in SEQ ID NO: 125, 127-129, 131-133, 142, 144, 148-150, and 157, respectively. Contigs 1, 3-5, 7-10, 12, 11, 15, 20, 31, 33, 38, 39, 41, 43, 44, 45, 48, 50, 53, 54 (SEQ ID NO: 115-124, 126, 130, 134-141, 143, 145-147, respectively) were found to show some degree of homology to previously identified DNA sequences. Contig 57 (SEQ ID NO: 149) was found to represent the clone L519S (SEQ ID NO: 94) disclosed in US. Patent Application No. 09/123,912, filed July 27, 1998. To the best of the inventors' knowledge, none of these sequences have been previously shown to be differentially over-expressed in lung tumors.

mRNA expression levels for representative clones in lung tumor tissues, normal lung tissues (n=4), resting PBMC, salivary gland, heart, stomach, lymph nodes, skeletal muscle, soft palate, small intestine, large intestine, bronchial, bladder, tonsil, kidney, esophagus, bone marrow, colon, adrenal gland, pancreas, and skin, (all derived from human) were determined by RT-PCR as described above. Expression levels using microarray technology, as described above, were examined in one sample of each tissue type unless otherwise indicated.

Contig 3 (SEQ ID NO: 116) was found to be highly expressed in all head and neck squamous cell tumors tested (17/17), and expressed in the majority (8/12) of lung squamous tumors, (high expression in 7/12, moderate in 2/12, and low in 2/12), while showing negative expression for 2/4 normal lung tissues and low expression in the remaining two samples. Contig 3 showed moderate expression in skin and soft palate, and lowered expression levels in resting PBMC, large intestine, salivary gland, tonsil, pancreas, esophagus, and colon. Contig 11 (SEQ ID NO: 124) was found to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 14/17, and moderately expressed in 3/17. Additionally, expression in lung squamous tumors showed high expression in 3/12 and moderate in 4/12. Contig 11 was negative for 3/4 normal lung samples, with the remaining sample having only low expression. Contig 11 showed low to moderate reactivity to salivary gland, soft palate, bladder, tonsil, skin, esophagus, and large intestine. Contig 13 (SEQ ID NO: 125) was found to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 12/17, and moderately expressed in 5/17. Contig 13 was expressed in 7/12 lung squamous tumors, with high expression in 4/12 and moderate expression in three samples. Analysis of normal lung samples showed negative expression for 2/4 and low to moderate expression in the remaining two samples. Contig 13 did show low to moderate reactivity to resting PBMC, salivary gland, bladder, pancreas, tonsil, skin, esophagus, and large intestine, as well as high expression in soft palate. Contig 16 (SEQ ID NO: 127) was found to be moderately expressed in some head and neck squamous cell tumors (6/17) and one lung squamous tumor; while showing no expression in any normal lung samples tested. Contig 16 did show low reactivity to resting PBMC, large intestine, skin, salivary gland, and soft palate. Contig 17 (SEQ ID NO: 128) was shown to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 5/17, and moderately expressed in 12/17. Expression levels in lung squamous tumors showed one tumor sample with high expression and 3/12 with moderate levels. Contig 17 was negative for 2/4 normal lung samples, with the remaining samples having only low expression. Additionally, low level expression was found in esophagus and soft palate. Contig 19 (SEQ ID NO: 129) was found to be expressed in most head and neck squamous cell tumors tested (11/17); with two

5

68

samples having high levels, 6/17 showing moderate expression, and low expression being found in 3/17. Testing in lung squamous tumors revealed only moderate expression in 3/12 samples. Expression levels in 2/4 of normal lung samples were negative, the two other samples having only low expression. Contig 19 showed low expression levels in esophagus, resting PBMC, salivary gland, bladder, soft palate and pancreas.

10

5

15

Contig 22 (SEQ ID NO: 131), was shown to be expressed in most head and neck squamous cell tumors tested (13/17) with high expression in four of these samples, moderate expression in 6/17, and low expression in 3/17. Expression levels in lung squamous tumors were found to be moderate to high for 3/12 tissues tested, with negative expression in two normal lung samples and low expression in two other samples (n=4). Contig 22 showed low expression in skin, salivary gland and soft palate. Similarly, Contig 24 (SEQ ID NO: 132) was found to be expressed in most head

20

and neck squamous cell tumors tested (13/17) with high expression in three of these samples, moderate expression in 6/17, and low expression in 4/17. Expression levels in lung squamous tumors were found to be moderate to high for 3/12 tissues tested, with negative expression for three normal lung samples and low expression in one sample (n=4). Contig 24 showed low expression in skin, salivary gland and soft palate.

25

Contig 29 (SEQ ID NO: 133) was expressed in nearly all head and neck squamous cell tumors tested (16/17): highly expressed in 4/17, moderately expressed in 11/17, with low expression in one sample. Also, it was moderately expressed in 3/12 lung squamous tumors, while being negative for 2/4 normal lung samples. Contig 29 showed low to moderate expression in large intestine, skin, salivary gland, pancreas, tonsil, heart and soft palate. Contig 47 (SEQ ID NO: 142) was expressed in most head and neck squamous cell tumors tested (12/17): moderate expression in 10/17, and low expression in two samples. In lung squamous tumors, it was highly expressed in one sample and moderately expressed in two others (n=13). Contig 47 was negative for 2/4 normal lung samples, with the remaining two samples having moderate expression. Also, Contig 47 showed moderate expression in large intestine, and pancreas, and low expression in skin, salivary gland, soft palate, stomach, bladder, resting PBMC, and tonsil.

30

35

40

25

45

50

55

Contig 48 (SEQ ID NO: 143) was expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 8/17 and moderately expressed in 7/17, with low expression in two samples. Expression levels in lung squamous tumors were high to moderate in three samples (n=13). Contig 48 was negative for one out of four normal lung samples, the remaining showing low or moderate expression. Contig 48 showed moderate expression in soft palate, large intestine, pancreas, and bladder, and low expression in esophagus, salivary gland, resting PBMC, and heart. Contig 49 (SEQ ID NO: 144) was expressed at low to moderate levels in 6/17 head and neck squamous cell tumors tested. Expression levels in lung squamous tumors were moderate in three samples (n=13). Contig 49 was negative for 2/4 normal lung samples, the remaining samples showing low expression. Moderate expression levels in skin, salivary gland, large intestine, pancreas, bladder and resting PBMC were shown, as well as low expression in soft palate, lymph nodes, and tonsil. Contig 56 (SEQ ID NO: 148) was expressed in low to moderate levels in 3/17 head and neck squamous cell tumors tested, and in lung squamous tumors, showing low to moderate levels in three out of thirteen samples. Notably, low expression levels were detected in one adenocarcinoma lung tumor sample (n=2). Contig 56 was negative for 3/4 normal lung samples, and showed moderate expression levels in only large intestine, and low expression in salivary gland, soft palate, pancreas, bladder, and resting PBMC. Contig 58, also known as L769P, (SEQ ID NO: 150) was expressed at moderate levels in 11/17 head and neck squamous cell tumors tested and low expression in one additional sample. Expression in lung squamous tumors showed low to moderate levels in three out of thirteen samples. Contig 58 was negative for 3/4 normal lung samples, with one sample having low expression. Moderate expression levels in skin, large intestine, and resting PBMC were demonstrated, as well as low expression in salivary gland, soft palate, pancreas, and bladder. Contig 59 (SEQ ID NO: 157) was expressed in some head, neck, and lung squamous tumors. Low level expression of Contig 59 was also detected in salivary gland and large intestine.

The full-length cDNA sequence for Contig 22, also referred to as L763P, is provided in SEQ ID NO: 158, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 159. Real-time RT-PCR analysis of L763P revealed

that it is highly expressed in 3/4 lung squamous tumors as well as 4/4 head and neck squamous tumors, with low level expression being observed in normal brain, skin, soft pallet and trachea. Subsequent database searches revealed that the sequence of SEQ ID NO: 158 contains a mutation, resulting in a frameshift in the corresponding protein sequence. A second cDNA sequence for L763P is provided in SEQ ID NO: 345, with the corresponding amino acid sequence being provided in SEQ ID NO: 346. The sequences of SEQ ID NO: 159 and 346 are identical with the exception of the C-terminal 33 amino acids of SEQ ID NO: 159.

The full-length cDNA sequence incorporating Contigs 17, 19, and 24, referred to as L762P, is provided in SEQ ID NO: 160, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 161. Further analysis of L762P has determined it to be a type I membrane protein and two additional variants have been sequenced. Variant 1 (SEQ ID NO: 167, with the corresponding amino acid sequence in SEQ ID NO: 169) is an alternatively spliced form of SEQ ID NO: 160 resulting in deletion of 503 nucleotides, as well as deletion of a short segment of the expressed protein. Variant 2 (SEQ ID NO: 168, with the corresponding amino acid sequence in SEQ ID NO: 170) has a two nucleotide deletion at the 3' coding region in comparison to SEQ ID NO: 160, resulting in a secreted form of the expressed protein. Real-time RT-PCR analysis of L762P revealed that is over-expressed in 3/4 lung squamous tumors and 4/4 head & neck tumors, with low level expression being observed in normal skin, soft pallet and trachea.

The full-length cDNA sequence for contig 56 (SEQ ID NO: 148), also referred to as L773P, is provided in SEQ ID NO: 171, with the predicted amino acid sequence in SEQ ID NO: 172. L773P was found to be identical to dihydroxyl dehydrogenase at the 3' portion of the gene, with divergent 5' sequence. As a result, the 69 N-terminal amino acids are unique. The cDNA sequence encoding the 69 N-terminal amino acids is provided in SEQ ID NO: 349, with the N-terminal amino acid sequence being provided in SEQ ID NO: 350. Real-time PCR revealed that L773P is highly expressed in lung squamous tumor and lung adenocarcinoma, with no detectable expression in normal tissues. Subsequent Northern blot analysis of L773P demonstrated that this transcript is differentially over-expressed in squamous tumors

and detected at approximately 1.6 Kb in primary lung tumor tissue and approximately 1.3 Kb in primary head and neck tumor tissue.

Subsequent microarray analysis has shown Contig 58, also referred to as L769S (SEQ ID NO: 150), to be overexpressed in breast tumors in addition to lung squamous tumors.

EXAMPLE 4

SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems Division 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

EXAMPLE 5

PREPARATION OF ANTIBODIES AGAINST LUNG CANCER ANTIGENS

Polyclonal antibodies against the lung cancer antigens L514S, L528S and L531S (SEQ ID NO: 155, 225 and 112, respectively) were prepared as follows.

Rabbits were immunized with recombinant protein expressed in and purified from *E. coli* as described above. For the initial immunization, 400 µg of

antigen combined with muramyl dipeptide (MDP) was injected subcutaneously (S.C.). Animals were boosted S.C. 4 weeks later with 200 µg of antigen mixed with incomplete Freund's Adjuvant (IFA). Subsequent boosts of 100 µg of antigen mixed with IFA were injected S.C. as necessary to induce high antibody titer responses. Serum bleeds from immunized rabbits were tested for antigen-specific reactivity using ELISA assays with purified protein. Polyclonal antibodies against L514S, L528S and L531S were affinity purified from high titer polyclonal sera using purified protein attached to a solid support.

Immunohistochemical analysis using polyclonal antibodies against L514S was performed on a panel of 5 lung tumor samples, 5 normal lung tissue samples and normal colon, kidney, liver, brain and bone marrow. Specifically, tissue samples were fixed in formalin solution for 24 hours and embedded in paraffin before being sliced into 10 micron sections. Tissue sections were permeabilized and incubated with antibody for 1 hr. HRP-labeled anti-mouse followed by incubation with DAB chromogen was used to visualize L514S immunoreactivity. L514S was found to be highly expressed in lung tumor tissue with little or no expression being observed in normal lung, brain or bone marrow. Light staining was observed in colon and kidney. Staining was seen in normal liver but no mRNA has been detected in this tissue making this result suspect.

EXAMPLE 6

PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

Immunogenic peptides from the lung cancer antigen L762P (SEQ ID NO: 161) for HLA-A2/K^b-restricted CD8⁺ T cells were identified as follows.

The location of HLA-A2 binding peptides within the lung cancer antigen L762P (SEQ ID NO: 161) was predicted using a computer program which predicts peptides sequences likely to be to HLA-A*0201 by fitting to the known peptide binding motif for HLA-A*0201 (Rupert *et al.* (1993) *Cell* 74:929; Rammensee *et al.* (1995) *Immunogenetics* 41:178-228). A series of 19 synthetic peptides corresponding to a selected subset of the predicted HLA-A*0201 binding peptides was prepared as described above.

Mice expressing the transgene for human HLA A2/K^b (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with the synthetic peptides, as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 50µg of L726P peptide and 120µg of an I-A^b binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared. Cells were then resuspended at 7×10^6 cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL), 2×10^{-5} M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) L762P peptide- (5µg/ml) and 10mg/ml B₂-microglobulin- (3 µg/ml) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). After six days, cells (5×10^5 /ml) were restimulated with 2.5×10^6 /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and 5×10^6 /ml irradiated (3000 rads) A2/K^b-transgenic spleen feeder cells. Cells were cultured in the presence of 10U/ml IL-2. Cells were restimulated on a weekly basis as described, in preparation for cloning the line.

Peptide-specific cell lines were cloned by limiting dilution analysis with irradiated (20,000 rads) L762P peptide-pulsed EL4 A2Kb tumor cells (1×10^4 cells/well) as stimulators and irradiated (3000 rads) A2/K^b-transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 10U/ml IL-2. On day 7, cells were restimulated as before. On day 14, clones that were growing were isolated and maintained in culture.

Cell lines specific for L762P-87 (SEQ ID NO: 226; corresponding to amino acids 87-95 of SEQ ID NO: 161), L726P-145 (SEQ ID NO: 227; corresponding to amino acids 145-153 of SEQ ID NO: 161), L726P-585 (SEQ ID NO: 228; corresponding to amino acids 585-593 of SEQ ID NO: 161), L762P-425 (SEQ ID NO: 229; corresponding to amino acids 425-433 of SEQ ID NO: 161), L762P(10)-424 (SEQ ID NO: 230; corresponding to amino acids 424-433 of SEQ ID NO: 161) and L762P(10)-458 (SEQ ID NO: 231; corresponding to amino acids 458-467 of SEQ ID

NO: 161) demonstrated significantly higher reactivity (as measured by percent specific lysis) against L762P peptide-pulsed EL4-A2/K^b tumor target cells than control peptide-pulsed EL4-A2/K^b tumor target cells.

EXAMPLE 7

IDENTIFICATION OF CD4 IMMUNOGENIC T CELL EPITOPES DERIVED FROM THE LUNG CANCER ANTIGEN L762P

CD4 T cell lines specific for the antigen L762P (SEQ ID NO: 161) were generated as follows.

A series of 28 overlapping peptides were synthesized that spanned approximately 50% of the L762P sequence. For priming, peptides were combined into pools of 4-5 peptides, pulsed at 20 micrograms/ml into dendritic cells for 24 hours. The dendritic cells were then washed and mixed with positively selected CD4⁺ T cells in 96 well U-bottomed plates. Forty cultures were generated for each peptide pool. Cultures were restimulated weekly with fresh dendritic cells loaded with peptide pools. Following a total of 3 stimulation cycles, cells were rested for an additional week and tested for specificity to antigen presenting cells (APC) pulsed with peptide pools using interferon-gamma ELISA and proliferation assays. For these assays, adherent monocytes loaded with either the relevant peptide pool or an irrelevant peptide were used as APC. T cell lines that appeared to specifically recognize L762P peptide pools both by cytokine release and proliferation were identified for each pool. Emphasis was placed on identifying T cells with proliferative responses. T cell lines that demonstrated either both L762P-specific cytokine secretion and proliferation, or strong proliferation alone were further expanded to be tested for recognition of individual peptides from the pools, as well as for recognition of recombinant L762P. The source of recombinant L762P was *E. coli*, and the material was partially purified and endotoxin positive. These studies employed 10 micrograms of individual peptides, 10 or 2 micrograms of an irrelevant peptide, and 2 or 0.5 micrograms of either L762P protein or an irrelevant, equally impure, *E. coli* generated recombinant protein. Significant interferon-gamma production and CD4 T cell proliferation was induced by a number of L762P-derived

peptides in each pool. The amino acid sequences for these peptides are provided in SEQ ID NO: 232-251. These peptides correspond to amino acids 661-680, 676-696, 526-545, 874-893, 811-830, 871-891, 856-875, 826-845, 795-815, 736-755, 706-725, 706-725, 691-710, 601-620, 571-590, 556-575, 616-635, 646-665, 631-650, 541-560 and 586-605, respectively, of SEQ ID NO: 161.

CD4 T cell lines that demonstrated specificity for individual L762P-derived peptides were further expanded by stimulation with the relevant peptide at 10 micrograms/ml. Two weeks post-stimulation, T cell lines were tested using both proliferation and IFN-gamma ELISA assays for recognition of the specific peptide. A number of previously identified T cells continued to demonstrate L762P-peptide specific activity. Each of these lines was further expanded on the relevant peptide and, following two weeks of expansion, tested for specific recognition of the L762P-peptide in titration experiments, as well as for recognition of recombinant *E. coli*-derived L762P protein. For these experiments, autologous adherent monocytes were pulsed with either the relevant L762P-derived peptide, an irrelevant mammaglobin-derived peptide, recombinant *E. coli*-derived L762P (approx. 50% pure), or an irrelevant *E. coli*-derived protein. The majority of T cell lines were found to show low affinity for the relevant peptide, since specific proliferation and IFN-gamma ratios dramatically decreased as L762P peptide was diluted. However, four lines were identified that demonstrated significant activity even at 0.1 micrograms/ml peptide. Each of these lines (referred to as A/D5, D/F5, E/A7 and E/B6) also appeared to specifically proliferate in response to the *E. coli*-derived L762P protein preparation, but not in response to the irrelevant protein preparation. The amino acid sequences of the L762P-derived peptides recognized by these lines are provided in SEQ ID NO: 234, 249, 236 and 245, respectively. No protein specific IFN-gamma was detected for any of the lines. Lines A/D5, E/A7 and E/B6 were cloned on autologous adherent monocytes pulsed with the relevant peptide at 0.1 (A/D5 and E/A7) or 1 (D/F5) microgram/ml. Following growth, clones were tested for specificity for the relevant peptide. Numerous clones specific for the relevant peptide were identified for lines A/D5 and E/A7.

EXAMPLE 8

PROTEIN EXPRESSION OF LUNG TUMOR-SPECIFIC ANTIGENS

5 a) Expression of L514S in *E. coli*

15 The lung tumor antigen L514S (SEQ ID NO: 89) was subcloned into the expression vector pE32b at NcoI and NotI sites, and transformed into *E. coli* using standard techniques. The protein was expressed from residues 3-153 of SEQ ID NO: 89. The expressed amino acid sequence and the corresponding DNA sequence are
10 provided in SEQ ID NO: 252 and 253, respectively.

b) Expression of L762P

25 Amino acids 32-944 of the lung tumor antigen L762P (SEQ ID NO: 161), with a 6X His Tag, were subcloned into a modified pET28 expression vector, using kanamycin resistance, and transformed into BL21 CodonPlus using standard
15 techniques. Low to moderate levels of expression were observed. The determined DNA sequence of the L762P expression construct is provided in SEQ ID NO: 254.

35 From the foregoing it will be appreciated that, although specific embodiments of the invention have been described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the appended claims.

Claims

5

10

15

20

25

30

35

40

45

50

55

5

77

CLAIMS

10

1. An isolated polypeptide, comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

15

(a) sequences recited in SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349;

20

10

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 under moderately stringent conditions; and

25

15

30

20

35

40

(c) complements of sequences of (a) or (b).

25

2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158,

45

30

50

55

5

78

10

160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences.

5

15

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 110, 112, 114, 152, 155, 156, 159, 161, 165, 166, 169, 170, 172, 174, 176, 226-252, 346, 348 and 350.

20

4. An isolated polynucleotide encoding at least 15 amino acid residues of a lung tumor protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing sequences.

25

30

35

20

40

5. An isolated polynucleotide encoding a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO:

25

1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317,

45

50

30

323, 345, 347 and 349 or a complement of any of the foregoing sequences.

55

5

79

6. An isolated polynucleotide, comprising a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349.

7. An isolated polynucleotide, comprising a sequence that hybridizes to a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349_ under moderately stringent conditions.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector, comprising a polynucleotide according to any one of claims claim 4-8.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a lung tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84,

5

80

10

86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences.

15

12. A fusion protein, comprising at least one polypeptide according to claim 1.

20

13. A fusion protein according to claim 12, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

25

14. A fusion protein according to claim 12, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

30

15. A fusion protein according to claim 12, wherein the fusion protein comprises an affinity tag.

35

16. An isolated polynucleotide encoding a fusion protein according to claim 12.

40

17. A pharmaceutical composition, comprising a physiologically acceptable carrier and at least one component selected from the group consisting of:

45

- (a) a polypeptide according to claim 1;
- (b) a polynucleotide according to claim 4;
- (c) an antibody according to claim 11;
- (d) a fusion protein according to claim 12; and
- (e) a polynucleotide according to claim 16.

50

55

5

81

18. A vaccine comprising an immunostimulant and at least one component selected from the group consisting of:

10

- (a) a polypeptide according to claim 1;
- 5 (b) a polynucleotide according to claim 4;
- (c) an antibody according to claim 11;
- 15 (d) a fusion protein according to claim 12; and
- (e) a polynucleotide according to claim 16.

20

19. A vaccine according to claim 18, wherein the immunostimulant is an adjuvant.

25

20. A vaccine according to any claim 18, wherein the immunostimulant induces a predominantly Type I response.

15

30

21. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 17.

35

22. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 18.

40

23. A pharmaceutical composition comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

45

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

30

50

55

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(a) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(c) complements of sequences of (i) or (ii);
in combination with an immunostimulant.

26. A vaccine according to claim 25, wherein the immunostimulant is an adjuvant.

27. A vaccine according to claim 25, wherein the immunostimulant induces a predominantly Type I response.

28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(a) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and

5

83

349;

10

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

15

(c) complements of sequences of (i) or (ii) encoded by a polynucleotide recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

20

and thereby inhibiting the development of a cancer in the patient.

25

30. A method according to claim 29, wherein the antigen-presenting cell is a dendritic cell.

15

31. A method according to any one of claims 21, 22 and 29, wherein the cancer is lung cancer.

30

32. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

35

(i) polynucleotides recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349; and

40

(ii) complements of the foregoing polynucleotides; wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the antigen from the sample.

45

33. A method according to claim 32, wherein the biological sample is blood or a fraction thereof.

50

55

5

84

10

34. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 32.

5

15

35. A method for stimulating and/or expanding T cells specific for a lung tumor protein, comprising contacting T cells with at least one component selected from the group consisting of:

20

(a) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

25

(i) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

15

30

(ii) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

20

35

(iii) complements of sequences of (i) or (ii);

(b) polynucleotides encoding a polypeptide of (a); and

(c) antigen presenting cells that express a polypeptide of (a);

40

under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

25

45

36. An isolated T cell population, comprising T cells prepared according to the method of claim 35.

50

37. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 36.

55

5

85

38. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

(i) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(1) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(2) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(3) complements of sequences of (1) or (2);
(ii) polynucleotides encoding a polypeptide of (i); and
(iii) antigen presenting cells that expresses a polypeptide of (i);

such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

39. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

(i) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence

55

selected from the group consisting of:

(1) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(2) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(3) complements of sequences of (1) or (2);

(ii) polynucleotides encoding a polypeptide of (i); and

(iii) antigen presenting cells that express a polypeptide of (i);

such that T cells proliferate;

(b) cloning at least one proliferated cell to provide cloned T cells;

and

(c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

40. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with a binding agent that binds to a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent; and

(c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

41. A method according to claim 40, wherein the binding agent is an

antibody.

42. A method according to claim 43, wherein the antibody is a monoclonal antibody.

43. A method according to claim 40, wherein the cancer is lung cancer.

44. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

45. A method according to claim 44, wherein the binding agent is an antibody.

46. A method according to claim 45, wherein the antibody is a monoclonal antibody.

47. A method according to claim 44, wherein the cancer is a lung

cancer.

48. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

49. A method according to claim 48, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

50. A method according to claim 48, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

51. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347

and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

52. A method according to claim 51, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

53. A method according to claim 51, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

54. A diagnostic kit, comprising:

(a) one or more antibodies according to claim 11; and

(b) a detection reagent comprising a reporter group.

55. A kit according to claim 54, wherein the antibodies are immobilized on a solid support.

56. A kit according to claim 54, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.

57. A kit according to claim 54, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups, enzymes, biotin and dye particles.

5
10
15
20
25
30
35
40
45
50
55

58. An oligonucleotide comprising 10 to 40 contiguous nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotides.

59. A oligonucleotide according to claim 58, wherein the oligonucleotide comprises 10-40 contiguous nucleotides recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349.

60. A diagnostic kit, comprising:

- (a) an oligonucleotide according to claim 59; and
- (b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

SEQUENCE LISTING

<110> Corixa Corporation et al.

<120> COMPOUNDS AND METHODS FOR THERAPY
AND DIAGNOSIS OF LUNG CANCER

<130> 210121.45501PC

<140> PCT

<141> 2000-04-03

<160> 350

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 315

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(315)

<223> n = A,T,C or G

<400> 1

gcagagacag actgggtggtt gaacctggag gtgccaaaaa agccagctgc gggcccagga	60
cagctgccgt gagactcccg atgtcacagg cagtctgtgt ggttacagcg cccctcagtg	120
ttcatctcca gcagagacaa cggaggaggc tcccaccagg acggttctca ttatttatat	180
gttaatatgt ttgtaaactc atgtacagtt ttttttgggg gggaagcaat gggaanggta	240
naaattacaa atagaatcat ttgctgtaat ccttaaatgg caaacgggtca ggccacgtga	300
aaaaaaaaaa aaaaaa	315

<210> 2

<211> 380

<212> DNA

<213> Homo sapien

<400> 2

atttaggctt aagatattgt ttacccttgt tactaaggag caaattagta ttaaagtata	60
atatatataa acaaatacaa aaagtattga gtgggttcagc ttttttattt tttttaatgg	120
cataactttt aacaacactg ctctgtaatg ggttgaactg tggtagctag actgagataa	180
ctgaaatgag tggatgtata gtgttattgc ataattatcc cactatgaag caaagggact	240
ggataaattc ccagtctaga ttattagcct ttgttaacca tcaagcacct agaagaagaa	300
ttattggaat ttttgccttc tgtaactggc actttggggg gtgacttatc ttttgccttt	360
gtaaaaaaaa aaaaaaaaaa	380

<210> 3

<211> 346

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<220>
 <221> misc_feature
 <222> (1)...(346)
 <223> n = A,T,C or G

<400> 3
 ttgtaagtat acaatcttag aaaggattaa atgttattga tcattttact gaatactgca 60
 catcctcacc atacaccatc cactttccaa taacatttaa tcctttctaa aattgtaagt 120
 atacaattgt actttctttg gattttcata acaaataac catagactgt taattttatt 180
 gaagtttcc taaatggaatg agtcattttt gtcttgtgct tttgagggtta cctttgcttt 240
 gacttccaac aatttgatca tatagtgttg agctgtggaa atctttaagt ttattctata 300
 gcaataattt ctattnnnag annccngggn naaaannann annaaa 346

<210> 4
 <211> 372
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(372)
 <223> n = A,T,C or G

<400> 4
 actagtctca ttactccaga attatgctct tgtacctgtg tggctgggtt tcttagtcgt 60
 tgggtttggtt tgggtttttg aactgggtatg taggggtggtt cacagttcta atgtaagcac 120
 tctcttctcc aagttgtgct ttgtggggac aatcattctt tgaacattag agaggaagggc 180
 agttcaagct gttgaaaaga ctattgctta tttttgtttt taaagacctt cttagcgtca 240
 tgtggacagt gcacgtgcct tacgctacat cttgttttct aggaagaagg ggatgcnggg 300
 aaggantggg tgctttgtga tggataaaac gncataataa cacaccttta cattttgaaa 360
 aaaacaaaac aa 372

<210> 5
 <211> 698
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(698)
 <223> n = A,T,C or G

<400> 5
 actagtanga tagaaacact gtgtcccgag agtaaggaga gaagctacta ttgattagag 60
 cctaaccag gttaactgca agaagaggcg ggatactttc agctttccat gtaactgtat 120
 gcataaagcc aatgtagtcc agtttctaag atcatgttcc aagctaactg aatcccactt 180
 caatacacac tcatgaactc ctgatggaac aataacaggc ccaagcctgt ggtatgatgt 240
 gcacacttgc tagactcaga aaaaatacta ctctcataaa tgggtggggag tattttgggt 300
 gacaacctac ttgtcttggc tgagtgaagg aatgatattc atatnttcat ttattccatg 360
 gacatttagt tagtgctttt tatataccag gcatgatgct gagtgcactt cttgtgtata 420
 tntccaaatn ttngtncngt cgtgcacat atctgaaatc ctatattaag antttcccaa 480
 natgangtcc ctgggttttc cagccactt gatcngtcaa ngatctcacc tctgtntgtc 540
 ctaaaacnt ctnctnnang gttagacngg acctctcttc tcccttcccg aanaatnaag 600
 tgtgngaaga nancnncn cccctnncn tncnncctng ccngctnnnc cncntgtngg 660

gggngccgcc cccgcggggg gacccccccn ttttcccc

698

<210> 6
 <211> 740
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(740)
 <223> n = A,T,C or G

<400> 6
 actagtcaaa aatgctaana taatttggga gaaaatattt ttttaagtagt gttatagttt 60
 catgtttatc ttttattatg tnttgtgaag ttgtgtcctt tcactaatta cctatactat 120
 gccaatattt ccttatatct atccataaca tttatactac attttgaaga gaatatgcac 180
 gtgaaactta acactttata aggtaaaaat gaggtttcca agatttaata atctgatcaa 240
 gttcttggtt tttccaaata gaatggactt ggtctgttaa ggggctaagg gagaagaaga 300
 agataagggt aaaagtgtgt aatgaccaaa cattctaana gaaatgcaaa aaaaaattta 360
 ttttcaagcc ttogaactat ttaaggaaaag caaaatcatt tcctanatgc atatcatttg 420
 tgagantttc tcantaatat cctgaatcat tcatttcagc tnaggcttca tgttgactcg 480
 atatgtcatc tagggaaagt ctatttcatg gtccaaacct gttgccatag ttggttaggc 540
 tttcctttta ntgtgaanta ttnacangaa attttctctt tnanagtctt tnatagggtt 600
 aggggtgtgg gaaaagcttc taacaatctg tagtgttncg tgttatctgt ncagaaccan 660
 aatnacggat cgnangaagg actgggtcta tttacangaa cgaatnatct ngtnnnntgt 720
 gtnnncaact ccngggagcc 740

<210> 7
 <211> 670
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(670)
 <223> n = A,T,C or G

<400> 7
 gctggggagc tcggcatggc ggtccccgct gcagccatgg ggccctcggc gttggggcag 60
 agcggccccg gctcgatggc cccgtgggtg tcagtgaaga gcggccccgc gcgctacgtg 120
 ctgtggatgc aggagctgtt ccggggccac agcaagaccg cgagttcctg gcgcacagcg 180
 ccaagggtga ctcggtggcc tggagttgct acgggcgtcg cctacctcgg ggtcttcgac 240
 aagacgccac gtcttcttgc tgganaanga ccgttgggtc aagaaaacaa ttatcgggga 300
 catggggata gtgtggacca ctttgttggc atccaagtaa tcctgacctt tttgttacgg 360
 cgtctggaga taaaaccatt cgcactctgg atgtgaggac tacaaaatgc attgccactg 420
 tgaacactaa aggggagaac attaatatct gctggantcc tgatgggcan accattgtcg 480
 tagcnacaag gatgatgtgg tgactttatt gatgccaaga aaccccggtc caaagcaaaa 540
 aaacanttcc aanttcgaag tcaccnaaat ctctgggaac aatgaacatn aatatnttct 600
 tcctgacaat ggncccttgg tgtnctacat cctcagctnc cccaaaactg aancctgtnc 660
 natccacccc 670

<210> 8
 <211> 689
 <212> DNA
 <213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(689)
<223> n = A,T,C or G

<400> 8
actagtatct aggaatgaac agtaaaagag gagcagttgg ctacttgatt acaacagagt 60
aaatgaagta ctggatttgg gaaaacctgg ttttattaga acatatggaa tgaaagccta 120
cacctagcat tgcctactta gccccctgaa ttaacagagc ccaattgaga caaacccctg 180
gcaacaggaa attcaaggga gaaaaagtaa gcaacttggg ctaggatgag ctgactccct 240
tagagcaaag ganagacagc ccccatcacc aaataccatt ttgacctggg gcttgtgcag 300
ctggcagtggt tcctgccccca gcatggcacc ttatngtttt gatagcaact tcggtgaatt 360
ttcaccaact tattacttga aattataata tagcctgtcc gtttgcgtgn tccaggctgt 420
gatatatntt cctagtgggt tgacttttaa aataaatnag gtttantttt ctccccccnn 480
cnntnctncc nntcnctcnn cnntcccccc cnetcngtcc tccnnnnttn gggggggccn 540
cccccnccgn ggacccccct ttgggtccctt agtggaggtt natggccccct ggnnttatcc 600
nggcctnann ttcccccgtn nnaaatgntt ccccccecca ntccccccac ctcaanccgg 660
aagcctaagt ttntaccctg ggggtcccc 689

<210> 9
<211> 674
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(674)
<223> n = A,T,C or G

<400> 9
gtccactctc ctttgagtgt actgtcttac tgtgcactct gtttttcaac tttctagata 60
taaaaaatgc ttgttctata gtggagtaag agctcacaca cccaaggcag caagataact 120
gaaaaaagcg aggctttttt gccaccttgg taaaggccag ttcactgcta tagaactgct 180
ataagcctga aggggaagtag ctatgagact ttccattttt cttagtcttc ccaataggct 240
ccttcatgga aaaaggcttc ctgtaataat ttccacctaa tgaattagca gtgtgattat 300
ttctgaata agagacaaat tgggccgcag agtcttctctg tgatttaaaa taaacaaccc 360
aaagttttgt ttgggtcttca ccaaaggaca tactctaggg ggtatgttgt tgaagacatt 420
caaaaacatt agctgttctg tctttcaatt tcaagttatt ttggagactg cctccatgtg 480
agttaattac ttgtctctgg aactagcatt attgtcatta tcatcacatt ctgtcatcat 540
catctgaata atattgttga tttccccctc tgcttgcac tctttttgac tcctctggga 600
anaaatgtca aaaaaaaagg tcgatctact cngcaaggnc catctaata ctgctgtgga 660
aggaccnct gcc 674

<210> 10
<211> 346
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(346)
<223> n = A,T,C or G

<400> 10

```

actagtctgc tgatagaaag cactatacat cctattgttt ctttctttcc aaaatcagcc      60
ttctgtctgt aacaaaaatg tactttatag agatggagga aaaggtctaa tactacatag      120
ccttaagtgt ttctgtcatt gtccaagtgt attttctgta acagaaacat atttggaatg      180
ttttcttttt ccccttataa attgtaattc ctgaaatact gctgctttaa aaagtccac      240
tgtcagatta tattatctaa caattgaata ttgtaaatat acttgtctta cctctcaata      300
aaaggtact  ttctatttan nnagnngnnn gnnnnataaa anaaaa      346

```

```

<210> 11
<211> 602
<212> DNA
<213> Homo sapien

```

```

<400> 11
actagtaaaa agcagcattg ccaaataatc cctaattttc cactaaaaat ataatgaaat      60
gatgttaagc tttttgaaaa gtttaggtta aacctactgt tgtagatta atgtatttgt      120
tgcttccctt tatctggaat gtggcattag cttttttatt ttaacctctt ttaattctta      180
ttcaattcca tgacttaagg ttggagagct aaacactggg atttttggat aacagactga      240
cagttttgca taattataat cggcattgta catagaaagg atatggctac cttttgttaa      300
atctgcactt tctaaatata aaaaaaggga aatgaagtta taaatcaatt ttgtataat      360
ctgtttgaaa catgagtttt atttgcttaa tattagggtt ttgccccctt tctgtaagtc      420
tcttgggata ctgtgtagaa ctgttctcat taaacaccaa acagttaagt ccattctctg      480
gtactagcta caaattcggg ttcatattct acttaacaat ttaaataaac tgaaatattt      540
ctagatgggc tacttctgtt catataaaaa caaaacttga tttccaaaaa aaaaaaaaaa      600
aa                                                                                   602

```

```

<210> 12
<211> 685
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(685)
<223> n = A,T,C or G

```

```

<400> 12
actagtcctg tgaaagtaca actgaaggca gaaagtgtta ggatttttga tctaattgtc      60
attatcatgg tattgatgga cctaagaaaa taaaaattag actaagcccc caaataagct      120
gcatgcattt gtaacatgat tagtagattt gaatatatag atgtagtatn ttgggtatct      180
agggtgtttt tcattatgta aaggaattaa agtaaaggac tttgtagtgt tttttattaa      240
atatgcatat agtagagtgc aaaaatatag caaaaatana aactaaagggt agaaaagcat      300
tttagatatg ccttaatnta nnaactgtgc caggtggccc tcggaataga tgccaggcag      360
agaccagtgc ctgggtgggt cctccccttg tctgcccccc tgaagaactt ccttcacgtg      420
angtagtgcc ctcttaggtg tcacgtggan tantggganc aggccgnncn gtnanaagaa      480
ancanngtga nagtttcncc gtngangcng aactgtccct gngccnnnac gctcccanaa      540
cntntccaat ngacaatcga gtttcnnnc tcengnaacc tngccgnnnn cngcccnnc      600
cantntgnta accccgcgcc cggatcgctc tcnnntcgtt ctcnncncaa ngggntttcn      660
cnncgcctgt cncnccccg cnncc                                                                                   685

```

```

<210> 13
<211> 694
<212> DNA
<213> Homo sapien

```

```

<220>

```


<221> misc_feature
 <222> (1)...(694)
 <223> n = A,T,C or G

<400> 13
 cactagtcac tcattagcgt tttcaatagg gctcttaagt ccagtagatt acgggtagtc 60
 agttgacgaa gatctgggtt acaagaacta attaaatgtt tcattgcatt tttgtaagaa 120
 cagaataaatt ttataaaatg tttgtagttt ataattgccg aaaataattt aaagacactt 180
 tttctctgtg tgtgcaaagt tgtgtttgtg atccattttt tttttttttt taggacacct 240
 gtttactagc tagctttaca atatgccaaa aaaggatttc tccctgacct catcogtggg 300
 tcacctcttt ttcccccat gctttttgcc ctagtattata acaaaggaat gatgatgatt 360
 taaaaagtag tttgtatct tcagtatctt ggtcttccag aacctctctg ttgggaaggg 420
 gatcattttt tactgggtcat ttcccttttg agtgactac tttaacagat ggaagaaact 480
 cattggccat ggaacagcc gangtggttg gagccagcag tgcattggac cgtccggcat 540
 ctggcgtgat tggctctgct gccgtcattg tcagcacagt gccatgggac atgggggaaa 600
 ctgactgcac ngccaatggt tttcatgaag aatacngcat ncnngtgat cacgtanacc 660
 angacgctat gggggncana gggccanttg cttc 694

<210> 14
 <211> 679
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(679)
 <223> n = A,T,C or G

<400> 14
 cagccgcctg catctgtatc cagcgccang tcccgcagc cccagctgcg cgcgcccccc 60
 agtcccgmac ccgttcggcc cangetnagt tagncctcac catnccggtc aaaggangca 120
 ccaagtgcac caaataacct cngtncggat ntaaatcat cttctggctt gccgggattg 180
 ctgtccntgc cattggacta nggctccgat ncgactctca gaccanganc atcttcganc 240
 naganactaa tnatnattnt tccagcttct acacaggagt ctatattctg atcggatccg 300
 gencctctnt gatgctgggt ggcttccgga gctgctgcgg ggctgtgcaa gagtcccant 360
 gcatgctggg actgttcttc ggcttctct tgggtgattn cgccattgaa atacctgcgg 420
 ccctctgggg atattccact ncgatnatgt gattaaggaa ntccacggag ttttacaagg 480
 acacgtacaa cnacctgaaa accnnggatg anccccaccg ggaanncctg aangccatcc 540
 actatgcgtt gaactgcaat ggtttggctg gggnccttga acaatttaac cncatacatc 600
 tggccccann aaaggacntn cteganncct tcnccgtgna attcngttct gatnccatca 660
 cagaagcttc gaacaatcc 679

<210> 15
 <211> 695
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(695)
 <223> n = A,T,C or G

<400> 15
 actagtggat aaaggccagg gatgctgctc aacctcctac catgtacagg gacgtctccc 60
 cattacaact acccaatccg aagtgtcaac tgtgtcagga ctaanaaacc ctgggttttg 120

```

ttaaaaaagg gcctgaaaaa aggggagcca caaatctgtc tgcttcctca cnttantcnt 180
tggcaaatna gcattctgtc tcnttggctg cngcctcanc ncaaaaaanc ngaactcnat 240
cnggccagg aatacatctc ncaatnaacn aaattganca aggcnnntgg aaatgccnga 300
tgggattatc ntccgcttgt tgancttcta agtttcttc ccttcattcn accctgccag 360
ccnagtcttg ttagaaaaat gccngaattc naacnccgtt tttcntactc ngaatttaga 420
tctncanaaa cttcctggcc acnattcnaa ttnanggnca cgnacanatn ccttccatna 480
ancncacccc acntttgana gccangacaa tgactgcntn aantgaaggc ntgaagggaan 540
aactttgaaa ggaaaaaaaa ctttgtttcc ggcccccttc aacncttctg tgttnancac 600
tgcttctcng naaccctgga agcccnngga cagtgttaca tgttgttcta nnaaacngac 660
ncttnaatnt cnatcttccc nanaacgatt ncncc 695

```

```

<210> 16
<211> 669
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (669)
<223> n = A,T,C or G

```

```

<400> 16
cgccgaagca gcagcgcagg ttgtccccgt ttccccctcc ccttcccttc tccgggtgccc 60
ttccccgggc ccttacctc cacagtcccc gtccccccat gtcccagaaa caagaagaag 120
agaacctgc ggaggagacc ggcgaggaga agcaggacac gcaggagaaa gaagggtatc 180
tgcttgagag agctgaagag gcaaaagctaa aggccaaata cccaagccta ggacaaaagc 240
ctggaggctc cgacttcctc atgaagagac tccagaaagg gcaaaagtac ttgtactcng 300
gagactacaa catggccaaa gccaacatga agaataagca gctgccaaat gcangaccag 360
acaagaacct ggtgactggt gatcacatcc ccaccccaaca ggatctgccc agagaagatc 420
ctcgctcgtc accagcaagc ttgcccgggtg ccaagttgaa tgatgctgcc ggggctctgc 480
canatctgag aogcttcctt ccttgcccca cccgggtcct gtgctggctc ctgccccctc 540
tgcttttgca gccangggtc aggaagtggc ncnggtngtg gctggaaagc aaaacccttt 600
cctgttggtg tcccacccat ggagccccgt gggcgagccc angaacttga ncctttttgt 660
tntcttnc 695

```

```

<210> 17
<211> 697
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (697)
<223> n = A,T,C or G

```

```

<400> 17
gcaagatatg gacaactaag tgagaaggta atnctctact gctctagtn ctcnnggcn 60
gacgcgetga ggagannnac gctggcccan ctgcccggcca cacacgggga tcntggtnat 120
gcctgcccacn ggganccccn ncncctggan cccatntcac acccgnncn tncgcccacn 180
ncctggetcn cncngcccn nccagctcnc gnccccctcc gccnnnctcn ttncntctc 240
cncncctccc ncnacnacct cctaccncng gctccccccc cagccccccc ccgcaancct 300
ccacnacncc ntncncnca ancnccnctc gcnctcngcc cncgccccct gccccccgcc 360
cncnacnncg cgncccccg cgcncgcngc ctncccccct cccacnacag ncncaccgcg 420
agnacgcnc tccgcccnc gatgcccnn cccgcgcgc tcaccttcat ggnccnacn 480
ccccgctcnc ncnctgcnc gcgcnngg cgccecgccc cncnngtn cncnngnng 540

```

```

ccccngcngn angcngtgcg cnncaangncc gngccggnncn ncaccctccg ncncnccgcc 600
cgccccgctgg gggetcccg cncggcgntc antcccccnc cntnccgccca ctntccgntc 660
cnnncctcnc gctcngcgcn cgcccnccnc cccccc 697

```

```

<210> 18
<211> 670
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(670)
<223> n = A,T,C or G

```

```

<400> 18
ctcgtgtgaa ggggtgcagta cctaagccgg agcggggtag aggcggggccg gcacccccctt 60
ctgacctcca gtgcccggcg cctcaagatc agacatggcc cagaacttga acgacttggc 120
gggacggctg cccgcccggc cccggggcat gggcacggcc ctgaagctgt tgctgggggc 180
cggcgcctg gcctaagggt tgcgcgaatc tgtgttcacc gtggaaggcg ggcncagagc 240
catcttcttc aatcggatcg gtggagtga caggacacta tcctggggccg anggccttca 300
cttcaggatc cttggttcca gtacccanc atctatgaca ttccggccag acctcgaaaa 360
aatctctccc ctacaggctc caaagaccta cagatggtga atatctccct gcgagtgttg 420
tctcgaccaa tgcctangaa cttcctaaca tgttccanc cctaagggtc ggactacnaa 480
gaacgantgt tgcggtccat tgtcacgaag tgcacaagaa tttnggtggc caagtccaat 540
gncctcacnn ctgatcnccc agcggggcca agttanccct gggtgatccc cgggganctg 600
acnnaaaagg gccaaaggact tcccctcacc ctggataatg tggccntcac aaagctcaac 660
tttanccacc 670

```

```

<210> 19
<211> 606
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(606)
<223> n = A,T,C or G

```

```

<400> 19
actagtgcc accctagctc ccaggccagt tctctgaatg tcgaggagtt ccaggatctc 60
tggcctcagt tgtccttggt tattgatggg ggacaaattg gggatggcca gagccccgag 120
tgtgccttg gctcaactgt ggttgatttg tctgtgcccg gaaagtgttg catcattcgt 180
ccaggctgtg ccttggaag tactacagcc atcctccaac agaagtaagg actgctcccc 240
tcacatgcgt cctacctgtg aaactctggg aagcaggaag gcccaagacc tgggtctgga 300
tactatgtgt ctgtccactg acgactgtca aggcctcatt tgcagaggcc accggagcta 360
gggcactagc ctgactttta aggcagtgtg tctttctgag cactgtagac caagcccttg 420
gagctgctgg tttagccttg cacctgggga aaggatgtat ttatttgtat ttccatata 480
cagccaaaag ctgaatggaa aagttnagaa cattcctagg tggccttatt ctaataagtt 540
tcttctgtct gttttgtttt tcaattgaaa agttattaaa taacagattt agaattcagt 600
gagacc 606

```

```

<210> 20
<211> 449
<212> DNA
<213> Homo sapien

```

```

<400> 20
actagtaaac aacagcagca gaaacatcag tatcagcagc gtcgccagca ggagaatatg      60
cagcgccaga gccgaggaga acccccgctc cctgaggagg acctgtccaa actcttcaaa      120
ccaccacagc cgcctgccag gatggactcg ctgctcattg caggccagat aaacacttac      180
tgccagaaca tcaaggagtt cactgccccaa aacttaggca agctcttcat ggcccaggct      240
cttcaagaat acaacaacta agaaaaggaa gtttccagaa aagaagttaa catgaactct      300
tgaagtcaca ccagggaacac tcttggaaga aatatatttg catattgaaa agcacagagg      360
atttctttag tgtcattgcc gattttggct ataacagtgt ctttctagcc ataataaaat      420
aaaaaaaaat cttgactgct tgctcaaaa      449

```

```

<210> 21
<211> 409
<212> DNA
<213> Homo sapien

```

```

<400> 21
tatcaatcaa ctggtgaata attaaacaat gtgtggtgtg atcatacaaa ggggtaccact      60
caatgataaa aggaacaagc tgcctatatg tggaacaaca tggatgcatt tcagaaactt      120
tatgttgagt gaaagaacaa acacggagaa catactatgt ggttctcttt atgtaacatt      180
acagaaataa aaacagaggc aaccaccttt gaggcagtat ggagtgagat agactggaaa      240
aagggaaggaa ggaactctta cgtctgatga aatgtctgtg tcttcattgg gtggcagtta      300
tgtggggata tacatttgtc aaaatttatt gaactatata ctaagaactc ctgcatttta      360
ttgggatgta aataatacct caattaaaaa gacaaaaaaa aaaaaaaaaa      409

```

```

<210> 22
<211> 649
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(649)
<223> n = A,T,C or G

```

```

<400> 22
acaattttca ttatcttaag cacattgtac atttctacag aacctgtgat tattctcgca      60
tgataaggat ggtacttgca tatggtgaat tactactggt gacagtttcc gcagaaatcc      120
tatttccagt gaccaacatt gtggcatggc agcaaatgcc aacattttgt ggaatagcag      180
caaatctaca agagaccctg gttggttttt cgttttggtt tctttgtttt tcccccttc      240
tcctgaatca gcagggatgg aangagggta gggaagttaa gaattactcc tccagtagt      300
agctctgaag tgtcacattt aatatcagtt ttttttaaac atgattctag ttnaatgtag      360
aagagagaag aaagaggaag tgttcacttt ttttaatacac tgatttagaa atttgatgtc      420
ttatatcagt agttctgagg tattgatagc ttgctttatt tctgccttta cgttgacagt      480
gttgaagcag ggtgaataac taggggcata tatatttttt ttttttgtaa gctgtttcat      540
gatgttttct ttggaatttc cggataagtt caggaaaaa tctgcagtgt gttatctagt      600
ctgaagttn tatecatctc attacaacaa aaacnccag aacggnttg      649

```

```

<210> 23
<211> 669
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature

```

<222> (1) ... (669)

<223> n = A,T,C or G

<400> 23

actagtgcgc	tactggctga	aatccctgca	ggaccaggaa	gagaaccagt	tcagactttg	60
tactctcagt	caccagctct	ggaattagat	aaattccctg	aagatgtcag	gaatgggatc	120
tatcctctga	cagcctttgg	gctgcctcgg	ccccagcagc	cacagcagga	ggaggtgaca	180
tcacctgtcg	tgcccccttc	tgtcaagact	cgcacacctg	aaccagctga	ggtggagact	240
cgcaaggtgg	tgctgatgca	gtgcaacatt	gagtcggtgg	aggagggagt	caaacaccac	300
ctgacacttc	tgctgaagtt	ggaggacaaa	ctgaaccggc	acctgagctg	tgacctgatg	360
cctaatgaga	atatccccga	gttggcggtc	gagctggtgc	agctgggctt	cattagttag	420
gctgaccaga	gccgggtgac	ttctctgcta	gaagagactt	gaacaagttc	aattttgcca	480
ggaacagtac	cctcaactca	gccgctgtca	ccgtctcttc	ttagagctca	ctcggggccag	540
gccctgatct	gcgctgtggc	tgtcctggac	gtgctgcacc	ctctgtcctt	ccccccagtc	600
agtattacct	gtgaagccct	tccctccttt	attattcagg	anggctgggg	gggctccttg	660
nttctaacc						669

<210> 24

<211> 442

<212> DNA

<213> Homo sapien

<400> 24

actagtacca	tcttgacaga	ggatacatgc	tcccaaaacg	tttgttacca	cacttaaaaa	60
tcactgccat	cattaagcat	cagtttcaaa	attatagcca	ttcatgattt	actttttcca	120
gatgactatc	attattctag	tcctttgaat	ttgtaagggg	aaaaaaaaa	aaaacaaaaa	180
cttacgatgc	actttttctc	agcacatcag	atttcaaatt	gaaaattaaa	gacatgctat	240
ggtaattgcac	ttgctagtac	tacacacttt	ggtacaacaa	aaaacagagg	caagaaacaa	300
cggaaagaga	aaagccttcc	tttgttggcc	cctaaactga	gtcaagatct	gaaatgtaga	360
gatgatctct	gacgatacct	gtatgttctt	attgtgtaaa	taaaattgct	ggtatgaaat	420
gacctaaaaa	aaaaaaaaa	ga				442

<210> 25

<211> 656

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (656)

<223> n = A,T,C or G

<400> 25

tgcaagtacc	acacactggt	tgaattttgc	acaaaaagtg	actgtaggat	caggtgatag	60
ccccggaatg	tacagtgtct	tggtgcacca	agatgccttc	taaaggctga	cataccttgg	120
accctaattg	ggcagagagt	atagccctag	cccagtggtg	acatgaccac	tccctttggg	180
aggcctgagg	tagaggggag	tggtatgtgt	tttctcagtg	gaagcagcac	atgagtggtg	240
gacaggatgt	tagataaagg	ctctagttag	ggtgtcattg	tcatttgaga	gactgacaca	300
ctcctagcag	ctggtaaagg	ggtgctggan	gccatggagg	anctctagaa	acattagcat	360
gggctgatct	gattacttcc	tggcatcccc	ctcactttta	tggaagtctt	tatttagangg	420
atgggacagt	tttccatata	cttgctgtgg	agctctggaa	cactctctaa	atttccctct	480
attaaaaatc	actgccctaa	ctacacttcc	tccttgaaag	aatagaaatg	gaactttctc	540
tgacatannt	cttggcatgg	ggagccagcc	acaaatgana	atctgaacgt	gtccaggttt	600
ctcctganac	tcactacat	agaattgggt	aaacctccc	ttggaataag	gaaaaa	656

<210> 26
 <211> 434
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(434)
 <223> n = A,T,C or G

<400> 26
 actagttcag actgccacgc caaccccaga aaatacccca catgccagaa aagtgaagtc 60
 ctagggtgtt ccatctatgt ttcaatctgt ccatctacca ggccctcgca taaaaacaaa 120
 acaaaaaaac gctgccaggt tttagaagca gttctgggtct caaaaccatc aggatcctgc 180
 caccaggggt cttttgaaat agtaccacat gtaaaaggga atttggcttt cacttcattt 240
 aataactgaa ttgtcaggct ttgattgata attgtagaaa taagtagcct tctgttgtgg 300
 gaataagtta taatcagtat tcattctctt gttttttgtc actcttttct ctctaattgt 360
 gtcatttgta ctgtttgaaa aatatcttct ctatnaaatt aaactaacct gccttaaaaa 420
 aaaaaaaaaa aaaa 434

<210> 27
 <211> 654
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(654)
 <223> n = A,T,C or G

<400> 27
 actagtccaa cacagtcaga aacattgttt tgaatcctct gtaaaccaag gcattaatct 60
 taataaaacca ggatccattt aggtaccact tgatataaaa aggatatcca taatgaatat 120
 ttataactgc atcctttaca ttagccacta aatacgttat tgcttgatga agacctttca 180
 cagaatccta tggattgcag catttcactt ggctacttca taccatgcc ttaaagaggg 240
 gcagtttctc aaaagcagaa acatgccgcc agttctcaag ttttctctt aactccattt 300
 gaatgtaagg gcagctggcc cccaatgtgg ggaggtccga acattttctg aattccattt 360
 ttcttgttcg cggtctaatg acagtttctg tcattactta gattccgac tttcccaaaag 420
 gtgttgattt acaaaagagg cagctaatag cagaaatcat gaccctgaaa gagagatgaa 480
 attcaagctg tgagccaggc agganctcag tatggcaaaag gtcttgagaa tmgccattt 540
 ggtagaaaaa aaattttaaa gcntttatgt tataccatgg aaccatagaa anggcaaggg 600
 aattgttaag aanaatttta agtgccaga cccanaanga aaaaaaaaaa aaaa 654

<210> 28
 <211> 670
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(670)
 <223> n = A,T,C or G

<400> 28
 cgtgtgcaca tactgggagg atttccacag ctgcacgggc acagccctta cggattgcca 60

```

ggaaggggag aaagatatgt gggataaact gagaaaagaa nccaaaaacc tcaacatcca 120
aggcagctta ttcgaactct gcggcagcgg caacggggcg gcgggggtccc tgctcccggc 180
gttcccgggtg ctccctgggtg ctctctcggc agcttttagcg acctgnccttt cctctctgagc 240
gtgggggcccag ctccccccgc ggcgcccacc cacnctcact ccatgctccc ggaatcgag 300
aggaagatca ttagttcttt ggggacgttn gtgattctct gtgatgctga aaaacactca 360
tataggggaat gtgggaaatc ctganctctt tnttatntcg tntgatttct tgtgttttat 420
ttgccaaaat gttaccaatc agtgaccaac cnagcacagc caaaaatcgg acntcngctt 480
tagtccgtct tcacacacag aataagaaaa cggcaaaccc accccacttt tnantttnat 540
tattactaan ttttttctgt tgggcaaaag aatctcagga acngccctgg ggcnccgta 600
ctanagttaa ccnagctagt tncatgaaaa atgatgggct ccnctcaat gggaaagcca 660
agaaaaagnc

```

```

<210> 29
<211> 551
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(551)
<223> n = A,T,C or G

```

```

<400> 29
actagtccctc cacagcctgt gaatccccct agacctttca agcatagtga gcggagaaga 60
agatctcagc gtttagccac cttaccctatg cctgatgatt ctgtagaaaa ggtttcttct 120
ccctctccag ccactgatgg gaaagtattc tccatcagtt ctcaaaatca gcaagaatct 180
tcagtaccag aggtgcctga tgttgacatc ttgccacttg agaagctggg accctgtctc 240
cctcttgact taagtcgtgg ttcagaagtt acagcacagg tagcctcaga ttctctctac 300
cgtaataaat gtcccagggc agaaaaagag gatacncaga tgcttccaaa tccttcttcc 360
aaagcaatag ctgatgggaa gaggagctcc agcagcagca ggaatatcga aaacagaaaa 420
aaaagtgaat ttgggaagac aaaagctcaa cagcatttgg taaggagaaa aganaagatg 480
aggaaggaag agagaagaga gacnaagatc nctacggacc gnnncgggag aagaagaagn 540
aaaaaanaaa a 551

```

```

<210> 30
<211> 684
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(684)
<223> n = A,T,C or G

```

```

<400> 30
actagtctcta tctggaaaaa gcccggttg gaagaagctg tggagagtgc gtgtgcaatg 60
cgagactcat ttcttggaag catccctggc aaaaatgcag ctgagtacaa ggttatcact 120
gtgatagaac ctggactgct ttttgagata atagagatgc tgcagtctga agagacttcc 180
agcacctctc agttgaatga attaatgatg gcttctgagt caactttact ggttcaggaa 240
ccacgagaga tgactgcaga tgtaatcgag cttaaaggga aattcctcat caactagaa 300
ggtgtgtgata ttctgtgaaga gtcttcttat aaagtaattg tcatgccgac tacgaaagaa 360
aaatgcccc gtgtgtggaa gtatacagcg ggagtcttca gatacactgt gtcctcgatg 420
tgcagaagtt gtctgtggga aaatagtatt aacagctcac tcgagcaaga accctctga 480
cagtactggg ctagaagttt ggatggatta ttacaatat aggaaagaaa gccagaatt 540
aggtnatgag tggatgagta aatggtggan gatggggaat tcaaatcaga attatgggag 600

```

aagtntttcc tgttactata gaaaggaatt atgtttattt acatgcagaa aatatanatg 660
 tgtggtgtgt accgtggatg gaan 684

<210> 31
 <211> 654
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (654)
 <223> n = A,T,C or G

<400> 31
 ggcgagaaaa ggaaccaata tttcagaaac aagcttaata ggaacagctg cctgtacatc 60
 aacatcttct cagaatgacc cagaagtatt catcgtggga gctggcgtgc ttggctctgc 120
 ttggcagct gtgctttcca gagatggaag aaaggtgaca gtcattgaga gagacttaaa 180
 agagcctgac agaatagttg gagaattcct gcagccgggt gggtatcatg ttctcaaaga 240
 ccttggtctt ggagatacag tggaaggtct tgatgccag gttgtaaag gttacatgat 300
 tcatgatcag ggaaagcaa tcagangttc agattcctta cctctgtca gaaaacaatc 360
 aagtgcagag tggaagagct ttccatcacg gaagattcat catgagtctc cggaagcag 420
 ctatggcaga gcccaatgca aagtttattg aaggtgttgt gttacagtta ttagaggag 480
 atgatgttgt gatgggagtt cagtacaagg ataaagagac tgggagatat caaggaaactc 540
 catgctccac tgactgttgt tgcatatggg cttttctcca anttcaggaa aagcctgggc 600
 tcaataaagt ttctgtatca ctcatctggt tggcttctta tgaagaatgc nccc 654

<210> 32
 <211> 673
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1) ... (673)
 <223> n = A,T,C or G

<400> 32
 actagtgaag aaaaagaaat tctgatcgg gacaaaaatg ctcttcaaaa catcattctt 60
 tatcacctga caccaggagt ttctattgga aaaggatttg aacctggtgt tactaacatt 120
 ttaagacca cacaaggag caaaatcttt ctgaaagaag taaatgatac acttctggtg 180
 aatgaattga aatcaaaaga atctgacatc atgacaacaa atggtgtaat tcatgttgta 240
 gataaactcc tctatccagc agacacacct gttggaaatg atcaactgct ggaaatactt 300
 aataaattaa tcaaatatcat ccaaattaag tttgtctgtg gtacacctt caaagaaatc 360
 cccgtgactg tctatnagcc aattattaaa aaatacacca aaatcattga tgggagtgcc 420
 tgtgggaaat aactgaaaa gagaccgaga agaacgaatc attacaggtc ctgaaataaa 480
 atacctagga tttctactgg aggtggagaa acagaagaac tctgaagaaa ttgttacaag 540
 aagangtccc aaggtcacca aattcattga aggtggtgat ggtctttatt tgaagatgaa 600
 gaaattaaaa gacgcttcag ggagacnccc catgaaggaa ttgccagcca aaaaaaatt 660
 cagggattag aaa 673

<210> 33
 <211> 673
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (673)
 <223> n = A,T,C or G

<400> 33
 actagttatt tactttcttc cgcttcagaa ggtttttcag actgagagcc taagcatact 60
 ggatctgttg tttcttttgg gtctcacctc atcagtggtc atagtggcag aaattataaa 120
 gaagggtgaa aggagcaggg aaaagatcca gaagcatgtt agttcgacat catcatcttt 180
 tcttgaagta tgatgcataat tgcattatct tatttgcaaa cttaggaattg cagtctgagg 240
 atcattttaga agggcaagt caagaggata tgaagatttg agaacttttt aactattcat 300
 tgactaaaaa tgaacattaa tgttnaagac ttaagacttt aacctgctgg cagtcacaaa 360
 tgaattatg caactttgat atcatattcc ttgatttaaa ttgggctttt gtgattgant 420
 gaaactttat aaagcatatg gtcagttatt tnattaaaaa ggcaaaacct gaaccacctt 480
 ctgcacttaa agaagtctaa cagtacaaat acctatctat cttagatgga tntatttntt 540
 tntattttta aatattgtac tatttatggg nggtggggct ttcttactaa tacacaaatn 600
 aatttatcat ttcaanggca ttctatttgg gtttagaagt tgattccaag nantgcatat 660
 ttcgctactg tnt 673

<210> 34
 <211> 684
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (684)
 <223> n = A,T,C or G

<400> 34
 actagtttat tcaagaaaag aacttactga ttctctgtgt cctaaagcaa gagtggcagg 60
 tgatcagggc tgggtgtagca tccggttctt ttagtgagc taactgcatt tgtcactgat 120
 gaccaaggag gaaatcacta agacatttga gaagcagtg tatgaacgtt cttggacaaag 180
 ccacagttct gagccttaac cctgtagttt gcacacaaga acgagctcca cctccccctc 240
 ttcaggagga atctgtgctg atagattggc tggacttttc aatgggtctg ggttgcaagt 300
 gggcactgtt atggctgggt atggagcggg cagccccagg aatcagagcc tcagccccggc 360
 tgcttggttg gaaggtacag gtgttcagca ccttcggaaa aagggcataa agtngtgggg 420
 gacaattctc agtccaagaa gaatgcattg accattgctg gctatttgc tncctagtat 480
 gaattggatn catttttgac cangatnntt ctncatgct ttnttgcaat gaaatcaaat 540
 cccgcattat ctacaagtgg tatgaagtcc tgcnncccc agagaggctg ttcaggcnat 600
 gtcttccaag ggcagggtgg gttacaccat ttacctccc ctctccccc agattatgna 660
 cncagaagga atttntttcc tccc 684

<210> 35
 <211> 614
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (614)
 <223> n = A,T,C or G

<400> 35
 actagtccaa cgcgttngcn aatattcccc tggtagccta cttccttacc cccgaatatt 60

```

ggtaagatcg agcaatggct tcaggacatg ggttctcttc tcctgtgatc attcaagtgc 120
tcactgcatg aagactggct tgtctcagtg tntcaacctc accagggtcg tctcttggtc 180
cacacctcgc tcctgttagg tgccgtatga cagcccccat canatgacct tggccaaagtc 240
acgggtttctc tgtggtcaat gttggtnggc tgattggtgg aaagtanggt ggaccaaagg 300
aagncncgtg agcagncanc nccagtctcg caccagcagc gcctccgtcc tactnggggtg 360
ttccngtttc tcctggccct gngtgggcta nggacctgatt cgggaanatg cctttgcang 420
gaaggganga taantgggat ctaccaattg attctggcaa aacnatntct aagattnttn 480
tgctttatgt ggganacana tctanctctc atttntgtct gnanatnaca ccctactcgt 540
gntcgancnc gtcttcgatt ttcgganaca cncantnaa tactggcggt ctgttggttaa 600
aaaaaaaaaa aaaa 614

```

```

<210> 36
<211> 686
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(686)
<223> n = A,T,C or G

```

```

<400> 36
gtggctggcc cggttctccg cttctcccca tccctacttt tcctccctcc ctccctttcc 60
ctccctcgtc gactgttgct tgctggctgc agactccctg accctctccct caccctctcc 120
taacctcggt gccaccggat tgcccttctt ttctgtttgc ccagcccagc cctagtgtca 180
gggcggggggc ctggagcagc ccgaggcact gcagcagaag ananaaaaga cagcagcaac 240
ctcagctcgc cagtcgggct gctngcttcc cgccgcattg caatnagaca gacgcgctc 300
acctgctctg ggcacacgag accctgggtt gatttggcct tcagtggcat cacccttatg 360
gggtatttctt aatcagcgct tgcaaagatg gttaacctat gctacgccag ggagatacag 420
gagactggat tggaaacatt ttggggtcta aaggtctgtt tggggtgcaa cactgaataa 480
ggatgccacc aaagcagcta cagcagctgc agatttcaca gcccagtggt gggatgctgt 540
ctcagganat naattgataa cctgggtcat aacacattgt caagaatgtg gatttcccca 600
ggatattatt atttgtttac cggggganag gataactgtt tcnctatttt taattgaaca 660
aactnaaaca aaanctaagg aatccc 686

```

```

<210> 37
<211> 681
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(681)
<223> n = A,T,C or G

```

```

<400> 37
gagacanacn naacgtcang agaanaaaag angcatggaa cacaanccag gcncgatggc 60
cacccttcca ccagcancca gcgcccccca gcngccccca ngncggang accangactc 120
cancctgnat caatctganc tctattctct gccatncct acctcgaggg tggangcogn 180
aaaggtcgca cnnncagaga agctgctgcc anccaccanc gccccnnccc tgcggggctn 240
nataggaaac tggtgaccnn gctgcanaat tcatacagga gcacgcgang ggcacnnnct 300
cacactgagt tnnngatgan gcctnaccan ggacctnccc cagcnnattg annacnggac 360
tgcggaggaa ggaagacccc gnaacggatc ctggccggcn tgccaccccc ccacccctag 420
gattatnccc cttgactgag tctctgaggg gctaccgaa cccgcctcca ttccctacca 480
natnntgtct natcgggact gacangctgg ggatnggagg ggctatcccc cancatcccc 540

```

```

tnanaccaac agcnacngan natnggggct cccenggggc gnggcaacnc tccnccccc 600
cgggcgnggc ctccgggtgt gtccctccntc aacnaattcc naaanggcgg gccccccngt 660
ggactccctn ttgttccctc c 681

```

```

<210> 38
<211> 687
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(687)
<223> n = A,T,C or G

```

```

<400> 38
canaaaaaaa aaaacatggc cgaaccagn aagctgcgcg atggcgccac ggccccctctt 60
ctccccgcct gtgtccggaa ggtttccctc cgaggcgccc cggctcccgc aagcggagga 120
gagggcgagg cmtgcggggg cgggagctca nagggccctg ggccgctctg ctctccccgc 180
atcgcaaggg cggcgctaac cttaggcctc cccgcaaagg tccccnangc gngggcgggc 240
gggggctgtg anaaccgcaa aaanaacgct gggcgcgcn ggaacccgtc cccccccg 300
aaggananac ttccacagan gcagcgttcc cacagccan agccacnttt ctagggtgat 360
gcaccccgat aagttccctg cggggaagct caccgctgtc aaaaaancct ttcgctccac 420
cggcgacna agggggangan ggcangangc tgcgcgcgc acaggtcatc tgatcacgtc 480
gcccccccta ntctgctttt gtgaatctcc actttgttca accccaccgc ccgttctctc 540
ctccctgcgc ctccctctna ccttaanaac cagcttccctc taccmatng tanttctct 600
gcncnngtng aaattaattc ggtccnccgg aacctcttnc ctgtggcaac tgctnaaaga 660
aactgctgtt ctgnttactg cngtccc

```

```

<210> 39
<211> 695
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(695)
<223> n = A,T,C or G

```

```

<400> 39
actagtctgg cctacaatag tgtgattcat gtaggacttc tttcatcaat tcaaaacccc 60
tagaaaaacg tatacagatt atataagtag ggataagatt tctaacattt ctgggctctc 120
tgacccctgc gctagactgt ggaaaggagg tattattata gtatacaaca ctgctgttgc 180
cttattagtt ataacatgat aggtgctgaa ttgtgattca caatttaaaa acactgtaat 240
ccaaactttt ttttttaact gtagatcatg catgtgaatg ttaatgttaa tttgttcaan 300
gttggttatgg gtagaaaaaa ccacatgcct taaaatttta aaaagcaggg cccaaactta 360
ttagttttaa attaggggta tgtttccagt ttgttattaa ntgggttatag ctctgttttag 420
aanaaatcna ngaacangat ttngaaantt aagntgacat tatttncag tgacttgtaa 480
atttgaaatc anacacggca ccttccggtt tggtnctatt ggnntttgaa tccaanccgg 540
ntccaaatct tnttggaac ngtcnntta acttttttac nanatcttat ttttttattt 600
tggaatggcc ctatttaang ttaaaagggg ggggnccac naccattcnt gaataaaact 660
naatatatat ccttgggtccc ccaaaattta aggn

```

```

<210> 40
<211> 674
<212> DNA

```

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(674)

<223> n = A,T,C or G

<400> 40

actagtagtc agttgggagt ggttgctata ccttgacttc atttatatga atttccactt	60
tattaaataa tagaaaagaa aatcccgggtg cttgcagtag agttatagga cattctatgc	120
ttacagaaaa tatagccatg attgaaatca aatagtaaag gctgttcttg ctttttatct	180
tcttagctca tcttaataaa gtagtacact tgggatgcag tgcgtctgaa gtgctaataca	240
ggtgtaacaa tagcacaaat cgaacttagg atgtgtttct tctcttctgt gtttcgattt	300
tgatcaattc tttaattttg ggaacctata acacagtttt cctattcttg gagataaaaa	360
ttaaatggat cactgatatt taagtcattc tgccttctcat cttaatatct catattctgt	420
attagganaa antacctccc agcacagccc cctctcaaac cccaccctaaa accaagcatt	480
tggaatgagt ctccctttatt tccgaantgt ggatgggtata acccatatcn ctccaatttc	540
tgnttgggtt ggggtattat ttgaactgtg catgaaaagn gynaatcttt nctttgggtc	600
aaanttttnc ggtaattttg nctngncaaa tccaatttnc ttttaagggtg tctttataaa	660
atttgctatt cngg	674

<210> 41

<211> 657

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(657)

<223> n = A,T,C or G

<400> 41

gaaacatgca agtaccacac actgtttttaa ttttgcacaa aaagtgactg tagggatcag	60
gtgatagccc cggaatgtac agtgtcttgg tgcaccaaga tgccttctaa aggctgacat	120
accttgggac cctaattgggg cagagagtat agccctagcc cagtgggtgac atgaccactc	180
cttttgggag gctgaagtta aagggaatgg tatgtgtttt ctcatggaag cagcacatga	240
atnggttnaca ngatgttaaa ntaaggntct antttgggtg tcttgtcatt tgaaaaantg	300
acacactcct ancantcgtt aaaggggtgc tgggaagccat ggaagaactc taaaaacatt	360
agcatgggct gatctgatta cttcctggca tcccgtcac ttttatggga agtcttatta	420
naaggatggg ananttttcc atatccttgc tgttgggaact ctggaacact ctctaanttt	480
ccctctatta aaaatcactg nccttactac acttccctct tgaagggaata gaaatggacc	540
tttctctgac ttagttcttg gcatggganc cagcccaaat taaaatctga cttntccggt	600
ttctccngaa ctcacctact tgaattggta aaacctcctt tgggaattagn aaaaacc	657

<210> 42

<211> 389

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(389)

<223> n = A,T,C or G

<400> 42

```

actagtgtctg aggaatgtaa acaagttttgc tgggccttgc gagacttcac caggttggtt 60
cgatagctca cactcctgca ctgtgcctgt caccagga tgtctttttt aattagaaga 120
caggaagaaa acaaaaacca gactgtgtcc cacaatcaga aacctccgtt gtggcagang 180
ggccttcacc gccaccaggg tgtcccgcca gacagggaga gactccagcc ttctgaggcc 240
atcctgaaga attcctgttt gggggttgtg aaggaaaatc acccggtttt aaaaagatgc 300
tgttgctgc ccgcgtngtn gggaaggac tggtttcctg gtgaatttct taaaagaaaa 360
atattttaag ttaagaaaaa aaaaaaaa 389

```

```

<210> 43
<211> 279
<212> DNA
<213> Homo sapien

```

```

<400> 43
actagtgaca agctcctggc cttgagatgt cttctcgtta aggagatggg ccttttggag 60
gtaaaggata aaatgaatga gttctgtcat gattcactat tctagaactt gcatgacctt 120
tactgtgtta gctctttgaa tgttcttgaa atttttagact ttctttgtaa acaataata 180
tgtccttatac attgtataaa agctgttatg tgcaacagtg tggagatcct tgtctgattt 240
aataaaatac ttaaacactg aaaaaaaaaa aaaaaaaaaa 279

```

```

<210> 44
<211> 449
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (449)
<223> n = A,T,C or G

```

```

<400> 44
actagtagca tcttttctac aacgttaaaa ttgcagaagt agcttatcat taaaaaacia 60
caacaacaac aataacaata aatcctaagt gtaaatcagt tattctaccc cctaccaagg 120
atatcagcct gttttttccc ttttttctcc tgggaataat tgtgggcttc ttcccaaat 180
tctacagcct ctttctctct ctcattgctt agcttccctg tttgcacgca tgcgttgtgc 240
aagantgggc tgtttngctt ggantncggt ccnagtggaa ncatgcttcc ccttggtact 300
gttggaagaa actcaaacct tcnancccta ggtgttncca ttttgtcaag tcatcactgt 360
atttttgtac tggcattaac aaaaaaagaa atnaaatatt gttccattaa actttaataa 420
aactttaaaa gggaaaaaaa aaaaaaaaaa 449

```

```

<210> 45
<211> 559
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (559)
<223> n = A,T,C or G

```

```

<400> 45
actagtgtgg gggaaacacg gacacttaaa gtcaatctgc gaaataattc ttttattaca 60
cactcactga agtttttgag tcccagagag ccattctatg tcaaacattc caagtactct 120
ttgagagccc agcattacat caacatgccc gtgcagtcca aaccgaagtc cgcaggcaaa 180
tttgaagctt tgcttgcatt tcaaacagat gaaggcaaga gtattgctat tcgactaatt 240

```

```

ggtagaagctc ttggaaaaaa ttactagaa tactttttgt gtaagttaa ttacataagt 300
tgtattttgt taactttatc ttcttacct acaattatgc ttttgtatat atattttgta 360
tgatggatat ctataattgt agattttgtt ttacaagct aatactgaag actcgactga 420
aatattatgt atctagccca tagtattgta cttaactttt acaggggtgaa aaaaaaatc 480
tgtgtttgca ttgattatga tttctgaat aaatatggga atatatctta atgtgggtaa 540
aaaaaaaaaa aaaaaggaa 559

```

```

<210> 46
<211> 731
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(731)
<223> n = A,T,C or G

```

```

<400> 46
actagttcta gtaccatggc tgcacatagat gcaaccatta tattccattt agtttcttcc 60
tcagggtccc taacaattgt ttgaaactga atatatatgt ttatgtatgt gtgtgtgttc 120
actgtcatgt atatggtgta tatgggatgt gtgcagtttt cagttatata tatattcata 180
tatacatatg cacatatatg tataatatac atatatatac gcatacactt gtataatata 240
catatatata cacatatatg cacacatatn atcactgagt tccaaagtga gtctttattt 300
ggggcaattg tattctctcc ctctgtctgc tcactgggccc tttgcaagac atagcaattg 360
cttgatttcc tttggataag agtcttatct tcggcactct tgactctagc cttaaactta 420
gatttctatt ccagaatacc tctcatatct atcttaaaac ctaaganggg taaagangtc 480
ataagattgt agtatgaaag antttgctta gttaaattat atctcaggaa actcattcat 540
ctacaaatta aattgtaaaa tgatgggttg ttgtatctga aaaaatgttt agaacaagaa 600
atgtaactgg gtacctgtta tatcaaagaa cctcnattta ttaagtctcc tcatagccan 660
atccttatat ngccctctct gacctgannt aatananact tgaataatga atagttaatt 720
taggnntggg c 731

```

```

<210> 47
<211> 640
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(640)
<223> n = A,T,C or G

```

```

<400> 47
tgcgngccgg tttggccctt ctttgtanga cactttcatc cgccttgaaa tcttcccgat 60
cgtaataaac tectcaggtc cctgectgca cagggttttt tcttantttg ttgcctaaca 120
gtacaccaa tgtgacatcc ttccaccaat atngattnct tcataccaca tcntcnatgg 180
anacgactnc aacaattttt tgatnaccn aaanactggg ggctnnaana agtacantct 240
ggagcagcat ggacctgtcn gcnactaang gaacaanagt nntgaacatt tacacaacct 300
ttggtatgtc ttactgaaag anagaacat gcttctnncc ctgaccacg aggncaaccg 360
caganattgc caatgccaaag tccgagcggg tagatcagggt aatacattcc atggatgcat 420
tacatacntt gtccccgaaa nanaagatgc cctaanggct tcttcnact ggtccngaaa 480
acanctacac ctggtgcttg ganaacanac tctttggaag atcatctggc acaagttccc 540
cccagtggtt tttnccttgg cactanctt accanactna ttcggaancc attctttgac 600
ntggcntnt ntgggacca ntcttctcac aactgnaccc 640

```

<210> 48
<211> 257
<212> DNA
<213> Homo sapien

<400> 48
actagtatat gaaaatgtaa atatcacttg tgtactcaaa caaaagtggg tcttaagctt 60
ccaccttgag cagccttgga aacctaacct gcctctttta gcataatcac attttctaaa 120
tgattttctt tgttcctgaa aaagtgattt gtattagttt tacatttggt ttttggaaga 180
ttatatttgt atatgtatca tcataaaata tttaaaataa aagtatcttt agagtgaana 240
aaaaaaaaa aaaaaaa 257

<210> 49
<211> 652
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (652)
<223> n = A,T,C or G

<400> 49
actagttcag atgagtggct gctgaagggg ccccttctgc attttcatta taaccaatt 60
tccacttatt tgaactctta agtcataaat gtataatgac ttatgaatta gcacagttaa 120
gttgacacta gaaactgccc atttctgtat tacactatca aataggaaac attggaaga 180
tggggaaaaa aatcttattt taaaatggct tagaaagttt tcagattact ttgaaaattc 240
taaaacttctt tctgtttcca aaacttgaaa atatgtagat ggactcatgc attaagactg 300
ttttcaaaagc tttcctcaca tttttaaagt gtgattttcc ttttaataata catatttatt 360
ttctttaaag cagctatata ccaacccatg actttggaga tatacctatn aaaccaatat 420
aacagcangg ttattgaagc agctttctca aatgttgctt cagatgtgca agttgcaaat 480
tttattgtat ttgtanaata caatttttgt tttaaactgt atttcaatct atttctccaa 540
gatgcttttc atatagagtg aaatatccca ngataactgc ttctgtgtcg tcgcatttga 600
cgcataactg cacaaatgaa cagtgtatca ctcttggttg tgcattnacc cc 652

<210> 50
<211> 650
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (650)
<223> n = A,T,C or G

<400> 50
ttgcgctttg atttttttag ggcttctgcc ctgtttcact tatagggtct agaatgcttg 60
tggttagtaa aaaggagatg cccaatattc aaagctgcta aatgttctct ttgccataaa 120
gactccgtgt aactgtgtga acacttgga tttttctcct ctgtcccag gtctgtctct 180
gctttctttt ttgggttctt tctagaagat tgagaaatgc atatgacagg ctgagancac 240
ctcccaaac acacaagctc tcagccacan gcagcttctc cacagccca gcttcgcaca 300
ggctcctgga nggctgcctg ggggaggcag acatgggagt gccaaaggtg ccagatgggt 360
ccaggactac aatgtcttta tttttaaactg tttgccactg ctgccctcac cctgtcccgg 420
ctctggagta ccgtctcccc canacaagtg ggantgaaat ggggtgtggg ggggaactg 480
attcccantt agggggtgcc taactgaaca gtagggatan aaggtgtgaa cctgngaant 540

```

gcttttataa attatnttcc ttgttanatt tatttttttaa tttaatctct gtcnaactgc      600
ccngggaaaa ggggaaaaaa aaaaaaaaaa tctnttttaa cacatgaaca      650

```

```

<210> 51
<211> 545
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(545)
<223> n = A,T,C or G

```

```

<400> 51
tggcgtgcaa ccagggtagc tgaagtttgg gtctgggact ggagattggc cattaggcct      60
cctganattc cagctccctt ccacc. gcc cagtcttget acgtggcaca gggcaaacct      120
gactcccttt gggccctcagt ttccc. gcc cttcatgana tgaagaagaat actacttttt      180
cttggttggtc taacnttgct ggac:aaag tgtngtcatt attgttgat tgggtgatgt      240
gtncaaaaact gcagaagctc actgcctatg agaggaanta agagagatag tggatganag      300
ggacanaagg agtcattatt tggatatagat ccaccntcc caacctttct ctcctcagtc      360
cctgcncctc atgtntctgg tntggtgagt cctttgtgcc accanccatc atgctttgca      420
ttgctgccat cctgggaagg ggggtgnatcg tctcacaact tgttgtcatc gtttganatg      480
catgctttct tnatnaaaca aanaaanmaa tgtttgacag ngtttaaaat aaaaaanaaa      540
caaaa      545

```

```

<210> 52
<211> 678
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(678)
<223> n = A,T,C or G

```

```

<400> 52
actagtagaa gaactttgcc gcttttgtgc ctctcacagg cgcctaaagt cattgccatg      60
ggaggaagac gatttggggg gggagggggg gggggcangg tccgtggggc ttccctant      120
ntatctccat ntccantggn cmtgtcgcc tcttccctcg tcnattnga anttantccc      180
tggcccccmn nccctctcmn nctnncctt ccccccctcg ncnccctcmn cttttntan      240
ncttccccat ctccntcccc cctnanngtc ccaacnccgn cagcaatnnc ncacttnctc      300
nctcncncnc tccnnccgtt cttctnttct cnaentntnc ncnntnccn tgcnnntnaa      360
annctctccc cnetgcaanc gattctctcc ctccnennan ctntccactc cntncttctc      420
nncgctctct ntntcnncnc ccactctctn ccttcgnccc cantacnctc nccncccttn      480
cgantenttn nntctctcmn accnccncc tcccttctcc cctcttctcc cgggtntntc      540
tctctccnnc nncnncnct cnnccntcc nngcgnccnt ttcgcccen cncnccntt      600
ccttctnctc cantccatcn cntntnccat nctnccctncc nctcaccncc gctnccccn      660
ntctctttca cacngtcc      678

```

```

<210> 53
<211> 502
<212> DNA
<213> Homo sapien

<220>

```


<221> misc_feature
 <222> (1)...(502)
 <223> n = A,T,C or G

<400> 53

tgaagatcct ggtgtcgcca tgggcccgcg ccccgcccgt tgttacccgt attgtaagaa	60
caagccgtac ccaaaagtct gcttctgccc aggtgtccct gatgccaaaa ttccgatttt	120
tgacctgggg cggaaaaang caaaantgga tgagtctccg ctttgtggcc acatggtgtc	180
agatcaatat gagcagctgt cctctgaagc cctgnangct gcccgaattt gtgccataa	240
gtacatggtg aaaagtngtg gcnaagatgc ttccatatcc ggggtgcgnt ccaccccttc	300
cacgtcatcc gcatcaaaa gatgttgtcc tgtgtgggg ctgacaggct cccaacaggc	360
atgcgaagtg cctttggaaa acccanggca ctgtggccag ggttcacatt gggccaattn	420
atcatgttca tccgcaccaa ctgcagaaca angaacntgt naattnaagc cctgcccagg	480
gncaanttca aatttcccgg cc	502

<210> 54
 <211> 494
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(494)
 <223> n = A,T,C or G

<400> 54

actagtccaa gaaaaatatg cttaatgtat attacaaagg ctttgtatat gttaacctgt	60
tttaatgccaa aaagtttgct ttgtccacaa ttcccttaag acctcttcag aaagggattt	120
gtttgccctta atgaatactg ttgggaaaaa acacagtata atgagtgaag agggcagaag	180
caagaaattt ctacatctta gcgactccaa gaagaatgag tatccacatt tagatggcac	240
attatgagga ctttaattct tccttaaaaca caataatgtt ttcttttttc ttttattcac	300
atgattttcta agtatatttt tcatgcagga cagtttttca accttgatgt acagtgactg	360
tgttaaattt ttctttcagt ggcaacctct ataactttta aaatatgggt agcatcttgt	420
ctgttttgaa ngggatatga cnatnaatct atcagatggg aaatcctgtt tccaagttag	480
aaaaaaaaaaaa aaaa	494

<210> 55
 <211> 606
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(606)
 <223> n = A,T,C or G

<400> 55

actagtaaaa agcagcattg ccaaataatc cctaattttc cactaaaaat ataataaat	60
gatgttaagc tttttgaaaa gttaggttaaacctactgt tgtagatta atgtatttgt	120
tgcttccctt tatctggaat gtggcattag cttttttatt ttaacctctt ttaattctta	180
ttcaattcca tgacttaagg ttggagagct aaacactggg atttttggat aacagactga	240
cagttttgca taattataat cggcattgta catagaaagg atatggctac cttttgttaa	300
atctgcactt tctaaatata aaaaaaggga aatgaagtat aaatcaattt ttgtataatc	360
tgtttgaaac atgantttta ttgtctaat attanggctt tgcccttttc tgtagtctc	420
ttgggatcct gtgtaaaact gttctcatta aacaccaaac agttaagtcc attctctggt	480

```

actagctaca aattccggtt catattctac ntaacaattt aaattaactg aaatatttct 540
anatggtcta cttctgtcnt ataaaaacna aacttgantt nccaaaaaaa aaaaaaaaaa 600
aaaaaa 606

```

```

<210> 56
<211> 183
<212> DNA
<213> Homo sapien

```

```

<400> 56
actagtatat ttaaacttac aggcattatt gtaatgtaaa ccaccatttt aatgtactgt 60
aattaacatg gttataatac gtacaatcct tccctcatcc catcacacaa ctttttttgt 120
gtgtgataaa ctgatttttg ttgtcaataa aaccttgaaa aataaaaaaa aaaaaaaaaa 180
aaa 183

```

```

<210> 57
<211> 622
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (622)
<223> n = A,T,C or G

```

```

<400> 57
actagtcact actgtcttct ccttgtagct aatcaatcaa tattcttccc ttgcctgtgg 60
gcagtggaga gtgctgctgg gtgtacgctg cacctgccca ctgagttggg gaaagaggat 120
aatcagtgag cactgttctg ctccagagctc ctgatctacc ccaccccta ggatccagga 180
ctgggtcaaa gctgcatgaa accaggccct ggcagcaacc tgggaatggc tggagggtggg 240
agagaacctg acttctcttt cctctcctc cctccaacat tactggaact ctatcctgtt 300
agggatcttc tgagcttggt tccctgctgg gtgggacaga agacaaagga gaagggangg 360
tctacaanaa gcagcccttc tttgtcctct ggggttaatg agcttgacct ananttcatt 420
gaganaccan aagcctctga tttttaattt ccntnaaatg tttgaagtnt atatntacat 480
atatatattt ctttnaatnt ttgagtcctt gatatgtctt aaaatccant cctcttgccn 540
gaaacctgaa ttaaaacat gaanaaaat gtttncctta aagatgttan taattaattg 600
aaacttgaaa aaaaaaaaaa aa 622

```

```

<210> 58
<211> 433
<212> DNA
<213> Homo sapien

```

```

<400> 58
gaacaaattc tgattgggta tgtaccgtca aaagacttga agaaatttca tgattttgca 60
gtgtggaagc gttgaaaatt gaaagttact gcttttccac ttgctcatat agtaaagggg 120
tcctttcagc tgccagtgtt gaataatgta tcatccagag tgatgttatc tgtgacagtc 180
accagcttta agctgaacca ttttatgaat accaaataaa tagacctctt gtactgaaaa 240
catattttgt actttaatcg tgctgcttgg atagaaatat ttttactggg tcttctgaat 300
tgacagtaaa cctgtccatt atgaatggcc tactgttcta ttatttggtt tgacttgaat 360
ttatccacca aagacttcat ttgtgtatca tcaataaagt tgtatgtttc aactgaaaaa 420
aaaaaaaaa aaa 433

```

```

<210> 59
<211> 649

```

```

<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(649)
<223> n = A,T,C or G

<400> 59
actagttatt atctgacttt cngggtataa tcattctaatt gagtgtgaag tagcctctgg      60
tgtcatttgg atttgcattt ctctgatgag tgatgctatc aagcaccttt gctgggtgctg      120
ttggccatat gtgtatgttc cctggagaag tgtctgtgct gagccttggc ccacttttta      180
attaggcgtn tgtcttttta ttactgagtt gtaaganttc tttatatatt ctggattcta      240
gacccttata agatacatgg ttgtcaataa tttctcccca ttctgtgggt tgtgttttca      300
ctttatcgat aatgtcctta gacatataat aaatttgtat tttaaaagtg acttgatttg      360
ggctgtgcaa ggtggggtca cgcttgtaat ccagcactt tgggagactg aggtgggtgg      420
atcatatgan gangctagga gtctgaggtc agcctggcca gcatagcgaa aacttgtctc      480
tacnaaaat acaaaaatta gtcaggcatg gtggtgcacg tctgtaatac cagcttctca      540
ggangctgan gcacaagga cacttgaacc ccagaangaa gangttgcag tganctgaag      600
atcatgccag ggcaacaaaa atgagaactt gtttaaaaaa aaaaaaaaaa      649

<210> 60
<211> 423
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(423)
<223> n = A,T,C or G

<400> 60
actagttcag gccttccagt tcaactgaaa acatggggaa gtgtgcccag ctggctggaa      60
acctggcagt gataccatca agcctgatgt ccaaaagagc aaagaatatt tctccaagca      120
gaagtgcagc ctgggctggt ttagtgccag gctgcggtgg gcagccatga gaacaaaacc      180
tcttctgtat ttttttttcc cattagtana acacaagact cngattcagc cgaattgtgg      240
tgtcttacaa ggcagggtct tcctacaggg ggtgganaaa acagcctttc ttcctttggg      300
aggaatggcc tgagttggcg ttgtgggcag gctactgggt tgtatgatgt attagtagag      360
caaccaccata atcttttcta gtttgtatna aacttganct gagaccttaa acaaaaaaaaa      420
aaa
423

<210> 61
<211> 423
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(423)
<223> n = A,T,C or G

<400> 61
cgggactgga atgtaaagtg aagttcggag ctctgagcac gggctcttcc cgccgggtcc      60
tccctcccca gacccagag ggagaggccc accccgcccc gccccgcccc agccctgct      120
caggtctgag tatggctggg agtcgggggc cacaggcctc tagctgtgct gctcaagaag      180

```

```
actggatcag ggtanctaca agtggccggg ccttgccctt gggattctac cctgttecta 240
atgttggtgtt ggggtgcggg gtccctggcc cctttttcca cactnccctc ctcnngacag 300
caacctccct tggggcaatt gggcctggnt ctcnccccgn tgttgcnaac ctttgttggt 360
ttaaggncct taaaaatggt annttttccc ntgcnggggt taaaaaagga aaaaactnaa 420
aaa 423
```

```
<210> 62
<211> 683
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(683)
<223> n = A,T,C or G
```

```
<400> 62
gctggagagg ggtacggact ttcttggagt tgtcccaggt tggaaatgaga ctgaactcaa 60
gaagagaccc taagagactg gggaaatggtt cctgccttca ggaaagtgaag agacgcttag 120
gctgtcaaca cttaaaggaa gtcccttga agcccagagt ggacagacta gacccattga 180
tggggccact ggccatggtc cgtggacaag acattccngt gggccatggc acaccggggg 240
ggatcaaaat gtgtacttgt ggggtctcgc ccttgcccaa aaccaaacca ntcccactcc 300
tgtcnttggg ctttcttccc attcctcct ccccaaatgc acttccccct ctcctctctc 360
ccctcctgtg tttttggaat tctgtttccc tcaaaattgt taatttttta nttnngacc 420
atgaacttat gtttggggtc nangttcccc ttnccaatgc atactaatat attaatggtt 480
atattttttt gaaatatattt ttaatgaact tggaaaaaat tnntggaatt tccttntctt 540
cnnntntttt ggggggggtg gggggntggg ttaaaatttt tttggaancc cnatnggaaa 600
ttnttacttg gggccccctt naaaaaantn anttccaatt cttnnatngc cctntttccn 660
ctaaaaaaaa ananannaaa aan 683
```

```
<210> 63
<211> 731
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(731)
<223> n = A,T,C or G
```

```
<400> 63
actagtcata aagggtgtgc gcgtcttcga cgtggcggtc ttggcgccac tgcgtcgaga 60
cccggccctg gacctcaagg tcattccactt ggtgcgtgat ccccgcgagg tggcgagtgc 120
acggatccgc tcgcgccacg gcctcatccg tgagagccta cagggtggtg gcagccgaga 180
cgcgcagctc accgcctgcc cttcttggag gccgcggggc acaagcttgg cggccanaaa 240
gaaggcgtng ggggcccgcg aantaccacg ctctggggcg tatggaangt cctcttgcaa 300
taatatgggt tnaaaanctg canaanagcc cctgcancce cctgaactgg gntgcagggc 360
cncttacctn gtttggntgc ggttacaaag aacctgtttn ggaaaaacct ncnnaaaacc 420
ttccgggaaa attntncaaa ttttntttgg ggaattnttg ggtaaaaccc cnaaaatgg 480
gaaaactttt tgccctnnaa antaaacat tnggttccgg gggccccccc ncaaaacctt 540
ttttnttttt tttntgcccc cantnncccc ccggggcccc tttttttngg ggaaaanccc 600
ccccctnccc nanantttta aaagggnngg anaatttttn nttncccccc gggncccccn 660
ggngntaaaa nggtttcncc ccccagaggg gnggggnnnc ctcnnaaacc cntntcnna 720
ccncttttn n 731
```

<210> 64
 <211> 313
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(313)
 <223> n = A,T,C or G

<400> 64
 actagttgtg caaaccacga ctgaagaaag acgaaaagtg ggaaataact tgcaacgtct 60
 gttagagatg gttgctacac atgttgggtc tgtagagaaa catcttgagg agcagattgc 120
 taaagttgat agagaatatg aagaatgcat gtcagaagat ctctcggaaa atattaaaga 180
 gattagagat aagtatgaga agaaagctac tctaattaag tcttctgaag aatgaagatn 240
 aaatgttgat catgtatata tatccatagt gaataaaatt gtctcagtaa agttgtaaaa 300
 aaaaaaaaaa aaa 313

<210> 65
 <211> 420
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(420)
 <223> n = A,T,C or G

<400> 65
 actagttccc tggcaggcaa gggtctccaa ctgaggcagt gcatgtgtgg cagagagagg 60
 caggaagctg gcagtggcag cttctgtgtc tagggagggg tgtggctccc tcctccctg 120
 tctgggaggt tggaggggaag aatctaggcc ttagcttgcc ctctgcccac ccttcccctt 180
 gtagatactg ccttaacact cctcctctc tcagctgtgg ctgccacca agccagggttt 240
 ctccgtgctc actaatttat ttccaggaaa ggtgtgtgga agacatgagc cgtgtataat 300
 atttgtttta acattttcat tgcaagtatt gaccatcatc cttggttgtg tatcgttgta 360
 acacaaatta atgatattaa aaagcatcca aacaaagccn annnnnaana nnannngaaa 420

<210> 66
 <211> 676
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(676)
 <223> n = A,T,C or G

<400> 66
 actagtttcc tatgatcatt aaactcattc tcagggttaa gaaaggaatg taaatttctg 60
 cctcaatttg tacttcatca ataagttttt gaagagtgca gatttttagt caggctctta 120
 aaataaactc acaaactctg atgcatttct aaattctgca aatgtttcct ggggtgactt 180
 aacaagggaat aatcccacaa tatacctagc tacctaatac atggagctgg ggctcaaccc 240
 actgttttta aggatttgcg cttacttgtg gctgaggaaa aataagtagt tccgagggaa 300
 gtagttttta aatgtgagct tatagatnng aaacagaata tcaacttaat tatggaaatt 360
 gttagaaacc tgttctcttg ttatctgaat cttgattgca attactattg tactggatag 420

```

actccagccc attgcaaagt ctccagatatt ttanctgtgt agttgaattc cttggaaaatt 480
ctttttaaga aaaaattgga gtttnaaaga aataaaccctt tttgttaaatt gaagcttggc 540
tttttgggtga aaaaanaatca tcccgcagggt cttattgttt aaaaanggaa ttttaagcct 600
ccctggaaaa anttgtaatt taaatgggga aaatgntggg naaaaattat ccgttaggggt 660
ttaaaggga aactta 676

```

```

<210> 67
<211> 620
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (620)
<223> n = A,T,C or G

```

```

<400> 67
caccattaaa gctgcttacc aagaacttcc ccagcatttt gacttccttg tttgatagct 60
gaattgtgag caggtgatag aagagccttt ctagttagaac atacagataa tttgctgaat 120
acattccatt taatgaagggt gttacatctg ttacgaagct actaagaagg agcaagagca 180
taggggaaaa aaatctgac agaacgcac aaactcacat gtgccccctc tactacaaac 240
agattgtagt gctgtggttg tttattccgt tgtgcagaac ttgcaagctg agtcaactaa 300
cccaaagaga ggaaattata ggttagttaa acattgtaat cccagggaact aagtttaatt 360
cacttttgaa gtgttttgtt tttatttttt ggtttgtctg atttactttg ggggaaaang 420
ctaaaaaaa agggatatca atctctaatt cagtgccac taaaagttgt ccttaaaaag 480
tctttactgg aanttatggg actttttaag ctccaggnt tttggtcctc caaattaacc 540
ttgcatgggc cccttaaaat tgttgaangg cattcctgcc totaagtttg gggaaaattc 600
ccccnttttn aaaatttgga 620

```

```

<210> 68
<211> 551
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (551)
<223> n = A,T,C or G

```

```

<400> 68
actagtagct ggtacataat cactgaggag ctatttctta acatgctttt atagaccatg 60
ctaagtctag accagtatatt aagggttaat ctcacacctc cttagctgta agagtctggc 120
ttagaacaga cctctctgtg caataacttg tggccactgg aaatccctgg gccggcattt 180
gtattggggt tgcaatgact cccaagggcc aaaagagtta aaggcacgac tgggattttt 240
tctgagactg tgggtgaaact ccttccaagg ctgagggggt cagtangtgc tctgggaggg 300
actcggcacc actttgatat tcaacaagcc acttgaagcc caattataaa attgttatatt 360
tacagctgat ggaactcaat ttgaaccttc aaaactttgt tagtttatcc tattatatgt 420
ttaaaccetaa ttacatttgt ctacattgg atttggttcc tgtngcatat gtttttttcn 480
cctatgtgct cccctcccc nnatcttaat ttaaaccnca attttgcnat tcnccnnnnn 540
nannnnnnna a 551

```

```

<210> 69
<211> 396
<212> DNA
<213> Homo sapien

```

<220>
 <221> misc_feature
 <222> (1)...(396)
 <223> n = A,T,C or G

<400> 69
 cagaaatgga aagcagagtt ttcatttctg tttataaacg tctccaaaca aaaatggaaa 60
 gcagagtttt cattaatccc ttttacctt ttttttctt ggtaatcccc tcaataaaca 120
 gtatgtggga tattgaatgt taaaggata ttttttcta ttatttttat aattgtacaa 180
 aattaagcaa atgttaaaag ttttatatgc tttattaatg ttttcaaaag gtatnatata 240
 tgtgatacat tttttaagct tcaagtgtgt gtcttctggt actttctggt atgggctttt 300
 ggggagccan aaaccaatct acnatctctt tttgtttgcc aggacatgca ataaaattta 360
 aaaaataaat aaaaactatt nagaattga aaaaaa 396

<210> 70
 <211> 536
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(536)
 <223> n = A,T,C or G

<400> 70
 actagtgcga aagcaaataa aaacatcgaa aaggcgttcc tcacgttagc tgaagatata 60
 cttcgaaaga cccctgtaaa agagcccaac agtgaaaatg tagatatcag cagtggagga 120
 ggcggtgacag gctggaagag caaatgctgc tgagcattct cctgttccat cagtggccat 180
 ccactacccc gttttctctt cttgctgcaa aataaaccac tctgtccatt ttaactcta 240
 aacagatatt tttgtttctc atcttaacta tccaagccac ctattttatt tgttcttca 300
 tctgtgactg cttgctgact ttatcataat tttcttcaa caaaaaaatg tatagaaaaa 360
 tcatgtctgt gacttcatat ttaaatgnta cttgctcagc tcaactgcat ttcagtgtgt 420
 ttatagacca gttcttatca acattnaaac ctatngcaat catttcaaat ctattctgca 480
 aattgtataa gaataaaagt tagaatttaa caattaaaaa aaaaaaaaaa aaaaaa 536

<210> 71
 <211> 865
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(865)
 <223> n = A,T,C or G

<400> 71
 gacaaagcgt taggagaaga anagaggcag ggaanactnc ccaggcacga tggccnctt 60
 cccaccagca accagcgccc cccaccagcc cccaggcccc gacgacgaag actccatcct 120
 ggattaatct nacctctntc gcctgnccca ttctacctc ggaggtggag gccggaaaag 180
 tcncaccaag aganaantcgt ctgccaacac caaccgcccc agccctggcg ggcacganag 240
 gaaactgggt accaatctgc agaattctna gaggaanaag cnaggggccc cgcgctnaga 300
 cagagctgga tatgangcca gaccatggac nctacnccn ncaatncana cgggactgcy 360
 gaagatggan gacccncgac nngatcaggc cngctnncca nccccccacc cctatgaatt 420
 attccccgctg aangaatctc tgannggctt ccannaaagc gcctccccnc cnaacgnaan 480

```

tncaacatng ggattanang ctgggaactg naaggggcaa ancctnnaat atccccagaa 540
acaanctctc cnaanaaaac tggggcncct catnggtggn accaactatt aactaaaccg 600
cagcccaagn aantataaaa ggggggcccc tcncggngng accccctttt gtcccttaat 660
ganggttate cnccttgcgt accatggtnc ccnnttctgt ntgnatgttt ccnctccccct 720
ccnctatnt cnagccgaac tcnnatttnc ccgggggtgc nactnangng tncnctttn 780
ttngttgncc cngcccttcc cgnccgaacn cgtttcccg ttantaacgg caccgggggn 840
aagggtgntt ggccccctcc ctccc 865

```

```

<210> 72
<211> 560
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(560)
<223> n = A,T,C or G

```

```

<400> 72
cctggacttg tcttggttcc agaacctgac gaccggcgca cggcgacgtc tcttttgact 60
aaaagacagt gtccagtgtc ccngcctagg agtctacggg gaccgcctcc cgcgcgcga 120
ccatgcccaa cttctctggc aactggaaaa tcatccggtc ggaaaaactc gangaattgc 180
tcnaantgct ggggggtgaat gtgatgctna ngaanattgc tgtggctgca gcgtccaagc 240
cagcagtggg gatcnaacag gagggagaca cttctacat caaaacctcc accaccgtgc 300
gcaccacaaa gattaacttc nnngttgggg aggannttga ggancaaact gtggatngga 360
ngcctgtnaa aacctggtga aatgggagaa tganaataaa atggctctgtg ancanaaact 420
cctgaaagga gaaggcccc anaactcctg gaccngaaaa actgaccnc cnatngggga 480
actgatnctt gaacctgaa cggggcggat ganecttttt tnttgccnc naanggggtc 540
tttccntttc cccaaaaaaa 560

```

```

<210> 73
<211> 379
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(379)
<223> n = A,T,C or G

```

```

<400> 73
ctggggancc ggcggtngc nccatntcnn gncgcgaagg tggcaataaa aancnctga 60
aaccgcncaa naaacatgcc naagatatgg acgaggaaga tngngcttcc nngnacaanc 120
gnanngagga acanaacaaa ctcnangagc tctcaagcta atgccgcggg gaagggggccc 180
ttggccacnn gtggaattaa gaaatctggc aaanngtann tgttccttgt gcctnangag 240
ataagnagcc ctttatttca tctgtattta aacctctctn ttccctgnca taacttcttt 300
tnccacgtan agntggaant anttgtgtgc ttggactgtt gtncatttta gannaactt 360
ttgttcaaaa aaaaaataa 379

```

```

<210> 74
<211> 437
<212> DNA
<213> Homo sapien

```

```

<220>

```


<221> misc_feature
 <222> (1)... (437)
 <223> n = A,T,C or G

<400> 74
 actagttcag actgccacgc caaccccaga aaatacccca catgccagaa aagtgaagtc 60
 ctagggtgttt ccatctatgt ttcaatctgt ccatctacca ggccctcgca taaaaacaaa 120
 acaaaaaaac gctgccagggt tttanaagca gttctgggtct caaaaccatc aggatcctgc 180
 caccagggtt cttttgaaat agtaccacat gtaaaaggga atttggcttt cacttcatct 240
 aatcactgaa ttgtcagggt ttgattgata attgtagaaa taagtagcct tctgttggg 300
 gaataagtta taatcagtat tcatctcttt gttttttgtc actcttttct ctctnattgt 360
 gtcatttcta ctgtttgaaa aatatttctt ctataaaatt aaactaacct gccttaaaaa 420
 aaaaaaaaa aaaaaaa 437

<210> 75
 <211> 579
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (579)
 <223> n = A,T,C or G

<400> 75
 ctccgtcgcc gccaaagatga tgtgcggggc gccctccgcc acgcagccgg ccaccgccga 60
 gacccagcac atcgccgacc aggtgagggt ccagcttgaa gagaaagaaa acaagaagtt 120
 cctgtgtttt aaggccgtgt cattcaagag ccagggtgtc gcggggacaa actacttcat 180
 caagggtgac gtcggcgacg aggacttctt acacctgcga gtgttccaat ctctccctca 240
 tgaatacaag cccctgacct tatctaacta ccagaccaac aaagccaagc atgatgagct 300
 gacctatttc tgatcctgac ttgggacaag gcccttcagc cagaagactg acaaaagtcac 360
 cctccgtcta ccagagcgtg cacttggat cctaaaataa gcttcatctc cgggctgtgc 420
 ccttgggggt gaaggggcan gatctgcact gcttttgcac ttctcttctt aaatttcatt 480
 gtgttgattc ttctcttcca ataggtgatc ttnattactt tcagaatatt ttccaaatna 540
 gatataattt naaaatcctt aaaaaaaaa aaaaaaaaa 579

<210> 76
 <211> 666
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (666)
 <223> n = A,T,C or G

<400> 76
 gttttatcta tcttccaac cagattgtca gtccttgag ggcaagagcc acagtatatt 60
 tccctgtttc ttccacagtg cctaataata ctgtggaact aggttttaaat aattttttta 120
 ttgatgttgt tatgggcagg atggcaacca gaccattgtc tcagagcagg tgcgtgctct 180
 ttctggcta ctccatgtgt gctagcctct ggtaacctct tacttattat ctccaggaca 240
 ctactacag ggaccaggga tgatgcaaca tccttgtctt tttatgacag gatgtttgct 300
 cagcttctcc aacaataaaa agcacgtggt aaaacacttg cggatattct ggactgtttt 360
 taaaaaatat acagtttacc gaaaatcata ttatcttaca atgaaaagga ntatatagat 420
 cagccagtga acaacctttt cccaccatac aaaaattcct tttcccgaaan gaaaanggct 480

```

ttctcaataa ncctcacttt cttaanatct tacaagatag ccccganac ttatcgaaac 540
tcatttttagg caaatatgan ttttattgtn cgttacttgt ttcaaaattt ggtattgtga 600
atatcaatta ccaccccat ctcccatgaa anaaanggga aanggtgaan ttcntaancc 660
cttaaa 666

```

```

<210> 77
<211> 396
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(396)
<223> n = A,T,C or G

```

```

<400> 77
ctgcagcccg ggggatccac taatctacca nggttatttg gcagctaatt ctanatttgg 60
atcattgccc aaagtggcac ttgctggctt cttgggattt ggccttggaa aggtatcata 120
catanganta tgccanaata aattccattt ttttgaaaat canctccntg gggctgggtt 180
tggtccacag cataacangc actgcctcct tacctgtgag gaatgcaaaa taaagcatgg 240
attaagttag aaggagact ctacgcttcc agcttccctaa attctgtgtc tgtgactttc 300
gaagtttttt aaacctctga atttgtacac atttaaaatt tcaagtgtac tttaaaaataa 360
aatacttcta atgggaacaa aaaaaaaaaa aaaaaa 396

```

```

<210> 78
<211> 793
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(793)
<223> n = A,T,C or G

```

```

<400> 78
gcacccctagc cgcgcactca cacaaggcag gtgggtgagg aaatccagag ttgccatgga 60
gaaaattcca gtgtcagcat tcttgctcct tgtggccctc tcctacactc tggccagaga 120
taccacagtc aaacctggag ccaaaaagga cacaaggac tctcgaccca aactgcccc 180
gacctctccc agaggttggg gtgaccaact catctggact cagacatatg aagaagctct 240
atataaatcc aagacaagca acaaacctct gatgattatt catcacttgg atgagtcccc 300
acacagtcna gctttaaaga aagtgtttgc tgaaaaataa gaaatccaga aattggcaga 360
gcagtttgtc ctccctcaatc tggtttatga aacaactgac aaacaccttt ctccctgatgg 420
ccagtatgtc ccaggattat gtttgttgac ccactctctga cagttgaagc cgatatcctg 480
ggaagatatt cnaacctgtc ctatgcttac aaactgcaga tacgctctgt tgccttgacac 540
atgaaaaagc tctcaagttg ctnaaatga attgtaagaa aaaaaatctc cagccttctg 600
tctgtcggct tgaaaaatga aaccagaaaa atgtgaaaaa tggctattgt ggaacanatn 660
gacacctgat taggttttgg ttatgttcac cactattttt aaaaaaaaaa nttttaaaat 720
ttggttcaat tntctttttn aaacaatntg tttctacntt gnganctgat ttctaaaaaa 780
aataatnttt ggc 793

```

```

<210> 79
<211> 456
<212> DNA
<213> Homo sapien

```

<220>
<221> misc_feature
<222> (1)...(456)
<223> n = A,T,C or G

<400> 79
actagtatgg ggtgggaggg cccaccccttc tcccctagge gctgttcttg ctccaaaggg 60
ctccgtggag agggactggc agagctgang ccacctgggg ctggggatcc cactcttctt 120
gcagctgttg agcgaccta accactgggc atgccccac ccttgccttc cgcacccgct 180
tcctcccgac cccangacca ggctacttct cccctcctct tgctccctc ctgcccctgc 240
tgctctgat cgtangaatt gangantgtc ccgccttgtg gctganaatg gacagtggca 300
ggggctggaa atgggtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gnccccccc 360
tgcaagaccg agattgaggg aaancatgtc tgctgggtgt gaccatgttt cctctccata 420
aantncccc gtgacnctca naaaaaaaaa aaaaaa 456

<210> 80
<211> 284
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(284)
<223> n = A,T,C or G

<400> 80
ctttgtacct ctagaaaaga taggtattgt gtcattgaaac ttgagtttaa attttatata 60
taaaactaaa agtaatgttc acttttagcaa cacatactaa aattgggaac atactgagaa 120
gaatagcatg acctccgtgc aaacaggaca agcaaatctg tgatgtgttg attaaaaaga 180
aataaataaa tgtgtatatg tgtaacttgt atgtttatgt ggaatacaga ttgggaaata 240
aaatgtattt cttactgtga aaaaaaaaa aaaaaaaaa aana 284

<210> 81
<211> 671
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(671)
<223> n = A,T,C or G

<400> 81
gccaccaaca ttccaagcta ccttgggtac ctttgtgcag tagaagctag tgagcatgtg 60
agcaagcggg gtgcacacgg agactcatcg ttataattta ctatctgcca agagtagaaa 120
gaaaggctgg ggatatttgg gttggcttgg ttttgatttt ttgcttgttt gtttgtttt 180
tactaaaaca gtattatctt ttgaatatcg tagggacata agtatataca tgttatccaa 240
tcaagatggc tagaatgggt cctttctgag tgtctaaaac ttgacacccc tggtaaatct 300
ttcaacacac ttccactgcc tgcgtaatga agttttgatt catttttaac cactggaatt 360
tttcaatgcc gtcattttca gttagatnat ttgcacttt gagattaana tgccatgtct 420
atttgattag tcttattttt ttatttttac aggtttatca gtctcactgt tggctgtcat 480
tgtgacaaaag tcaataaaac cccnaggac aacacacagt atgggatcac atattgtttg 540
acatttaagct ttggccaaaaaatgttgcgt gtgttttacc tgcacttgct aaatcaatan 600
canaaaggct ggctnataat gttggtgtgt aaataattaa tnantaacca aaaaaaaaa 660
aaaaaaaaa a 671

<210> 82
 <211> 217
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(217)
 <223> n = A,T,C or G

<400> 82
 ctgcagatgt ttcttgaatg ctttgtcaaa ttaanaaaagt taaagtgcga taatgtttga 60
 agacaataag tgggtggtgta tcttgtttct aataagataa acctttttgt ctttgcttta 120
 tcttattagg gatttgtatg tcagtgtata aaacatactg tgtggtataa caggcttaat 180
 aaattcttta aaaggaaaaa aaaaaaaaaa aaaaaaa 217

<210> 83
 <211> 460
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(460)
 <223> n = A,T,C or G

<400> 83
 cgcgagtggg agcaccagga tctcgggctc ggaacgagac tgcacggatt gttttaagaa 60
 aatggcagac aaaccagaca tgggggaaat cgccagcttc gatnaggcca agctgaanaa 120
 aacggagacg caggagaaga acacctgcc gaccaaagag accattgagc angagaagcg 180
 gagtgaaatt tcctaagatc ctggaggatt tcctaccccc gtctctctcg agaccccgat 240
 cgtgatgtgg aggaagagcc acctgcaaga tggacacgag ccacaagctg cactgtgaac 300
 ctggggcactc cgcgccgatg ccaccggcct gtgggtctct gaagggaccc cccccaatcg 360
 gactgccaaa ttctccggtt tgccccggga tattatacaa nattatttgt atgaataatg 420
 annataaaac acacctcgtg gcancaana aaaaaaaaaa 460

<210> 84
 <211> 323
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(323)
 <223> n = A,T,C or G

<400> 84
 tgggtggatct tggctctgtg gagctgctgg gacgggatct aaaagactat tctggaagct 60
 gtggtccaan gcattttgct ggcttaacgg gtcccgaac aaaggacacc agctctcttaa 120
 aattgaagtt taccganat aacaatcttt tgggcagaga tgcctatttt aacaaacncc 180
 gtccctgcgc aacaacnaac aatctctggg aaataccggc catgaacntg ctgtctcaat 240
 cnancatctc tctagctgac cgatcatatc gtcccagatt actacanatc ataataattg 300
 atttctctga naaaaaaaaa aaa 323

<210> 85
<211> 771
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(771)
<223> n = A,T,C or G

<400> 85
aaactgggta ctcaacactg agcagatctg ttctttgagc taaaaacat gtgctgtacc 60
aanagtttgc tcctggctgc ttgatgtca gtgctgtac tccacctctg cggcgaatca 120
gaagcaagca actttgactg ctgtcttgga tacacagacc gtattcttca tcctaaattt 180
attgtgggct tcacacggca gctggccaat gaaggctgtg acatcaatgc tatcatcttt 240
cacacaaaga aaaagtgtg tgtgtgcgca aatccaaaac agacttgggt gaaatatatt 300
gtgcgtctcc tcagtaaaaa agtcaagaac atgtaaaaac tgtggctttt ctggaatgga 360
attggacata gcccagaac agaagaact tgctgggggt ggagggttca cttgcacatc 420
atgganggtt tagtgcttat cttatttggt cctcctggac ttgtccaatt natgaagtta 480
atcatattgc atcatanttt gctttgttta acatcacatt naaattaaac tgtattttat 540
gttattttata gctntagggt ttctgtgttt aactttttat acnaantttc ctaaactatt 600
ttggtntant gcaanttaaa aattatattt ggggggggaa taaatattgg antttctgca 660
gccacaagct ttttttaaaa aaccantaca nccnngttaa atggtnnggt ccnaatgggt 720
tttgcctttn antagaaaat ttnttagaac natttgaaaa aaaaaaaaaa a 771

<210> 86
<211> 628
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(628)
<223> n = A,T,C or G

<400> 86
actagtttgc ttacatttt tgaaaagtat tatttttgtc caagtgttca tcaactaaac 60
cttgtgttag gtaagaatgg aatttattaa gtgaatcagt gtgaccttc ttgtcataag 120
attatcttaa agctgaagcc aaaatatgct tcaaaaagaaa angactttat tgttcattgt 180
agttcatata ttcaaagcat ctgaactgta gtttctatag caagccaatt acatccataa 240
gtggagaang aaatagatta atgtcnaagt atgattggtg gagggagcaa ggttgaagat 300
aatctggggt tgaaattttc tagttttcat tctgtacatt tttagttnga catcagattt 360
gaaatattaa tgtttacctt tcaatgtgtg gtatcagctg gactcantaa caccctttc 420
ttccctnggg gatggggaat ggattattgg aaaatggaaa gaaaaagta cttaaagcct 480
tcctttcnca gtttctggct cctaccctac tgatttancc agaataagaa aacattttat 540
catctctgc tttattccca ttaatnaant tttgatgaat aaatctgctt ttatgcnnac 600
ccaaggaatt nagtggnttc ntctttgt 628

<210> 87
<211> 518
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature

<222> (1)...(518)
 <223> n = A,T,C or G

<400> 87

ttttttat	tttttagaga	gtagttcagc	ttttat	aaatttattg	cctgttttat	60
tataacaaca	ttatactgtt	tatggtttaa	tacatatggg	tcaaaatgta	taatacatca	120
agtagtacag	ttttaaaatt	ttatgcttaa	aacaagtttt	gtgtaaaaaa	tgtagatata	180
ttttacatgg	caaatcaatt	tttaagtcac	cctaaaaatt	gatttttttt	tgaaatttaa	240
aaacacattt	aatttcaatt	tctctcttat	ataaccttta	ttactatagc	atgggttcca	300
ctacagttta	acaatgcagc	aaaaattccca	tttcacggta	aattgggttt	taagcggcaa	360
ggttaaaatg	ctttgaggat	cctnaatacc	cttgaactt	caaatgaagg	ttatggttgt	420
naatttaacc	ctcatgccat	aagcagaagc	acaagtttag	ctgcattttg	ctctaaactg	480
taaaancgag	cccccggtg	aaaaagcaaa	agggaccc			518

<210> 88

<211> 1844

<212> DNA

<213> Homo sapien

<400> 88

gagacagtga	atcctagtat	caaaggattt	ttggcctcag	aaaaagttgt	tgattat	60
tattttat	tatttttoga	gactccgtct	caaaaaaaaa	aaaaaaaaaa	agaatcacia	120
ggtatttgc	aaagcat	gagctgcttg	gaaaaaggga	agtagttgca	gtagagt	180
ttccatcttc	ttgggtgctg	gaagccatat	atgtgtcttt	tactcaagct	aaggggtata	240
agcttatgtg	ttgaatttgc	tacatctata	tttcacatat	tctcacaata	agagaat	300
gaaatagaaa	tatcatagaa	catttaagaa	agtttagtat	aaataatatt	ttgtgtgttt	360
taatcccttt	gaagggatct	atccaaagaa	aataattttac	actgagctcc	ttccacacg	420
tctcagtaac	agatccgtg	ttagtctttg	aaaaagctc	attttttaaa	tgtagtgag	480
tagatgtagc	atacatatga	tgtataatga	cgtgtattat	gttaacaatg	tctgcagatt	540
ttgtaggaat	acaaaacatg	gcctttttta	taagcaaaac	gggccaatga	ctagaataac	600
acatagggca	atctgtgaat	atgtattata	agcagcatto	cagaaaagta	gttgggtgaaa	660
taattttcaa	gtcaaaaagg	gatattgaaa	gggaattatg	agtaacctct	attttttaag	720
ccttgctttt	aaattaaacg	ctacagccat	ttaagccttg	aggataataa	agcttgagag	780
taataatgtt	aggttagcaa	aggttttagat	gtatcacttc	atgcatgcta	ccatgatagt	840
aatgcagctc	ttcgagtcac	ttctggtcac	tcaagatatt	cacccttttg	cccatagaaa	900
gcaccttacc	tcacctgctt	actgacattg	tcttagctga	tcacaagatc	attatcagcc	960
tccattattc	cttactgtat	ataaaaataca	gagttttata	ttttcccttc	ttcgtttttc	1020
accatattca	aaacctaaat	ttgtttttgc	agatggaaatg	caaagtaatc	aagtgttcgt	1080
gctttcacct	agaaggggtg	ggtcctgaag	gaaagaggtc	cctaaatata	ccccaccctg	1140
gggtgctcct	cttccctggg	accctgacta	ccagaagtca	gggtgctagag	cagctggaga	1200
agtgcagcag	cctgtgcttc	cacagatggg	gggtgctgctg	caacaaggct	ttcaatgtgc	1260
ccatcttagg	gggagaagct	agatccctg	cagcagcctg	gtaagtcctg	aggagggttc	1320
attgctcttc	ctgctgctgt	cctttgcttc	tcaacggggc	tcgctctaca	gtctagagca	1380
catgcagcta	acttgtgect	ctgcttatgc	atgaggggta	aattaacaac	cataaccttc	1440
atttgaagtt	caaaggtgta	ttcaggatcc	tcaaagcatt	ttaaccttgc	cgcttaaaac	1500
ccaatttacc	gtgaaatggg	aattttgctg	cattgtttaa	ctgtagtggg	aacctatgta	1560
tagtaataaa	ggttatataa	gagagaaatt	gaaatttaaat	gtgtttttta	atttcaaaaa	1620
aaaatcaatc	tttaggatga	cttaaaaatt	gatttgccat	gtaaaatgta	tctgcatttt	1680
ttacacaaaa	cttgttttaa	gcataaaatt	ttaaaaactgt	actacttgat	gtattatata	1740
ttttgaacca	tatgtattaa	accataaaca	gtataatgtt	gttataataa	aacaggcaat	1800
aaatttataa	ataaaagctg	aaaaaaaaaa	aaaaaaaaaa	aaaa		1844

<210> 89

<211> 523

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(523)

<223> n = A,T,C or G

<400> 89

tttttttttt	tttttttagt	caatccacat	ttattgatca	cttattatgt	accaggcact	60
gggataaaga	tgactgttag	tcactcacag	taaggaagaa	aactagcaaa	taagacgatt	120
acaatatgat	gtagaaaatg	ctaagccaga	gatatagaaa	ggtcctattg	ggtccttctg	180
tcaccttgtc	tttccacatc	cctacccttc	acaggccttc	cctccagctt	cctgcccccg	240
ctccccactg	cagatcccct	gggattttgc	ctagagctaa	acgagganatt	gggccccctg	300
gcccctggcat	gacttgaacc	caaccacaga	ctgggaaagg	gagcctttcg	anagtggaac	360
actttgatna	gaaaacacat	agggaattga	agagaaaatc	cccaaattgg	caccctgtgt	420
gggtgctcaag	aaaagtgttc	agaatggata	aatgaaggat	caaggggaatt	aatanaatgaa	480
taattgaatg	gtggtcctaat	aagaatgact	ncnttgaatg	acc		523

<210> 90

<211> 604

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(604)

<223> n = A,T,C or G

<400> 90

ccagtgtggt	ggaatgcaaa	gattaccccc	gaagcttttc	agaagctggg	attccctgca	60
gcaaaaggaaa	tagccaatat	gtgtcgtttc	tatgaaatga	agccagaccg	agatgtcaat	120
ctcaccacc	aactaaatcc	caaagtcaaa	agcttcagcc	agtttatctc	agagaaccag	180
gggagccttc	aagggcatgt	agaaaatcag	ctgttcagat	agggcctctg	accacacagc	240
ctctttcctc	tctgatcctt	ttcctcttta	cggcacaaca	ttcatgtttg	acagaacatg	300
ctggaatgca	attgtttgca	acaccgaagg	atttctctcg	gtcgcctctt	cagtaggaag	360
cactgcattg	gtgataggac	acggtaattt	gattcacatt	taacttgcta	gttagtgata	420
aggggtggta	cacctgtttg	gtaaaatgag	aagcctcgga	aacttgggag	cttctctcct	480
accactaatg	gggagggcag	attattactg	ggattttctc	tgggggtgaat	taattttcaag	540
ccctaattgc	tgaaattccc	ctnggcaggc	tccagttttc	tcaactgcat	tgcaaaattc	600
cccc						604

<210> 91

<211> 858

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(858)

<223> n = A,T,C or G

<400> 91

tttttttttt	ttttttttta	tgattattat	tttttttatt	gatctttaca	tcctcagtg	60
tggcagagtt	tctgatgctt	aataaacatt	tggtctgac	agataagtgg	aaaaaattgt	120
catttccctta	ttcaagccat	gcttttctgt	gatattctga	tcctagttga	acatacagaa	180

```

ataaatgtct aaaacagcac ctcgattctc gtctataaca ggactaagtt cactgtgatc 240
ttaaataagc ttggctaaaa tgggacatga gtggaggtag tcacacttca gcgaagaaaag 300
agaatctcct gtataatctc accaggagat tcaacgaatt ccaccacact ggactagtgg 360
atcccccggg ctgcaggaat tcgatatcaa gcttatcgat accgtcgacc tcgagggggg 420
gcccgggtacc caattcgccc tatagtgagt cgtattacgc gcgctcactg gccgtcgttt 480
tacaacgtcg tgactgggaa aacctggcg ttaccaact taatcgctt gcagcacatc 540
cccctttcgc cagctggcgt aatagcgaan agcccgacac gatcgccctt ncaacagtgt 600
cgcagcctga atggcgaatg ggacgcgccc tgtagcggcg cattaaagcg cggcnggggtg 660
tggnggntcc cccacgtgac cgtacacact ggacgcgcct tacgcgggtc ntctcgcttc 720
ttcccttctt ttctcgacac gttcgccggg ttccccggn agctnttaat cgggggmctc 780
ccttttanggg tncnaattaa nggnttacng gaccttngan cccaaaaact ttgattaggg 840
ggaagggtccc cgaagggg 858

```

```

<210> 92
<211> 585
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (585)
<223> n = A,T,C or G

```

```

<400> 92
gttgaatctc ctggtgagat tatacaggag attctctttc ttcgctgaag tgtgactacc 60
tccactcatg tcccatTTta gccaaagctta ttttaagatca cagtgaactt agtcctgtta 120
tagacgagaa tcgagggtgct gtttttagaca tttatttctg tatgttcaac taggatcaga 180
atatcacaga aaagcatggc ttgaataagg aamtgacaat tttttccact tatctgatca 240
gaacaaatgt ttattaagca tcagaaaactc tgccaacact gaggatgtaa agatcaataa 300
aaaaaataat aatcatnann naaanannan nngaagggcg gccgccaccg cgggtggagct 360
ccagcttttg ttccctttag tgagggttaa ttgcgcgctt ggcgttaatc atggtcatag 420
ctgtttcttg tgtgaaattg ttatccggct cacaattccn cncaacatac gagccgggaa 480
gcntnangtg taaaagcctg ggggtgccta attgagttag ctactcaca ttaattgngt 540
tgcgctccac ttgcccgctt tteccantcg ggaaacctgt tcgnc 585

```

```

<210> 93
<211> 567
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (567)
<223> n = A,T,C or G

```

```

<400> 93
cggcagtggt gctgtctcg tgtccacett ggaatctggc tgaactggct gggaggacca 60
agactgcggc tgggggtggc anggaaggga accgggggct gctgtgaagg atcttggaac 120
ttccctgtac ccaccttccc cttgcttcat gtttgtanag gaaccttggt ccggccaagc 180
ccagtttccct tgtgtgatac actaatgtat ttgctttttt tgggaaatan anaaaaatca 240
attaaattgc tantgtttct ttgaannnnn nnnnnnnnnn nnnnnnnnggg ggggncgccc 300
ccnccgngga aacnccccct tttgttccct ttaattgaaa ggttaattng cncncntggc 360
gttaancntt gggccaaanc tngtncctcg tngtgaattt gttnatcccc tccc aaattc 420
ccccccnnc ttccaaaccc ggaaancctn annntgttna ancccggggg gttgcctaan 480
ngnaattnaa ccnaaccccc nttaaatng nntttgcncn ccacnngccc cnccttccca 540

```


nttcggggaa aaccctntcc gtgccca

567

<210> 94
<211> 620
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(620)
<223> n = A,T,C or G

<400> 94
actagtcaaa aatgctaaaa taatttggga gaaaatattt ttttaagtagt gttatagttt 60
catgttttacc ttttattatg ttttgtgaag ttgtgtcttt tcactaatta cctatactat 120
gccaatattt ccttatatct atccataaca ttatactac atttgtaana naatatgcac 180
gtgaaactta acactttata aggtaaaaat gaggtttcca anatttaata atctgatcaa 240
gttcttggtta ttccaaata gaatggactt ggtctgttaa gggctaagga gaagagggaag 300
ataagggttaa aagttgttaa tgaccaaaca ttctaaaaga aatgcaaaaa aaaagtttat 360
tttcaagcct tcgaactatt taaggaaagc aaaatcattt cctaaatgca tatcatttgt 420
gagaatttct cattaatatc ctgaatcatt catttcacta aggctcatgt tnactccgat 480
atgtctctaa gaaagtacta tttcatggtc caaacctggg tgccatantt gggtaaaggc 540
ttccctttaa gtgtgaaant atttaaatg aaattttcct ctttttaaaa attctttana 600
aggggttaagg gtgttgggga 620

<210> 95
<211> 470
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(470)
<223> n = A,T,C or G

<400> 95
ctcgaccttc tctgcacagc ggatgaaccc tgagcagctg aagaccagaa aagccactat 60
nactttntgc ttaattcang agcttacang attcttcaaa gagtgngtcc agcatccttt 120
gaaacatgag ttcttaccag cagaagcaga cctttacccc accacctcag cttcaacagc 180
agcagggtgaa acaaccctac cagcctccac cttaggaaat atttgttccc acaaccaagg 240
agccatgccca ctcaaagggt ccacaacctg naaacacaaa nattccagag ccagggtgta 300
ccaagggtccc tgagccagggt ctgtaccaan gtccctgagc cagggtgtac caangtccct 360
gagccaggat gtaccaagggt ccctgancca gggtgtccaa ggtccctgag ccagggtaca 420
ccaagggcct gngccaggca gcacaaangt ccctgaccaa ggcttatcaa 470

<210> 96
<211> 660
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(660)
<223> n = A,T,C or G

```

<400> 96
tttttttttt tttttttttt ggaattaaaa gcaatttaaat gagggcagag caggaaacat    60
gcattttcttt tcattcgaat cttcagatga accctgagca gccgaagacc agaaaagcca    120
tgaagacttt ctgcttaatt caggggctta caggattctt cagagtgtgt gtgaacaaaa    180
gcttttatagt acgtattttt aggatacaaa taagagagag actatggctt ggggtgagaa    240
tgtactgatt acaaggtcta cagacaatta agacacagaa acagatggga agaggggtgnc    300
cagcatctgg nggttggtt ctcaagggtt tgtctgtgca ccaaattact tctgcttggn    360
cttctgtctga gctgggctg gagtgacgtt tgaaggacat ggctctggta cctttgtgta    420
gcctgncaca ggaacttttg tgatccctt ctcaggaact ttgatggcac ctggtctcagg    480
aaacttgatg aagccttggt caagggacct tgatgcttgc tggctcaggg accttgngn    540
ancctgggtc canggacctt tgnncacac ttggcttcaa gggacccttg gnacatcctg    600
gcnaggggac ccttggncc aaccctgggc tttagggacc ctttggnctc nanccttggc    660

```

```

<210> 97
<211> 441
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(441)
<223> n = A,T,C or G

```

```

<400> 97
gggaccatac anagtattcc tctcttcaca ccaggaccag ccaactgttg agcatgagtt    60
cccagcagca gaagcagccc tgcacccac cccctcagct tcagcagcag caggtgaaac    120
agccttgcca gcctccacct cagggaacct gcaccccaa aaccaaggag ccctgccacc    180
ccaagggtgcc tgagccctgc cccccaaaag tgcttgagcc ctgccagccc aaggttccag    240
agccatgcca ccccaagggt cctgagccct gcccttcaat agtcactcca gcaccagccc    300
agcagaanac caagcagaag taatgtggtc cacagccatg cccttgagga gccggccacc    360
agatgctgaa tcccctatcc cattctgtgt atgagtccca ttgacctgca aattagcatt    420
ctgtctcccc caaaaaaaaa a                                441

```

```

<210> 98
<211> 600
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(600)
<223> n = A,T,C or G

```

```

<400> 98
gtattctctt cttcacacca ggaccagcca ctgttgagc atgagttccc agcagcagaa    60
gcagccctgc atccccccc ctgagcttca gcagcagcag gtgaacagc cttgccagcc    120
tccacctcag gaacctatga tccccaaaac caaggagccc tgccacccca aggtgcctga    180
gccctgccac cccaaagtgc ctgagccctg ccagcccaag gttccagagc catgccaccc    240
caagggtgct gagccctgct cttcaatagt cactccagca ccagcccagc agaanaccaa    300
gcagaagtaa tgtggtccac agccatgccc ttgaggagcc ggccaccana tgetgaatcc    360
cctatcccat tctgtgtatg agtccccatt gccttgcaat tagcattctg tctcccccaa    420
aaaagaatgt gctatgaagc tttctttcct acacactctg agtctctgaa tgaagctgaa    480
ggtcttaant acaganctag ttttcagctg ctcagaattc tctgaagaaa agatttaaga    540
tgaagggcaa atgattcagc tccttattac cccattaaat tcnctttcaa ttccaaaaaa    600

```

<210> 99
<211> 667
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(667)
<223> n = A,T,C or G

<400> 99
actagtgact gagttcctgg caaagaaatt tgacctggac cagttgataa ctcatgtttt 60
accattttaa aaaatcagtg aaggatttga gctgctcaat tcaggacaaa gcattcgaac 120
ggtcctgacg ttttgagatc caaagtggca ggaggtctgt gttgtcatgg tgaactggag 180
ttctcttctg gagagttccc tcatctgaaa tcatgtatct gtctcacaaa tacaagcata 240
agtagaagat ttgttgaaga catagaaccc ttataaagaa ttattaacct ttataaacat 300
ttaaagtctt gtgagcacct gggaattagt ataataacaa tgtnnatatt ttgattttac 360
attttgtaag gctataattg tatcttttaa gaaaacatac cttggatttc tatgttgaaa 420
tggagatttt taagagtttt aaccagctgc tgcagatata ttactcaaaa cagatatagc 480
gtataaagat atagttaatg catctcctag agtaatatc acttaacaca ttggaaacta 540
ttatttttta gatttgaata tnaatgttat tttttaaaca cttgttatga gttactggg 600
attacatttt gaaatcagtt cattccatga tgcantattc tgggattaga ttaagaaaga 660
cggaaaa 667

<210> 100
<211> 583
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(583)
<223> n = A,T,C or G

<400> 100
gttttggttg taagatgatc acagtcattg tacactgac taaaggacat atatataacc 60
ctttaaaaaa aaaatcactg cctcattctt atttcaagat gaatttctat acagactaga 120
tgtttttctg aagatcaatt agacattttg aaaatgattt aaagtgtttt ccttaattgtt 180
ctctgaaaac aagtttcttt tgtagtttta accaaaaaag tgcccttttt gtcactggat 240
tctcctagca ttcattgattt ttttttcata caatgaaatt aaaattgcta aaatcatgga 300
ctggctttct gggttgattt caggtaagat gtgtttaagg ccagagcttt tctcagtatt 360
tgattttttt ccccaatatt tgatttttta aaaatatata catnggtgct gcatttatat 420
ctgctgggtt aaaattctgt catatttcac ttctagcctt ttagttatgg caaatcatat 480
tttactttta cttaaagcat ttggtnattt ggantatctg gttctannct aaaaaaanta 540
attctatnaa ttgaantttt ggtactcnnn catatttga tcc 583

<210> 101
<211> 592
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(592)
<223> n = A,T,C or G

<400> 101
gtggagacgt acaaagagca gccgctcaag acacctggga agaaaaagaa aggcaagccc 60
gggaaacgca aggagcagga aaagaaaaaa cggcgaactc gctctgcctg gttagactct 120
ggagtgcactg ggagtgggct agaaggggac cacctgtctg acacctccac aacgtcgctg 180
gagctcgatt caccgaggca ttgaaatttt cagcaganac cttccaagga catattgcag 240
gattctgtaa tagtgaacat atggaaagta ttagaaatat ttattgtctg taaatactgt 300
aaatgcattg gaataaaact gtctccccc ttgctctatg aaactgcaca ttgggtcattg 360
tgaatatattt tttttttgcc aaggctaact caattattat tatcacattt accataattt 420
atattgtcca ttgatgtatt tattttgtaa atgtatcttg gtgctgctga atttctatat 480
ttttgtaca taatgcnttt anatatacct atcaagtttg ttgataaatg acncaatgaa 540
gtgncncnan ttgngggttg aatttaatga atgcctaatt ttattatccc aa 592

<210> 102
<211> 587
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(587)
<223> n = A,T,C or G

<400> 102
cgctctaagc acttagacta catcaggga gaacacagac cacatccctg tctcatgog 60
gcttatgttt tctggaagaa agtggagacc nagtccttgg ctttagggct ccccggtctg 120
gggctgtgca ntccggtcag ggcgggaagg gaaatgcacc gctgcatgtg aacttacagc 180
ccaggcggtat gccccttccc ttagcactac ctggcctcct gcacccctc gcctcatgtt 240
cctcccactt tcaanaaatg aanaacccca tgggcccagc ccttgcctt ggggaacca 300
ggcagccttc caaaactcag ggcctgaagc anaactattag ggcaggggct gactttgggt 360
gacactgccc attccctctc agggcagctc angtcaccen ggnctcttga acccagcctg 420
ttcctttgaa aaagggcaaa actgaaaagg gcttttccta naaaaagaaa aaccagggaa 480
ctttgccagg gcttcnntnt taccaaaacn ncttctcnng gatttttaat tccccattng 540
gcctccactt accnggggcn atgccccaaa attaanaatt tcccatc 592

<210> 103
<211> 496
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(496)
<223> n = A,T,C or G

<400> 103
anaggactgg ccctacntgc tctctctgt cctacctatc aatgcccac atggcagaac 60
ctgcanccct tggncactgc anatggaac ctctcagtgt cttgacatca ccctaccnt 120
gcgggtgggtc tccaccacaa ccactttgac tctgtggtcc ctgnanggtg gnttctcctg 180
actggcagga tggaccttan ccmacatata cctctgttcc ctctgctnag anaaagaatt 240
cccttaacat gatataatcc acccatgcaa ntngctactg gccagctac catttaccat 300
ttgcctacag aatttcattc agtctacact ttggcattct ctctggcgat agagtgtggc 360
tgggtgaccc gcaaaagggtg ccttacacac tggccccac cctcaaccgt tgacncatca 420
gangcttgcc tctccttct gattnncccc catgttggt atcagggtgc tcnagggatt 480
ggaaaagaaa caaac 496

<210> 104
 <211> 575
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(575)
 <223> n = A,T,C or G

<400> 104
 gcacctgctc tcaatccnnc tctcaccatg atcctccgcc tgcanaaaact cctctgccaa 60
 ctatggangt ggtttcnngg gtggctcttg ccaactggga agaagccgtg gtgtctctac 120
 ctgttcaact cngtttgtgt ctgggggata aactnggggc tatggaagcg gctnaactgt 180
 tgttttggtg gaagggctgg taattggctt tgggaagtng cttatngaag ttggcctngg 240
 gaagttgcta ttgaaagtng ccntggaagt ngntttggtg ggggggtttg ctggtggcct 300
 ttgttnaatt tgggtgcttt gttaatggcg gccccctcnc ctgggcaatg aaaaaaatca 360
 ccnatgcngn aaacctcnac nnaacagcct gggcttcctt cactcgaag aaagtgtctc 420
 ccccccaaa aaaggncaan cccctcaann tgggaangtg aaaaaatcct cgaatgggga 480
 nccnnaaaac aaaaancccc ccttttcccn gnaanggggg aaataccncc cccccactta 540
 cnaaaaccct tntaaaaaac ccccgggaa aaaaa 575

<210> 105
 <211> 619
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(619)
 <223> n = A,T,C or G

<400> 105
 cactagttag atagaaacac tgtgtcccgga gagtaaggag agaagctact attgattaga 60
 gcctaaccac ggtaactgc aagaagaggc gggatacttt cagctttcca tgtaactgta 120
 tgcataaagc caatgtagtc cagtttctaa gatcatgttc caagctaact gaatccact 180
 tcaatacaca ctcatgaact cctgatggaa caataacagg cccaagcctg tggatatgatg 240
 tgcacacttg ctgactcan aaaaaatact actctcataa atgggtggga gtattttggt 300
 gacaacctac tttgcttggc tgaagtgaagg aatgatattc atatattcat ttattccatg 360
 gacatttagt tagtgctttt tatataccag gcatgatgct gaggtagact cttgtgtata 420
 tttccaaatt tttgtacagt cgctgcacat atttgaaatc atatattaag acttccaaaa 480
 aatgaagtcc ctgggtttttc atggcaactt gatcagtaaa ggattcncct ctgttttgta 540
 cttaaaacat ctactatatn gttnanatga aattcctttt cccnccttc cgaaaaaana 600
 aagtggtggg gaaaaaaa 619

<210> 106
 <211> 506
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(506)
 <223> n = A,T,C or G

```

<400> 106
cattggtnct ttcatttget ntggaagtgt nnaatctctaa cagtggacaa agttcccngt      60
gccttaaaact ctgtnacact tttgggaant gaaaanttng tantatgata ggttattctg      120
angtanagat gttctggata ccattanatn tgccccngt gtcagaggct catattgtgt      180
tatgtaaatg gtatntcatt cgctactatn antcaattng aaatanggtc tttgggttat      240
gaatantnng cagcncanct nanangetgt ctgtngtatt cattgtgggc atagcacctc      300
acancattgt aacctcnatc nagtgagaca nactagmaan ttcttagtga tgggtcanga      360
ttccaaatgg nctcatntcn aatgtttaaa agttanttaa gtgtaagaaa tacagactgg      420
atgttccacc aactagtacc tgtaatgacn ggcctgtccc aacacatctc ccttttccat      480
gactgtggta ncccgcatcy gaaaaa

```

```

<210> 107
<211> 452
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(452)
<223> n = A,T,C or G

```

```

<400> 107
gttgagtctg tactaaacag taagatatct caatgaacca taaattcaac tttgtaaaaa      60
tccttttgaag catagataat attgttttgt aaatgtttct tttgttttgt aaatgtttct      120
tttaaagacc ctccatttct ataaaaactct gcatgtagag gcttgtttac ctttctctct      180
ctaaggttta caataggagt ggtgatttga aaaatataaa attatgagat tgggttttct      240
tgggcataaaa ttgcatcact gtatcatttt cttttttaac cggtaagant ttcagtttgt      300
tggaagtaaa ctgtganaac ccagtttccc gtccatctcc cttagggact acccatagaa      360
catgaaaagg tccccacnga agcaagaaga taagtcttcc atggctgctg gttgcttaaa      420
ccactttaaa accaaaaaat tccccttgga aa

```

```

<210> 108
<211> 502
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(502)
<223> n = A,T,C or G

```

```

<400> 108
atcttcttcc cttaattagt tntattttat ntattaaatt ttattgcatg tcttggaaca      60
caaaaagaga ttgtagattg gcttctggct ccccaaaagc ccataacaga aagtaaccaca      120
agaccncaac tgaagcttaa aaaatctatc acatgtataa tacctttnga agaaccattaa      180
tanagcatat aaaaactttta acatntgett aatgttgtnc aattataaaa ntaatngaaa      240
aaaatgtccc tttaacatnc aatatccac atagtgttat ttnaggggat taccnngnaa      300
naaaaaaagg gtagaaggga tttaatgaaa actctgcttn ccatttctgt ttanaaacgt      360
ctccagaaca aaaacttntc aantctttca gctaaccgca tttgagctna ggccactcaa      420
aaactccatt agnccccatt tctaanggtc tctanagctt actaancctt ttgacccctt      480
accctggnta ctctgacct ca

```

```

<210> 109
<211> 1308

```

<212> DNA

<213> Homo sapien

<400> 109

```

accgagggtc tgcctaaaaat catcatggat tcacttggcg ccgtcagcac tgcacttggg      60
tttgatcttt tcaaagagct gaagaaaaca aatgatggca acatcttctt ttccccctgtg      120
ggcatcttga ctgcaattgg catggtcctc ctggggaccc gaggagccac cgcttcccag      180
ttggaggagg tgtttcactc tgaaaaagag acgaagagct caagaataaa ggctgaagaa      240
aaagagggtga ttgagaacac agaagcagta catcaacaat tccaaaagtt ttgactgaa      300
ataagcaaac tcactaatga ttatgaactg aacataacca acaggctggt tggagaaaaa      360
acatacctct tccttcaaaa atacttagat tatgttgaaa aatattatca tgcactctcg      420
gaacctgttg attttgtaaa tgcagccgat gaaagtcgaa agaagattaa ttcttgggtt      480
gaaagcaaaa caaatgaaaa aatcaaggac ttgttcccag atggctctat tagtagctct      540
accaagctgg tgctgggtgaa catggtttat tttaaagggc aatgggacag ggagtttaag      600
aaagaaaaata ctaaggaaga gaaattttgg atgaataaga gcacaagtaa atctgtacag      660
atgatgacac agagccattc ctttagcttc actttcctgg aggacttgca ggccaaaatt      720
ctagggattc catataaaaa caacgacctc agcatgttg tgcttctgcc caacgacatc      780
gatggcctgg agaagataat agataaaaata agtcctgaga aattggtaga gtggactagt      840
ccagggcata tgggaagaaag aaaggtgaat ctgcacttgc cccgggttga ggtggaggac      900
agttacgac tagaggcgggt cctggctgcc atggggatgg gcgatgcctt cagtgcagac      960
aaagccgact actcgsgaat gtcgtcaggc tccgggttgt acgcccagaa gttcctgcac      1020
agtctctttg tggcagtaac tgaggaaggc accgaggctg cagctgccac tggcataggc      1080
tttactgtca catccgcccc aggtcatgaa aatgttcaat gcaatcatcc cttcctgttc      1140
ttcatcaggc acaatgaatc caacagcatc ctcttcttcg gcagattttc ttctccttaa      1200
gatgatcgtt gccatggcat tgctgctttt agcaaaaaac aactaccagt gttactcata      1260
tgattatgaa aatcgtccat tcttttaaat ggtggctcac ttgcattt      1308

```

<210> 110

<211> 391

<212> PRT

<213> Homo sapien

<400> 110

```

Met Asp Ser Leu Gly Ala Val Ser Thr Arg Leu Gly Phe Asp Leu Phe
 1          5          10          15
Lys Glu Leu Lys Lys Thr Asn Asp Gly Asn Ile Phe Phe Ser Pro Val
 20          25          30
Gly Ile Leu Thr Ala Ile Gly Met Val Leu Leu Gly Thr Arg Gly Ala
 35          40          45
Thr Ala Ser Gln Leu Glu Glu Val Phe His Ser Glu Lys Glu Thr Lys
 50          55          60
Ser Ser Arg Ile Lys Ala Glu Glu Lys Glu Val Ile Glu Asn Thr Glu
 65          70          75          80
Ala Val His Gln Gln Phe Gln Lys Phe Leu Thr Glu Ile Ser Lys Leu
 85          90          95
Thr Asn Asp Tyr Glu Leu Asn Ile Thr Asn Arg Leu Phe Gly Glu Lys
100          105          110
Thr Tyr Leu Phe Leu Gln Lys Tyr Leu Asp Tyr Val Glu Lys Tyr Tyr
115          120          125
His Ala Ser Leu Glu Pro Val Asp Phe Val Asn Ala Ala Asp Glu Ser
130          135          140
Arg Lys Lys Ile Asn Ser Trp Val Glu Ser Lys Thr Asn Glu Lys Ile
145          150          155          160
Lys Asp Leu Phe Pro Asp Gly Ser Ile Ser Ser Ser Thr Lys Leu Val
165          170          175

```

Leu Val Asn Met Val Tyr Phe Lys Gly Gln Trp Asp Arg Glu Phe Lys
 180 185 190
 Lys Glu Asn Thr Lys Glu Glu Lys Phe Trp Met Asn Lys Ser Thr Ser
 195 200 205
 Lys Ser Val Gln Met Met Thr Gln Ser His Ser Phe Ser Phe Thr Phe
 210 215 220
 Leu Glu Asp Leu Gln Ala Lys Ile Leu Gly Ile Pro Tyr Lys Asn Asn
 225 230 235 240
 Asp Leu Ser Met Phe Val Leu Leu Pro Asn Asp Ile Asp Gly Leu Glu
 245 250 255
 Lys Ile Ile Asp Lys Ile Ser Pro Glu Lys Leu Val Glu Trp Thr Ser
 260 265 270
 Pro Gly His Met Glu Glu Arg Lys Val Asn Leu His Leu Pro Arg Phe
 275 280 285
 Glu Val Glu Asp Ser Tyr Asp Leu Glu Ala Val Leu Ala Ala Met Gly
 290 295 300
 Met Gly Asp Ala Phe Ser Glu His Lys Ala Asp Tyr Ser Gly Met Ser
 305 310 315 320
 Ser Gly Ser Gly Leu Tyr Ala Gln Lys Phe Leu His Ser Ser Phe Val
 325 330 335
 Ala Val Thr Glu Glu Gly Thr Glu Ala Ala Ala Thr Gly Ile Gly
 340 345 350
 Phe Thr Val Thr Ser Ala Pro Gly His Glu Asn Val His Cys Asn His
 355 360 365
 Pro Phe Leu Phe Phe Ile Arg His Asn Glu Ser Asn Ser Ile Leu Phe
 370 375 380
 Phe Gly Arg Phe Ser Ser Pro
 385 390

<210> 111

<211> 1419

<212> DNA

<213> Homo sapien

<400> 111

ggagaactat aaattaagga tcccagctac ttaattgact tatgcttcct agttcgttgc	60
ccagccacca ccgtctctcc aaaaaccga ggtctcgcta aaatcatcat ggattcactt	120
ggcgccgtca gcactcgact tgggtttgat cttttcaag agctgaagaa aacaaatgat	180
ggcaacatct tcttttcccc tgtgggcatac ttgactgcaa ttggcatggt cctcctgggg	240
accgaggag ccaccgcttc ccagttggag gaggtgtttc actctgaaaa agagacgaag	300
agctcaagaa taaaggctga agaaaaagag gtggtagaa taaaggctga aggaaaagag	360
attgagaaca cagaagcagt acatcaacaa ttccaaaagt ttttgactga aataagcaaa	420
ctcactaatg attatgaact gaacataacc aacaggctgt ttggagaaaa aacatacctc	480
ttccttcaaa aatacttaga ttatgttgaa aaatattatc atgcatctct ggaacctgtt	540
gattttgtaa atgcagccga tgaagtcga aagaagatta attcctgggt tgaagcaaa	600
acaaatgaaa aaatcaagga cttgttccca gatggctcta ttagtagctc taccaagctg	660
gtgctggtga acatgggtta ttttaaagg caatgggaca gggagttaa gaaagaaaat	720
actaaggaa agaaattttg gatgaataag agcacaagta aatctgtaca gatgatgaca	780
cagagccatt cctttagctt cactttcctg gaggacttgc agggcaaaat tctagggatt	840
ccatataaaa acaacgacct aagcatgttt gtgcttctgc ccaacgacat cgtaggcctg	900
gagaagataa tagataaaat aagtcctgag aaattggtag agtggactag tccagggcac	960
atggaagaaa gaaagtgaa tctgcacttg ccccggtttg aggtggagga cagttacgat	1020
ctagaggcgg tcttggtctg catggggatg ggcgatgcct tcaagttagca caagccgac	1080
tactcgggaa tgcgtcagg ctccgggttg taagccaga agttcctgca cagttccttt	1140
gtggcagtaa ctgaggaagg caccgaggct gcagctgcca ctggcatagg ctttactgtc	1200


```

acatccgcc caggtcacga aaatgttcac tgcaatcatc ccttcctggt cttcatcagg 1260
cacaatgaat ccaacagcat cctctctctc gccagatttt cttctcctta agatgatcgt 1320
tgccatggca ttgctgcttt tagcaaaaaa caactaccag tgttactcat atgattatga 1380
aaatcgteca ttctttttaa tgggtggctca cttgcattt 1419

```

```

<210> 112
<211> 400
<212> PRT
<213> Homo sapien

```

```

<400> 112
Met Asp Ser Leu Gly Ala Val Ser Thr Arg Leu Gly Phe Asp Leu Phe
1 5 10 15
Lys Glu Leu Lys Lys Thr Asn Asp Gly Asn Ile Phe Phe Ser Pro Val
20 25 30
Gly Ile Leu Thr Ala Ile Gly Met Val Leu Leu Gly Thr Arg Gly Ala
35 40 45
Thr Ala Ser Gln Leu Glu Glu Val Phe His Ser Glu Lys Glu Thr Lys
50 55 60
Ser Ser Arg Ile Lys Ala Glu Glu Lys Glu Val Val Arg Ile Lys Ala
65 70 75 80
Glu Gly Lys Glu Ile Glu Asn Thr Glu Ala Val His Gln Gln Phe Gln
85 90 95
Lys Phe Leu Thr Glu Ile Ser Lys Leu Thr Asn Asp Tyr Glu Leu Asn
100 105 110
Ile Thr Asn Arg Leu Phe Gly Glu Lys Thr Tyr Leu Phe Leu Gln Lys
115 120 125
Tyr Leu Asp Tyr Val Glu Lys Tyr Tyr His Ala Ser Leu Glu Pro Val
130 135 140
Asp Phe Val Asn Ala Ala Asp Glu Ser Arg Lys Lys Ile Asn Ser Trp
145 150 155 160
Val Glu Ser Lys Thr Asn Glu Lys Ile Lys Asp Leu Phe Pro Asp Gly
165 170 175
Ser Ile Ser Ser Thr Lys Leu Val Leu Val Asn Met Val Tyr Phe
180 185 190
Lys Gly Gln Trp Asp Arg Glu Phe Lys Lys Glu Asn Thr Lys Glu Glu
195 200 205
Lys Phe Trp Met Asn Lys Ser Thr Ser Lys Ser Val Gln Met Met Thr
210 215 220
Gln Ser His Ser Phe Ser Phe Thr Phe Leu Glu Asp Leu Gln Ala Lys
225 230 235 240
Ile Leu Gly Ile Pro Tyr Lys Asn Asn Asp Leu Ser Met Phe Val Leu
245 250 255
Leu Pro Asn Asp Ile Asp Gly Leu Glu Lys Ile Ile Asp Lys Ile Ser
260 265 270
Pro Glu Lys Leu Val Glu Trp Thr Ser Pro Gly His Met Glu Glu Arg
275 280 285
Lys Val Asn Leu His Leu Pro Arg Phe Glu Val Glu Asp Ser Tyr Asp
290 295 300
Leu Glu Ala Val Leu Ala Ala Met Gly Met Gly Asp Ala Phe Ser Glu
305 310 315 320
His Lys Ala Asp Tyr Ser Gly Met Ser Ser Gly Ser Gly Leu Tyr Ala
325 330 335
Gln Lys Phe Leu His Ser Ser Phe Val Ala Val Thr Glu Glu Gly Thr
340 345 350

```

Glu Ala Ala Ala Thr Gly Ile Gly Phe Thr Val Thr Ser Ala Pro
 355 360 365
 Gly His Glu Asn Val His Cys Asn His Pro Phe Leu Phe Phe Ile Arg
 370 375 380
 His Asn Glu Ser Asn Ser Ile Leu Phe Phe Gly Arg Phe Ser Ser Pro
 385 390 395 400

<210> 113
 <211> 957
 <212> DNA
 <213> Homo sapien

<400> 113
 ctgcaccttc tctgcacagc ggatgaaccc tgagcagctg aagaccagaa aagccactat 60
 gactttctgc ttaattcagg agcttacagg attcttcaaa gagtgtgtcc agcatccctt 120
 gaaacatgag ttcttaccag cagaagcaga cctttacccc accacctcag cttcaacagc 180
 agcagggtgaa acaacccagc cagcctccac ctccaggaaat atttggtccc acaaccaagg 240
 agccatgccca ctcaaagggt ccacaacctg gaaacacaaa gattccagag ccagggtgta 300
 ccaagggtccc tgagccaggc tgtaccaagg tccctgagcc aggttggtacc aaggtccctg 360
 agccaggatg taccaaggtc cctgagccag gttgtacca ggtccctgag ccagggtaca 420
 ccaagggtccc tgagccaggc agcatcaagg tccctgacca aggtcttcac aagtttccctg 480
 agccagggtgc catcaaagtt cctgagcaag gatacaccaa agttctctgt ccagggtaca 540
 caaagggtacc agagccatgt ccttcaacgg tcactccagg cccagctcag cagaagacca 600
 agcagaagta atttggtgca cagacaagcc cttgagaagc caaccaccag atgctggaca 660
 cctcttctcc atctgtttct gtgtcttaat tgtctgtaga ccttgtaatc agtacattct 720
 caccccaagc catagtctct ctcttatttg tatcctaaaa atacggtact ataaagcttt 780
 tgttcacaca cactctgaag aatcctgtaa gccctgaaat taagcagaaa gtcttcattg 840
 cttttctgggt cttcggtgc tcagggttca tctgaagatt cgaatgaaaa gaaatgcatg 900
 tttctctgctc tgccctcatt aaattgcttt taattccaaa aaaaaaaaaa aaaaaaa 957

<210> 114
 <211> 161
 <212> PRT
 <213> Homo sapien

<400> 114
 Met Ser Ser Tyr Gln Gln Lys Gln Thr Phe Thr Pro Pro Pro Gln Leu
 1 5 10 15
 Gln Gln Gln Gln Val Lys Gln Pro Ser Gln Pro Pro Pro Gln Glu Ile
 20 25 30
 Phe Val Pro Thr Thr Lys Glu Pro Cys His Ser Lys Val Pro Gln Pro
 35 40 45
 Gly Asn Thr Lys Ile Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 50 55 60
 Gly Cys Thr Lys Val Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 65 70 75 80
 Gly Cys Thr Lys Val Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 85 90 95
 Gly Tyr Thr Lys Val Pro Glu Pro Gly Ser Ile Lys Val Pro Asp Gln
 100 105 110
 Gly Phe Ile Lys Phe Pro Glu Pro Gly Ala Ile Lys Val Pro Glu Gln
 115 120 125
 Gly Tyr Thr Lys Val Pro Val Pro Gly Tyr Thr Lys Val Pro Glu Pro
 130 135 140
 Cys Pro Ser Thr Val Thr Pro Gly Pro Ala Gln Gln Lys Thr Lys Gln

145

150

155

160

Lys

<210> 115
 <211> 506
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)... (506)
 <223> n = A,T,C or G

<400> 115
 cattggtnct ttcatttgct ntggaagtgt nnatctctaa cagtggacaa agttcccngt 60
 gccttaaact ctgtnacact tttgggaant gaaaanttng tantatgata ggttattctg 120
 angtanagat gttctggata ccattanatn tgcccccnngt gtcagaggct catatttggt 180
 tatgtaaatg gtatntcatt cgctactatn antcaattng aaatanggtc tttgggttat 240
 gaatanng cagmcancnt nanangctgt ctgtngtatt cattgtggtc atagcacctc 300
 acancattgt aacctcnatc nagtgagaca nactagnaan ttccatagtgat tggctcanga 360
 ttccaaatgg nctcatntcn aatgttttaa agttanttaa gtgtaagaaa tacagactgg 420
 atgttccacc aactagtacc tgtaatgacn ggctgtgcc aacacatctc ccttttccat 480
 gactgtggta ncccgcatcg gaaaaa 506

<210> 116
 <211> 3079
 <212> DNA
 <213> Homo sapien

<400> 116
 ggatccccgg gtttcctaaa cccccacag agtcctgccc aggccaaaga gcaaggaaaa 60
 ggtcaaaggg cagaaaaaat gctgagttag gaggagctat ggaaggataa acctggcctt 120
 aaagagggtca aagtgggttta tagggggcgc tgagggtctc ccacattctc tggcctaaac 180
 cttgcaggca gatctgcccc gtgggctctg ggatagctgt gccttcccta acaaaaaaat 240
 tgtgcacaaa aggatgaaac tctattttcc ctctagcaca taaccaagaa tataaggcta 300
 cagattgcct tccccagagg gaaaaccctg cagcaacctg ctgcctggaa aagtgtgaaga 360
 gcagatcact gggaatcgt ttgcccccg ctgatggaca gcttccccaa gctccaaggg 420
 caggacact gccatgccaa tgccccctca gttcctggca tccttttttg gctgctcaca 480
 gccccagcct ctatggtgaa gacatacttg ctgacagcgt caccaacttg ttgccaagag 540
 atcagtgctc gaaggcaagg ttattttctaa ctgagcagag cctgccagga agaaagcgtt 600
 tgcacccac accactgtgc aggtgtgacc ggtgagctca cagctgcccc ccaggcatgc 660
 ccagcccaact taatcatcac agctcgacag ctctctcgcc cagcccagtt ctggaaggga 720
 taaaaagggg catcacccgt cctgggtaac agagccacct tctgcgtcct gctgagctct 780
 gttctctcca gcacctccca acccactagt gcctgggtct ctgtgctccac cagggaacaag 840
 ccaccatgtc tcgccagtc agtgtgtctt ccggagcggg gggcagtcgt agcttcagca 900
 ccgctctgc catcaccccg tctgtctccc gcaccagctt cactccgtg tcccgggtccg 960
 ggggtggcgg tgggtgggtg ttccggcagg tcagccttgc ggggtgctgt ggagtgggtg 1020
 gctatggcag ccggagcctc tacaacctgg ggggctccaa gaggatatcc atcagcacta 1080
 gtggtggcag cttcaggaaac cgggttggtg ctggtgctgg aggcggctat ggctttggag 1140
 gctgtgcccg tagtggtatt ggttcggcg gtggagctgg tgggtgcttt gggctcgggtg 1200
 gcggagctgg ctttggaggt ggcttcgggt gccctggctt tctgtctgct cctcctggag 1260
 gtatccaaga ggtcactgtc aaccagagtc tctgactcc cctcaacctg caaatcgacc 1320
 ccagcatcca gaggggtgag accgaggagc gcgagcagat caagaccctc aacaataagt 1380

ttgcctcctt	catcgacaag	gtgcggttcc	tggagcagca	gaacaagggt	ctggaaacaa	1500
agtggaccct	gctgcaggag	cagggcacca	agactgtgag	gcagaacctg	gagccgttgt	1560
tcgagcagta	catcaacaac	ctcaggaggc	agctggacag	catcgtgggg	gaacggggcc	1620
gcctggactc	agagctgaga	aacatgcagg	acctgggtga	agacttcaag	aacaagtatg	1680
aggatgaaat	caacaagcgt	accactgctg	agaatgagtt	tgtgatgctg	aagaaggatg	1740
tagatgctgc	ctacatgaac	aagggtggagc	tggaggccaa	ggttgatgca	ctgatggatg	1800
agattaaact	catgaagatg	ttctttgatg	cggagctgtc	ccagatgcag	acgcatgtct	1860
ctgacacctc	agtggctctc	tccatggaca	acaaccgcaa	cctggacctg	gatagcatca	1920
tcgctgaggt	caaggccccag	tatgaggaga	ttgccaaaccg	cagccggaca	gaagccgagt	1980
cctgggtatca	gaccaagtat	gaggagctgc	agcagacagc	tggccggcat	ggcgtatgacc	2040
tccgcaacac	caagcatgag	atctctgaga	tgaaccggat	gatccagagg	ctgagagccg	2100
agattgacaa	tgtcaagaaa	cagtgcgcca	atctgcagaa	cgccattgog	gatgccgagc	2160
agcgtgggga	gctggccctc	aaggatgcca	ggaacaaagt	ggccgagctg	gaggaggccc	2220
tgcagaaggc	caagcaggac	atggcccggc	tgctgcgtga	gtaccaggag	ctcatgaaca	2280
ccaagctggc	cctggacgtg	gagatcgcca	cttaccgcaa	gctgctggag	ggcgaggaaat	2340
gcagactcag	tggagaagga	gttggaccag	tcaacatctc	tgttgtcaca	agcagtgttt	2400
cctctggata	tggcagtggc	agtggctatg	gcgggtggcct	cgggtggagg	cttggcggcg	2460
gcctcgggtg	aggtcttgcc	ggaggtagca	gtggaagcta	ctactccagc	agcagtgggg	2520
ggttcggcct	aggtgggtgg	ctcagtgtgg	ggggctctgg	cttcagtgca	agcagttagcc	2580
gagggctggg	gggtgggttt	ggcagtggcg	ggggtagcag	ctccagcgtc	aaatttgtct	2640
ccaccacctc	ctctcccggg	aagagcttca	agagctaaga	acctgctgca	agtcaactgcc	2700
ttccaagtgc	agcaaccocag	cccattggaga	ttgcctcttc	taggcagtgtg	ctcaagccat	2760
gtttttatct	ttcttgaga	gtagtctaga	ccaagccaat	tgcaagaacca	cattcttttg	2820
ttcccaggag	agccccattc	ccagcccctg	gtctcccgtg	cgcagttct	atatcttgct	2880
tcaaatcagc	cttcaggttt	cccacagcat	ggcccctgct	gacacgagaa	cccaaagtgt	2940
tcccaaatct	aatcatcaaa	aacagaatcc	ccacccaat	cccaaatttt	gttttggttc	3000
taactacctc	cagaatgtgt	tcaataaaaat	gttttataat	ataagctggt	gtgcagaatt	3060
gttttttttt	tctacccaa					3079

<210> 117

<211> 6921

<212> DNA

<213> Homo sapien

<400> 117

gaattctgac	tgtccactca	aaacttctat	tccgatcaaa	gctatctgtg	actacagaca	60
aattgagata	accatttaca	aagacgatga	atgtgttttg	gcgaataact	ctcatcgtgc	120
raaatggaag	gtcatttagtc	ctactgggaa	tgaggctatg	gtcccatctg	tgtgcttcac	180
cgttcctcca	ccaaacaaag	aagcgggtga	ccttgccaac	agaattgagc	aacagtatca	240
gaatgtcctg	actctttggc	atgagtctca	cataaaatg	aagagtgtag	tatcctggca	300
ttatctcatc	aatgaaattg	atagaattcg	agctagcaat	gtggcttcaa	taaagacaat	360
gctacctggt	gaacatcagc	aagttctaag	taatctacaa	tctcgttttg	aagattttct	420
ggaagatagc	caggaatccc	aagtcctttc	aggctcagat	ataacacaac	tggaaaagga	480
ggttaatgta	tgtaaagcgt	attatcaaga	acttcttaaa	tctgcagaaa	gagaggagca	540
agaggaatca	gtttataatc	tctacatctc	tgaagttcga	aacatttagac	ttcggtttaga	600
gaactgtgaa	gatcggctga	ttagacagat	tccaaactccc	ctggaaagag	atgatttgca	660
tgaagtgtg	ttcagaatca	cagaacagga	gaaactaaag	aaagagctgg	aacgacttaa	720
agatgatttg	ggaacaatca	caaataagtg	tgaggagtgt	ttcagtcaag	cagcagcctc	780
ttcatcagtc	cctaccctac	gatcagagct	taatgtggtc	cttcagaaca	tgaaccaagt	840
ctattctatg	tcttccactt	acatagataa	gttgaaaact	gttaacttgg	tgttaaaaaa	900
cactcaagct	gcagaagccc	tctgtaaaact	ctatgaaact	aaactgtgtg	aagaagaagc	960
agttatagct	gacaagaata	atattgagaa	tctaataagt	actttaagc	aatggagatc	1020
tgaagtagat	gaaaagagac	aggtattcca	tgccttagag	gatgagttgc	agaaagctaa	1080
agccatcagt	gatgaaatgt	ttaaaacgta	taaagaacgg	gaccttgatt	ttgactggca	1140
caaagaaaaa	gcagatcaat	tagttgaaag	gtggcaaaat	gttcagtgtc	agattgacaa	1200

cagggttacgg	gacttagagg	gcattggcaa	atcactgaag	tactacagag	acacttacca	1260
tcctttagat	gattggatcc	agcagggttga	aactactcag	agaaagattc	aggaaaatca	1320
gcctgaaaaat	agtaaaaccc	tagccacaca	gttgaaatcaa	cagaagatgc	tgggtgccga	1380
aatagaaatg	aaacagagca	aaatggacga	gtgtcaaaaa	tatgcagaac	agtactcagc	1440
tacagtgaag	gactatgaat	tacaacaat	gacctaccgg	gccatggtag	attcacaaca	1500
aaaatctcca	gtgaaacgcc	gaagaatgca	gagttcagca	gatctcatta	ttcaagagtt	1560
catggacctta	aggactcgat	atactgcctt	ggctcactctc	atgacacaat	atattaaatt	1620
tgctgggtgat	tcattgaaga	ggctgggaaga	ggaggagatt	aaaaggtgta	aggagacttc	1680
tgaacatggg	gcatattcag	atctgcttca	gcgtcagaag	gcaacagtgc	ttgagaatag	1740
caaacttaca	ggaaagataa	gtgagttgga	aagaatggta	gctgaactaa	agaaacaaaa	1800
gtcccagagta	gaggaagaac	ttccgaaggt	cagggagggt	gcagaaaatg	aattgagaaa	1860
gcagcagaga	aatgtagaag	atatctctct	gcagaaagata	agggctgaaa	gtgaagccaa	1920
gcagtaccgc	agggaacttg	aaaccattgt	gagagagaag	gaagccgctg	aaagagaact	1980
ggagcgggtg	aggcagctca	ccatagaggg	cgaggctaaa	agagctgccg	tggaaagaga	2040
cctcctgaat	tttcgcaatc	agttggagga	aaacaccttt	accagacgaa	cactggaaaga	2100
tcactctaaa	agaaaagatt	taagtctcaa	tgattttggag	caacaaaaaa	ataaattaat	2160
ggaaagaatta	agaagaanga	gagacaatga	ggaagaactc	ttgaagctga	taaagcagat	2220
ggaaaaagac	cttgcatctt	agaaacaggt	agcagagaaa	cagttgaaag	aaaagcagaa	2280
aattgaattg	gaagcaagaa	gaaaaataac	tgaaattcag	tatacatgta	gagaaaatgc	2340
attgccagtg	tgcccgatca	cacaggctac	atcatgcagg	gcagtaacgg	gtctccagca	2400
agaaacatgac	aagcagaaag	cagaagaact	caaacagcag	gtagatgaac	taacagctgc	2460
caatagaaag	gctgaacaag	acatgagaga	gctgacatat	gaacttaatg	ccctccagct	2520
tgaaaaaacg	tcactctgag	aaaaggctcg	tttgctaaaa	gataaactag	atgaaacaaa	2580
taatacactc	agatgcctta	agttggagct	ggaaagggaag	gatcaggcgg	agaaagggtg	2640
ttctcaacaa	ctcagagagc	ttggtaggca	attgaatcaa	accacaggta	aagctgaaga	2700
agccatgcaa	gaagcttagtg	atctcaagaa	aataaagcgc	aattatcagt	tagaattaga	2760
atctcttaat	catgaaaaag	ggaaactaca	aagagaagta	gacagaatca	caagggcaca	2820
tgctgtagct	gagaagaata	ttcagcattt	aaattcacaa	attcattctt	ttcagatgta	2880
gaaagaatta	gaaagactac	aaatctgcca	gagaaaaatca	gatcatctaa	aagaacaatt	2940
tgagaaaaagc	catgagcagt	tgcttcaaaa	tatcaaaagct	gaaaaagaaa	ataatgataa	3000
aatcccaagg	ctcaatgaag	aattggagaa	aagtaatgag	tggtgcagaga	tgctaaaaaca	3060
aaaagttagag	gagcttacta	ggcagaataa	tgaaaccaaa	ttaatgatgc	agagaattca	3120
ggcagaatca	gagaatatag	tttttagaga	acaaactatc	cagcaaaagt	gtgaagcact	3180
gaaaaattcag	gcagatgggt	ttaaagatca	gctacgcagc	acaaatgaac	acttgcataa	3240
acagacaaaa	acagagcagg	attttcaaa	aaaaattaaa	tgcttagaag	aagacctggc	3300
gaaaagtcaa	aatttggtaa	gtgaatttaa	gcaaaagtgt	gaccaacaga	acattatcat	3360
ccagaatacc	aagaaagaag	ttagaaatct	gaatgcggaa	ctgaatgctt	ccaaagaaga	3420
gaagcgacgc	ggggagcaga	aagttcagct	acaacaagct	caggtgcaag	agttaaataa	3480
caggttgaaa	aaagtacaag	acgaattaca	cttaagacc	atagaggagc	agatgaccca	3540
cagaaagatg	gttctgtttc	aggaagaatc	tggtaaattc	aaacaatcag	cagaggagtt	3600
tcggaagaag	atggaaaaat	taatggagtc	caaagtcatc	actgaaaatg	atatttcagg	3660
cattaggctt	gactttgtgt	ctcttcaaca	agaaaactct	agagcccagg	aaaatgctaa	3720
gcttttgtgaa	acaaacatta	aagaacttga	aagacagctt	caacagtatc	gtgaacaaat	3780
gcagcaaggg	cagcacatgg	aagcaaatca	ttacccaaaa	tgtcagaaac	ttgaggatga	3840
gctgatagcc	cagaagcgtg	aggttgaaaa	cctgaagcaa	aaaatggacc	aacagatcaa	3900
agagcatgaa	catcaattag	ttttgctcca	gtgtgaaatt	caaaaaaaga	gcaacagccaa	3960
agactgtacc	ttcaaacagg	attttgagat	gacagtgaag	gagtgccagc	actctggaga	4020
gctgtcctct	agaaacactg	gacaccttca	cccaacaccc	agatcccctc	tggttgagatg	4080
gactcaagaa	ccacagccat	tggaagagaa	gtggcagcat	cgggttgttg	aacagatacc	4140
caaagaagtc	caattccagc	caccaggggc	tccactcgag	aaagagaaaa	gccagcagtg	4200
ttactctgag	tacttttctc	agacaagcac	cgagttacag	ataacttttg	atgagacaaa	4260
ccccattaca	agactgtctg	aaattgagaa	gataagagac	caagccctga	acaattctag	4320
accacctgtt	aggtatcaag	ataacgcata	tgaaatggaa	ctggtgaagg	ttttgacacc	4380
cttagagata	gctaagaaca	agcagtatga	tatgcataca	gaagtcaaaa	cattaaaaaca	4440
agaaaaaagac	ccagttccca	gtgctgaaga	atggatgctt	gaaggggtgca	gagcatctgg	4500

```

tggaactcaag aaaggggatt tccttaagaa gggcttagaa ccagagacct tccagaactt 4560
tgatggatgat catgcatggt cagtcaggga tgatgaattt aaattccaag ggcttaggca 4620
cactgtgact gccaggcagt tgggtggaagc taagcttctg gacatgagaa caattgagca 4680
gctgcgactc ggtcttaaga ctgttgaaga agttcagaaa actcttaaca agtttctgac 4740
gaaagccacc tcaattgcag ggctttacct agaattctaca aaagaaaaga tttcatttgc 4800
ctcagcggcc gagagaatca taatagacaa aatgggtggct ttggcatttt tagaagctca 4860
gggtgcaaca ggttttataa ttgatcccat ttcaggtcag acatattctg ttgaagatgc 4920
agttcttaaa ggagttgttg accccgaatt cagaattagg cttcttgagg cagagaaggc 4980
agctgtggga tattcttatt cttctaagac attgtcagtg tttcaagcta tggaaaatag 5040
aatgcttgac agacaaaaag gtaaacatat cttggaagcc cagattgcca gtgggggtgt 5100
cattgacct gtgagaggca ttcgtgttcc tccagaaatt gctctgcagc aggggttgtt 5160
gaataatgcc atcttacagt ttttacatga gccatccagc aacacaagag ttttccctaa 5220
tcccaataac aagcaagctc tgtattactc agaattactg cgaatgtgtg tatttgatgt 5280
agagtcacca tgctttctgt ttccatttgg ggagaggaaac atttccaatc tcaatgtcaa 5340
gaaaacacat agaatttctg tagtagatc taaaacagga tcagaattga ccgtgtatga 5400
ggctttccag agaaacctga ttgagaaaag tatatatctt gaactttcag ggcagcaata 5460
tcagtggag gaagctatgt tt-ttgaatc ctatgggcat tcttctcata tgctgactga 5520
taccnaaca ggattacact tcaatattaa tgaggctata gagcagggaa caattgacaa 5580
agccttggtc aaaaagtac aggaaggcct catcacactt acagaacttg ctgattcttt 5640
gctgagccgg ttagtcccca agaaagattt gcacagtcct gttgcagggt attggctgac 5700
tgctagtggt gaaaggatct ctgtactaaa agcctcccgt agaaatttgg ttgatcggat 5760
tactgcccct cgatgccttg aagcccaagt cagtcagggt ggcataattg atcctcttac 5820
tggcaaaaag tacgggtgg ccgaagcttt gcatagaggc ctgggttgatg aggggttttg 5880
ccagcagctg ccagcagtg aaattagtaac cacagggtt ggccatccca tcaactaaca 5940
aatgatgtca gtggtggaag ctgtgaatgc aaattattata aataaggaaa tgggaatccg 6000
atgtttggaa tttcagtagt tgacaggagg gttgatagag ccacagggtc actctcggtt 6060
atcaatagaa gaggtctccc aagtaggtag tatagatgtc ctcatcgcca caaaactcaa 6120
agatcaaaaag tcatatgtca gaaatataat atgccctcag acaaaaagaa agttgacata 6180
taaagaagcc ttgaaaaaag ctgattttga tttccacaca ggacttaaac tgttagaagt 6240
atctgagccc ctgatgacag gaatttctag cctctactat tcttctctaat gggacatgtt 6300
taataaactg tgcaagggtt gatgcaggct ggttcatgcc actttttcag agtatgatga 6360
tatcggtctac atatgcagtc tgtgaattat gtaacatact ctatttcttg agggctgcaa 6420
attgctaaagt gctcaaaaata gagtaagttt taaattgaaa attacataag atttaatgcc 6480
cttcaaatgg tttcatttag ccttgagaat ggttttttga aacttgcca cactaaaatg 6540
tttttttttt tttacgtaga atgtgggata aacttgatga actccaagtt cacagtgtca 6600
tttcttcaga actccccctt attgaaatag gatcatttat taaatgataa attgcactcg 6660
ctgaaagagc acgtcatgaa gcacatgga atcaaaagaga aagatataaa ttcgttccca 6720
cagccttcaa gctgcagtg ttttagattgc ttcaaaaat gaaaaagttt tgcctttttc 6780
gatatagtga ccttctttgc atattaaaat gtttaccaca atgtccatt tctagttaag 6840
tcttcgcact tgaaagctaa cattatgaat attatgtgtt ggaggagggg aaggattttc 6900
ttcattctgt gtattttccg g 6921

```

<210> 118

<211> 946

<212> DNA

<213> Homo sapien

<400> 118

```

cttctgactg ggctcaggct gacaggtaga gctcaccatg gcttcttctg tcttctgtccc 60
ctccccatca cagctgtggt gcagtcacc gtctccagtg gctatggcgg tgccagtggt 120
gtcggcagtg gcttaggcct ggggtggagg agcagctact cctatggcag tggctctggc 180
gttggaagtg gcttcagttc cagcagtggt agagccattg ggggtggcct cagctctgtt 240
ggaggcggca gttccaccat caagtacacc accacctcct cctccagcag gaagagctat 300
aagcactaaa gtgcgtctgc tagctctcgg tcccacagtc ctcaggcccc tctctggctg 360
cagagccctc tctcaggtt gctgtctctc tcttggcctc cagctctccc tgctgtccca 420

```

ggtagagctg	gggatgaatg	cttagtgccc	tcactttctc	tctctctctc	tataccatct	480
gagcaccat	tgctcaccat	cagatcaacc	tctgatttta	catcatgatg	taatcaccac	540
tggagcttca	ctgttactaa	attattaatt	tcttgctccc	agtgttctat	ctctgaggct	600
gagcattata	agaaaatgac	ctctgctcct	tttcattgca	gaaaattgcc	aggggcttat	660
ttcagaacaa	cttccactta	ctttccactg	gctctcaaac	tctctaaact	ataagtgttg	720
tgaaccccca	cccaggcagt	atccatgaaa	gcacaagtga	ctagtcctat	gatgtacaaa	780
gcctgtatct	ctgtgatgat	ttctgtgctc	ttcactgttt	gcaattgcta	aataaagcag	840
atttataata	catatatctt	tttactttgc	cttgcttttg	ggccaaagtt	ttgggcttaa	900
acctttttat	ctgataagtg	aatagtttgt	tttaaaagat	aatcta		946

<210> 119

<211> 8948

<212> DNA

<213> Homo sapien

<400> 119

tcaacagccc	ctgctccttg	ggcccccca	tgccatgccg	taatctctcc	caccogacca	60
acaccaacac	ccagctccga	cgcagctcct	ctgcgccctt	gccgccctcc	gagccacagc	120
tttccctccc	ctcctgcccc	cggccccgtc	ccgtctccgc	gctcgcagcg	gcctcgggag	180
ggccccagga	gcgagcagcg	acctcgcgag	ccttcgcgac	tcccgcgccg	ttccccggcc	240
gtccgcctat	ccttgccccc	ctccgctttc	tccgcgcggg	cccgcctcgc	ttatgcctcg	300
gcgctgagcc	gctctcccca	ttgcgcccg	acatgagctg	caacggaggg	tccccccgcg	360
ggatcaacac	tctgggccgc	atgatccgcg	ccgagctctg	cccggacctg	cgctacgagg	420
tgaccagcgg	cggcgggggc	accagcagga	tgtactatcc	tggcgcgggc	gtgatcaccg	480
accagaactc	ggacggctac	tgtcaaaccc	gcacgatgtc	caggcaccag	aaccagaaca	540
ccatccagga	gctgctgcag	aactgctccg	actgcttgat	gcgagcagag	ctcatcgtgc	600
agcctgaatt	gaagtatgga	gatggaatac	aactgactcg	gagtcgagaa	ttggatgagt	660
gttttgccca	ggccaatgac	caaattggaa	tcctcgacag	cttgatcaga	gagatgcggc	720
agatggggcca	gcccgtgtgat	gcttaccaga	aaaggcttct	tcagctccaa	gagcaaatgc	780
gagcccttta	taaaagccatc	agtgtccctc	gagtcgcgag	ggccagctcc	aaggggtggtg	840
gaggctacac	ttgtcagagt	ggctctggct	gggatgagtt	caccaaaccat	gtcaccagt	900
aatgttttgg	gtggatgagg	cagcaaagg	cggagatgga	catggtggcc	tgggtgtgtg	960
acctggccct	agtggagcag	cacattaaca	gccaccgggg	catccacaac	tccatcggcg	1020
actatcgctg	gcagctggac	aaaatcaaa	ccgacctgcg	cgagaaaatc	gcgatctacc	1080
agcttgaggaa	ggagtatgaa	aacctgctga	aagcgtcctt	tgagaggatg	gatcacctgc	1140
gacagctgca	gaacatcatt	caggccacgt	ccaggagat	catgtggatc	aatgactgcg	1200
aggaggagga	gctgctgtac	gactggagcg	acaagaacac	caacatcgct	cagaacacag	1260
aggccttctc	catacgcatt	agtcacttgg	aagttaaaga	aaaagagctc	aataagctga	1320
aacaagaaag	tgaccaactt	gtcctcaatc	agcatccagc	ttcagacaaa	attgagccct	1380
atatggacac	tctgcagacg	cagtggagtt	ggattcttca	gatcaccaag	tgcattgatg	1440
ttcatctgaa	agaaaatgct	gcctactttc	agttttttga	agaggcgag	tctactgaag	1500
catacctgaa	ggggctccag	gactccatca	ggaagaagta	cccctgagac	aagaacatgc	1560
ccctgcagca	cctgctggaa	cagatcaagg	agctggagaa	agaacgagag	aaaatccttg	1620
aatacaagcg	tcaggtgcag	aacttggtta	acaagtctaa	gaagattgta	cagctgaagc	1680
ctcgtaaccc	agactacaga	agcaataaac	ccattattct	cagagctctc	tgtgactaca	1740
aacaagatca	gaaaatcgtg	cataaggggg	atgagtgtat	cctgaaggac	aacaacgagc	1800
gcagcaagtg	gtacgtgacg	ggcccgggag	gcgttgacat	gcttgttccc	tctgtggggc	1860
tgatcatccc	tcctcgaac	ccactggccg	tggacctctc	ttgcaagatt	gagcagtact	1920
acgaagccat	cttggctctg	tggaaaccagc	tctacatcaa	catgaagagc	ctggtgtcct	1980
ggcactactg	catgattgac	atagagaaga	tcagggccat	gacaatcgcc	aagctgaaaa	2040
caatgcggca	ggaagattac	atgaagacga	tagccgacct	tgagtacat	taccaagagt	2100
tcacacagaaa	tagccaagyc	tcagagatgt	ttggagatga	tgacaagcgg	aaaatacagt	2160
ctcagttcac	cgtgccccag	aagcattacc	agaccctggg	cattcagctc	cctggctatc	2220
cccagcacca	gacagtgacc	acaactgaaa	tcactcatca	tggaaacctgc	caagatgtca	2280
accataataa	agtaattgaa	accaacagag	aaaatgacaa	gcaagaaaca	tggatgctga	2340

tggagctgca	gaagattcgc	aggcagatag	agcactgcga	gggcaggatg	actctcaaaa	2400
acctccctct	agcagaccag	gggtcttctc	accacatcac	agtgaaaatt	aacgagctta	2460
agagtgtgca	gaatgattca	caagcaattg	ctgaggttct	caaccagctt	aaagatatgc	2520
ttgccaaact	cagaggttct	gaaaagtact	gctatttaca	gaatgaagta	tttggactat	2580
ttcagaaaact	ggaaaaatc	aatggtgtta	cagatggcta	cttaaatagc	ttatgcacag	2640
taagggcact	gctccaggct	attctccaaa	cagaagacat	gttaaagggt	tatgaagcca	2700
ggctcactga	ggagggaaact	gtctgcctgg	acctggataa	agtggaaagt	taccgctgtg	2760
gactgaagaa	aataaaaaat	gacttgaact	tgaagaaagt	gttgttggtc	actatgaaga	2820
cagaactaca	gaaagcccag	cagatccact	ctcagacttc	acagcagtat	ccactttatg	2880
atctggactt	gggcaagtct	ggtgaaaaag	tcacacagct	gacagaccgc	tggcaaaagg	2940
tagataaaca	gatcgacttt	agattatggg	acctggagaa	acaaatcaag	caattgagga	3000
attatcgtga	taactatcag	gctttctgca	agtggctcta	tgatcgtaaa	cgccgccagg	3060
attccttaga	atccatgaaa	tttgagagatt	ccaacacagt	catgcgtttt	ttgaatgagc	3120
agaagaactt	gcacagtga	atatctggca	aacgagacaa	atcagaggaa	gtacaaaaaa	3180
ttgctgaact	ttgcgcgaat	tcaattaaag	attatgagct	ccagctggcc	tcatacacct	3240
caggactgga	aactctgctg	aacataccta	tcaagaggac	catgattcag	tccccttctg	3300
gggtgattct	gcaagaggct	gcagatgttc	atgctcggta	catgaaacta	cttacaagat	3360
ctggagacta	ttacaggttc	ttaaagtga	tgctgaagag	tttggaaagt	ctgaagctga	3420
aaaataccaa	gatcgaagtt	ttggaagagg	agctcagact	ggcccagagt	gccaactcgg	3480
aaaaactgta	taagaacaaa	ttcctggatc	agaaacctga	gaaataccag	gcagagtgtt	3540
cccagttcaa	agcgaagctt	gcgagcctgg	aggagctgaa	gagacaggct	gagctggatg	3600
ggaagtccgc	taagcaaaat	ctagacaagt	gctacggcca	aataaaaaga	ctcaatgaga	3660
agatcaccgc	actgacttat	gagattgaag	atgaaaagag	aagaagaaaa	tctgtggaag	3720
acagacttga	ccaacagaag	aatgactatg	accaactgca	gaaagcaagg	caatgtgaaa	3780
aggagaacct	tgggtggcag	aaattagagt	ctgagaaagc	catcaaggag	aaggagtacg	3840
agattgaaag	gttgaggggt	ctactgcagg	aagaaggcac	ccggaagaga	gaatatgaaa	3900
atgagctggc	aaaggttaag	aaccactata	atgaggagat	gagtaattta	aggaacaagt	3960
atgaaacaga	gattaacatt	acgaagacca	ccatcaagga	gatattccatg	caaaaagagg	4020
atgattccaa	aaatcttaga	aaccagcttg	atagactttc	aagggaaaat	cgagatctga	4080
aggatgaaat	tgtcaggctc	aatgacagca	tcttgacagg	cactgagcag	cgaaggcgag	4140
ctgaagaaaa	cgcctctcag	caaaaaggct	gtggctctga	gataatgcag	aagaagcagc	4200
atctggagat	agaactgaag	caggtcatgc	agcagcgtct	tgaggacaat	gcccggcaca	4260
agcagtcctt	ggaggaggct	gccaagacca	ttcaggacaa	aaataaggag	atcgagagac	4320
tcaaagctga	gtttcaggag	gaggccaagc	gccgctggga	atatgaaaat	gaactgagt	4380
aggtaagaaa	caattatgat	gaggagatca	ttagcttaaa	aaatcagttt	gagaccgaga	4440
tcaacatcac	caagaccacc	atccaccagc	tcacatgca	gaaaggaagg	gataccagt	4500
gctaccgggc	tcagatagac	aatctcacc	gagaaaacag	gagcttatct	gaagaaataa	4560
agaggctgaa	gaacactcta	acccagacca	cagagaatct	caggagggtg	gaagaagaca	4620
tccaacagca	aaaggccact	ggctctgagg	tgtctcagag	gaaaacagcag	ctggagggtg	4680
agctgagaca	agtcaactcag	atgcgaacag	aggagagcgt	aagatataag	caatctcttg	4740
atgatgtctc	caaaaaccatc	caggataaaa	acaaggagat	agaaagggtta	aaacaactga	4800
tcgacaaaaga	aacaaatgac	cggaaatgcc	tggaagatga	aaacgcgaga	ttacaaaagg	4860
tccagtatga	cctgcagaaa	gcaaacagta	gtgcgacgga	gacataaatac	aaactgaagg	4920
ttcaggagca	agaactgaca	cgcctgagga	tcgactatga	aaggggttcc	caggagaggga	4980
ctgtgaagga	ccaggatatac	acgcggttcc	agaactctct	gaaagagctg	cagctgcaga	5040
agcagaaggt	ggaagaggag	ctgaatcggc	tgaagaggac	cgcgtcagaa	gactcctgca	5100
agaggaaagaa	gctggaggaa	gagctggaag	gcatgaggag	gtcgctgaag	gagcaagcca	5160
tcaaaatcac	caacctgacc	cagcagctgg	agcaggcatc	cattgttaag	aagaggagt	5220
aggatgacct	ccggcagcag	agggacgtgc	tggatggcca	cctgagggaa	aagcagaggga	5280
cccaggaaaga	gctgaggagg	ctctcttctg	aggctcaggg	cctgaggcgg	cagttactcc	5340
aggaacagga	aagtgtcaaa	caagctcact	tgaggaaatga	gcatttccag	aaggcgatag	5400
aagataaaaag	cagaagctta	aatgaaagca	aaatagaaat	tgagaggctg	cagttctcca	5460
cagagaacct	gaccaaggag	cacttgatgt	tagaagaaga	actgcggaac	ctgaggctgg	5520
agtacgatga	cctgaggaga	ggacgaagcg	aagcggacag	tgataaaaat	gcaacctctt	5580
tggaaactaag	gagccagctg	cagatcagca	acaaccggac	cctggaaactg	caggggctga	5640

ttaatgattt	acagagagag	agggaaaatt	tgagacagga	aattgagaaa	ttccaaaagc	5700
aggcttttaga	ggcatctaata	aggattcagg	aatcaaagaa	tcagtgtact	caggtaggtac	5760
aggaaagaga	gagccttctg	gtgaaaatca	aagtcctgga	gcaagacaag	gcaaggctgc	5820
agaggctgga	ggatgagctg	aatcgtgcaa	aatcaactct	agaggcagaa	accagggtga	5880
aacagcgctt	ggagtgtgag	aaacagcaaa	ttcagaatga	cctgaatcag	tggaaagactc	5940
aatattcccc	caaggaggag	gctattagga	agatagaatc	ggaaagagaa	aagagtga	6000
gagagaagaa	cagtccttagg	agtgaatcgc	aaagactcca	agcagagatc	aagagaattg	6060
aaagaggggtg	caggcgttaag	ctggaggatt	ctaccaggga	gacacagtca	cagttagaaa	6120
cagaaagctc	ccgatatcag	agggagattg	ataaactcag	acagcgccca	tatgggtccc	6180
atcgagagac	ccagactgag	tgtgagtggg	ccgttgacac	ctccaaagctg	gtgtttgatg	6240
ggctgaggaa	gaagggtgaca	gcaatgcagc	tctatgagtg	tcagctgac	gacaaaacaa	6300
ccttgagcaa	actattgaag	gggaagaagt	cagtggaga	agttgcttct	gaaatccagc	6360
cattccttcg	gggtgcaggga	tctatcgtc	gagcatctgc	ttctcctaag	gaaaaactact	6420
cttttgtaga	ggccaagaga	aagaaattaa	tcagccagga	atccacagtc	atgcttctgg	6480
agggccaggc	agctacaggt	ggtataattg	atcccatcg	gaatgagaag	ctgactgtcg	6540
acagtgccat	agctcgggac	ctcattgac	tcgatgaccg	tcagcagata	tatgcagcag	6600
aaaaagctat	cactggtttt	gatgatccat	tttcaggcaa	gacagtatct	gtttcagaag	6660
ccatcaagaa	aaatttgatt	gatagagaaa	ccggaatgcg	cctgctggaa	gcccagattg	6720
cttcaggggg	tgtagtagac	cctgtgaaca	gtgtctttt	gccaaaagat	gtcgccttgg	6780
cccgggggct	gattgataga	gatttgtatc	gatccctgaa	tgatcccccga	gatagtcaga	6840
aaaaactttg	ggatccagtc	accaaaaaga	aggtcagtta	cgtagcagctg	aaggaaacggt	6900
gcagaatcga	accacatact	ggtctgctct	tgctttcagt	acagaagaga	agcatgtcct	6960
ttcaaggaa	cagacaacct	gtgaccgtca	ctgagctagt	agattctggt	atatgagac	7020
cgctgcctgt	caatgaactg	gaatctggtc	agatttctta	tgacgaggtt	ggtgagagaa	7080
ttaggactt	cctccagggt	tcaagctgca	tagcaggcat	atacaatgag	accacaaac	7140
agaagcttgg	catttatgag	gccatgaaaa	ttggtctagt	ccgacctggt	actgctctgg	7200
agttgctgga	agcccaagca	gctactggct	ttatagtggg	tcctgttagc	aacttgaggt	7260
taccagtggg	ggaagcctac	aagagaggtc	tggtgggcat	tgagttcaaa	gagaagctcc	7320
tgtctgcaga	acgagctgtc	actgggtata	atgatcctga	aacaggaaac	atcatctctt	7380
tgttccaaag	catgaataag	gaactcatcg	aaaagggcca	cggtattcgc	ttattagaag	7440
cacagatcgc	aaccgggggg	atcattgacc	caaaggagag	ccatcgttta	ccagttgaca	7500
tagcataata	gaggggctat	ttcaatgagg	aactcagtg	gattctctca	gatccaaagt	7560
atgatacca	aggatttttt	gaccccaaca	ctgaagaaaa	tcttacctat	ctgcaactaa	7620
aagaaagatg	catttaaggat	gaggaacacg	ggctctgtct	tctgcctctg	aaagaaaaga	7680
agaaacaggt	gcagacatca	caaaagaata	ccctcaggaa	gcgtagagt	gtcatagttg	7740
accagaaac	caataaagaa	atgtctgttc	aggaggccta	caagaagggc	ctaattgatt	7800
atgaaacctt	caaagaactg	tgtgagcagg	aatgtgaatg	ggaagaaata	accatcacgg	7860
gatcagatgg	ctccaccagg	gtggctctgg	tagatagaaa	gacaggcag	cagtatgata	7920
ttcaagatgc	tattgacaag	ggccttgttg	acaggaagtt	ctttgatcag	taccgatccg	7980
gcagcctcag	cctcactcaa	tttgcagaca	tgatctcctt	gaaaaatggt	gtcggcacca	8040
gcagcagcat	gggcagtggt	gtcagcgatg	atgttttttag	cagctcccga	catgaatcag	8100
taagtaagat	ttccaccata	tcacagctca	ggaatttaac	cataaggagc	agctcttttt	8160
cagacaccc	ggaagaatcg	agccccattg	cagccatctt	tgacacagaa	aacctggaga	8220
aaatctccat	tacagaaggt	atagagcggg	gcacgttgga	cagcatcacg	ggtcagaggc	8280
ttctggaggc	tcaggcctgc	acagggtggca	tcacccacc	aaccacgggc	cagaagctgt	8340
cacttcagga	cgagtcctcc	cagggtgtga	ttgaccaaga	catggccacc	agcgtgaagc	8400
ctgctcagaa	agccttcata	ggcttcgagg	gtgtgaagg	aaagaagaag	atgtcagcag	8460
cagaggcag	gaaagaaaaa	tggtcccg	atgaggctgg	ccagcgcttc	ctggagtccc	8520
agtacctcac	gggaggtctt	gttgaccggg	aagtgcattg	gaggataagc	accgaagaag	8580
ccatccggaa	ggggttcata	gatggccggg	ccgcacagag	gctgcaagac	accagcagct	8640
atgcacaaat	cctgacctgc	cccaaaacca	aattaaaaat	atcctataag	gatgccataa	8700
atcgctccat	ggtagaagat	atcactgggc	tgcccttct	ggaaagccgc	tccgtgtcgt	8760
ccaagggctt	accagccctt	tacaacatgt	cttcggctcc	ggggtcccgc	tccggctccc	8820
gctcgggatc	tcgctccgga	tctcgctccg	gggtcccgag	tgggtcccgc	agaggaaagt	8880
ttgacgccac	agggaaattct	tcctactctt	attcctactc	atttagcag	agttctattg	8940

ggcactag

8948

<210> 120
<211> 587
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(587)
<223> n = A,T,C or G

<400> 120
cgctcctaagc acttagacta catcagggaa gaacacagac cacatccctg tccctcatgcg 60
gcttatgttt tctggaagaa agtggagacc nagtccttgg ctttagggct ccccggtctgg 120
gggctgtgca ntccggtcag ggcgggaagg gaaatgcacc gctgcatgtg aacttacagc 180
ccaggcgat gcccttccc ttagcactac ctggcctcct gcacccctc gcctcatgtt 240
cctcccacct tcaanaaatg aanaacccca tgggccagc cccttgccct ggggaaccaa 300
ggcagccttc caaaactcag gggctgaagc anactattag ggcaggggct gactttgggt 360
gacactgccc attccctctc agggcagctc angtcacccn ggnctcttga acccagcctg 420
ttcctttgaa aaagggcaaa actgaaaagg gcttttccta naaaaagaaa aaccagggaa 480
ctttgccagg gcttcnntnt taccaaaacn ncttctcnng gatttttaat tccccattng 540
gcctccactt accnggggcn atgccccaaa attaanaatt tcccatc 587

<210> 121
<211> 619
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(619)
<223> n = A,T,C or G

<400> 121
cactagtagg atagaaacac tgtgtcccga gagtaaggag agaagctact attgattaga 60
gcctaaccac ggttaactgc aagaagagc gggatacttt cagctttcca tgtaactgta 120
tgcataaagc caatgtagtc cagtttctaa gatcatgttc caagctaaact gaatccact 180
tcaatacaca ctcatgaact cctgatggaa caataacagg cccaagcctg tggatgatg 240
tgcacacttg ctgactcan aaaaaatact actctcataa atgggtggga gtattttgg 300
gacaacctac tttgcttggc tgagtgaagg aatgatattc atatattcat ttattccatg 360
gacatttagt tagtgctttt tatataccag gcatgatgct gagtgcact cttgtgtata 420
tttccaaatt tttgtacagt cgctgcacat atttgaaatc atatattaag acttccaaaa 480
aatgaagtcc ctggtttttc atggcaactt gatcagtaaa ggattcnctt ctgtttggta 540
cttaaaacat ctactatatn gttanatga aattcccttt ccccnctccc cgaaaaana 600
aagtgggtgg gaaaaaaaaa 619

<210> 122
<211> 1475
<212> DNA
<213> Homo sapien

<400> 122
tccacctgtc cccgcagcgc cggctcgcgc cctcctgccg cagccaccga gccgcgctct 60
agcgccccga cctcgccacc atgagagccc tgctggcgcg cctgcttctc tgcgtcctgg 120

tcgtgagcga	ctccaaaggc	agcaatgaac	ttcatcaagt	tccatcgaac	tgtgactgtc	180
taaatggagg	aacatgtgtg	tccaacaagt	acttctccaa	cattcactgg	tgcaactgcc	240
caaagaaatt	cgaggggcag	cactgtgaaa	tagataagtc	aaaaacctgc	tatgagggga	300
atggtcactt	ttaccgagga	aaggccagca	ctgacacccat	gggccggccc	tgccctgccct	360
ggaactctgc	cactgtccct	cagcaaacgt	accatgccc	cagatctgat	gctcttcagc	420
tgggcctggg	gaaacataat	tactgcagga	acccagacaa	ccggaggcga	ccctggtgct	480
atgtcaggt	gggcctaaag	ccgcttgctc	aagagtgcac	ggtgcatgac	tgccgagatg	540
gaaaaaagcc	ctcctctcct	ccagaagaat	taaaatttca	gtgtggccaa	aagactctga	600
ggccccgctt	taagattatt	gggggagaat	tcaccacccat	cgagaaccag	ccctggtttg	660
cgcccatcta	caggaggcac	cgggggggct	ctgtcaccta	cgtgtgtgga	ggcagcctca	720
tcagcccttg	ctgggtgatc	agcggccacac	actgcttcat	tgattaccca	aagaaggagg	780
actacatcgt	ctacctgggt	cgctcaaggc	ttaactccaa	cacgcaaggg	gagatgaagt	840
ttgaggtgga	aaacctcatc	ctacacaagg	actacagcgc	tgacacgctt	gctcaccaca	900
acgacattgc	cttgctgaag	atccgttcca	aggaggggcag	gtgtgcgcag	ccatcccgga	960
ctatacagac	catctgcctg	ccctcgatgt	ataacgatcc	ccagtttgcc	acaagctgtg	1020
agatcactgg	ctttggaaaa	gagaattcta	ccgactatct	ctatccggag	cagctgaaga	1080
tgactgttgt	gaagctgatt	tcccacgggg	agtgtcagca	gccccactac	tacggctctg	1140
aagtcaccac	caaaatgctg	tgtgtctgct	acccacagt	gaaaacagat	tcctggccagg	1200
gagactcagg	gggaccctc	gtctgttccc	tccaaggccg	catgactttg	actggaattg	1260
tgagctgggg	ccgtggatgt	gccctgaagg	acaagccagg	cgtctacacg	agagtctcac	1320
acttcttacc	ctggatccgc	agtcacacca	aggaagagaa	tggcctggcc	ctctgaggggt	1380
ccccaggagg	gaaacgggca	ccaccgctt	tcttgctggt	tgctcatttt	gcagtagagt	1440
catctccatc	agctgtaaga	agagactggg	aagat			1475

<210> 123

<211> 2294

<212> DNA

<213> Homo sapien

<400> 123

cagcgccggc	tcgogccctc	ctgcccgcgc	caccyagccg	ccgtctagcg	ccccgacctc	60
gccaccatga	gagccctgct	ggcgccgctg	cttctctgcg	tcctggctgt	gagcgactcc	120
aaaggcagca	atgaacttca	tcaagttcca	tcgaactgtg	actgtctaaa	tgagggaaca	180
tgtgtgtcca	acaagtactt	ctccaacatt	cactggtgca	actgccccaa	gaaattcgga	240
gggcagcact	gtgaaataga	taagtcaaaa	acctgctatg	aggggaatgg	tcacttttac	300
cgaggaaaag	ccagcactga	caccatgggc	cgccctgccc	tgccctggaa	ctctgccact	360
gtccttcagc	aaacgtacca	tgcccacaga	tctgatgctc	ttcagctggg	cctggggaaa	420
cataattact	gcaggaaacc	agacaaccgg	aggcgaccct	ggtgctatgt	gcagggtggg	480
ctaaagccgc	ttgtccaaga	gtgcatgggt	catgactgcy	cagatggaaa	aaagccctcc	540
tctcctccag	aagaattaaa	atttcagtgt	ggccaaaaga	ctctgaggcc	ccgctttaag	600
attattgggg	gagaattcac	caccatcgag	aaccagccct	ggtttgcggc	catctacagg	660
aggcaccggg	ggggctctgt	cacctacgtg	tgtggaggca	gcctcatcag	cccttgctgg	720
gtgatcagcg	ccacacactg	cttcattgat	tacccaaaga	aggaggacta	catcgtctac	780
ctgggtcgct	caaggcttaa	ctccaacacg	caaggggaga	tgaaagttga	ggtggaaaac	840
ctaattcctac	acaaggacta	cagcgctgac	acgcttgctc	accacaacga	cattgccttg	900
ctgaagatcc	gttccaagga	gggcaggtgt	gcgcagccat	cccggaactat	acagaccatc	960
tgccctgccct	cgatgtataa	cgatccccag	tttggcacaa	gctgtgagat	cactggcctt	1020
ggaaaagaga	attctaccga	ctatctctat	ccggagcagc	tgaaaatgac	tggttggaag	1080
ctgattttccc	accgggagtg	tcagcagccc	cactactacg	gctctgaagt	caccaccaaa	1140
atgctgtgtg	ctgctgaccc	acagtggaaa	acagattcct	gccaggggaga	ctcagggggg	1200
ccccctcgtc	gttccctcca	aggccgcag	actttgactg	gaattgtgag	ctggggccgt	1260
ggatgtgccc	tgaaagacaa	gccaggcgct	tacacgagag	tctcacactt	cttaccctgg	1320
atccgcagtc	acaccaagga	agagaatggc	ctggccctct	gagggtcccc	aggagggaaa	1380
cgggcaccac	ccgctttctt	gctgggtgct	attttgcagt	agagtcactc	ccatcagctg	1440
taagaagagc	tggaatata	ggctctgcac	agatggattt	gcctgtgcca	ccaccagggc	1500

```

gaacgacaat agctttaccc tcaggcatag gcctgggtgc tggctgccc gacccctctg 1560
gccaggatgg aggggtgggt ctgactcaac atgttactga ccagcaactt gtctttttct 1620
ggactgaagc ctgcaggagt taaaaagggc agggcatctc ctgtgcatgg gctcgaaggg 1680
agagccagct ccccgaccg gtgggcatct gtgaggccca tgggtgagaa atgaataatt 1740
tcccaattag gaagtgttaag cagctgaggt ctcttgaggg agcttagcca atgtgggagc 1800
agcgggttgg ggagcagaga cactaacgac ttcagggcag ggctctgata ttccatgaat 1860
gtatcaggaa atatatatgt gtgtgtatgt ttgcacactt gtgtgtgggc tgtgagtgt 1920
agtgtgagta agagctgggt tctgattgtt aagtctaaat atttccttaa actgtgtgga 1980
ctgtgatgcc acacagagtg gtctttctgg agaggttata ggtcactcct ggggcctcct 2040
gggtccccc cgtgacagtg cctgggaatg tattattctg cagcatgacc tgtgaccagc 2100
actgtctcag ttctactttc acatagatgt ccctttcttg gccagttatc ccttcctttt 2160
agcctagttc atccaatcct cactgggtgg ggtgaggacc actcctgtac actgaatatt 2220
tatattttac tatttttatt tatattttt taattttaaa taaaagtgat caataaaatg 2280
tgatttttct gatg 2294

```

```

<210> 124
<211> 956
<212> DNA
<213> Homo sapien

```

```

<400> 124
gatgagttcc gcaccaagtt tgagacagac caggccctgc gcctgagtgt ggaggccgac 60
atcaatggcc tgcgcagggt gctggatgag ctgaccttgg ccagagccga cctggagatg 120
cagattgaga acctcaagga ggagctggcc tacctgaaga agaaccacga ggaggagatg 180
aacgcccctg gagggcagggt ggtgtgtgag atcaatgtgg agatggacgc tgcgccagggc 240
gtggacctga gccgcctcct caacgagatg cgtgaccagt atgagaagat ggcagagaag 300
aacgcgaagg atgcgagga ttggttcttc agcaagacag aggaactgaa ccgcgagggtg 360
gccaccaaca gtgagctgggt gcagagtggc aagagtgaag tctcggagct ccggcgacc 420
atgcaggcct tggagataga gctgcagtcc cagctcagca tgaaagcatc cctggaggggc 480
aacctggcgg agacagagaa ccgctactgc gtgcagctgt ccagatcca ggggctgatt 540
ggcagcgtgg aggagcagct gggccagctt cgctgcgaga tggagcagca gaaccaggaa 600
tacaaaatcc tgctggatgt gaagacgcgg ctggagcagg agattgccac ctaccgccgc 660
ctgctggagg gagaggatgc ccacctgact cagtacaaga aagaaccgggt gaccaccctg 720
cagggtcgta ccattgtgga agaggtccag gatggcaagg tcatctcttc ccgcgagcag 780
gtccaccaga ccaccgctg aggactcagc taccccgccc ggccaccag gaggcaggga 840
cgcagccgcc ccattctgcc cacagtctcc ggctcttcca gcctcagccc cctgcttcag 900
tcccttcccc atgcttccct gctgatgac aataaaagct tgttgactca gctatg 956

```

```

<210> 125
<211> 486
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(486)
<223> n = A,T,C or G

```

```

<400> 125
aaattatata tagtgnttca gctccattg tgggtttcat agtcttctag gaacagataa 60
accttaagtat tcaattcact cttggcattt ttcttttaat ataggctttt tagcctattt 120
ttggaaaact gcttttcttc tgagaacctt attctgaatg tcatcaactt taccaaacct 180
tctaagtcca gagctaactt agtactgttt aagttactat tgactgaatt ttctttcattt 240
tctgttttagc cagtgttacc aaggtaagct ggggaatgaa gtataccaac ttctttcaga 300
gcatttttagg acattatggc agcttttagaa ggctgtcttg ttcttagcca agggagagcc 360

```

agcgcagggt ttggatacta gagaaagtca ttgcttgta ctattgccat tttagaaagc 420
 tctgatgtga attcaaatat tacctctgtt acttaagcc aacaatttta aggcagtagt 480
 tttact 486

<210> 126

<211> 3552

<212> DNA

<213> Homo sapien

<400> 126

cggcaggcag gtctcgtctc ggccacctcc cggcgccgc gttctcctgg ccctgcccg 60
 catcccgatg gccgcccgtg ggcccggcg ctcgctgcgc ggagccgtct gcctgcactc 120
 gctgtgacc ctgctgatct tcagtcgtgc tgggtgaagc tgcaaaaagg tgatacttaa 180
 tgtaccttct aaactagagg cagacaaaat aattggcaga gtttaatttg aagagtgcct 240
 caggctctga gacctcatcc ggtcaagtga tcttgatttc agagtcttaa atgatgggtc 300
 agtgtacaca gccagggctg ttgcgctgtc tgataagaaa agatcattta ccataaggct 360
 ttctgacaaa aggaacacaga cacagaaaga ggttactgtg ctgctagaac atcagaagaa 420
 ggtatcgaa acaagacaca ctagagaaac tgttctcagg cgtgccaaaga ggagatgggc 480
 acctattcct tgcctctatg aagagaattc cttgggccc tccccattgt tcttcaaca 540
 agttgaatct gatgcagcac agaactatc tgtctctac tcaataagt gacgtggagt 600
 tgataaagaa ctttaaat tgttttata agaaagagac actggaaatc tattttgcac 660
 tcggcctgtg gatcggtgaag aatatgatgt ttttgatttg attgcttatg cgtcaactgc 720
 agatggatat tcagcagatc tgcccctccc actaccatc agggtagagg atgaaaatga 780
 caaccacct gttttcacag aagcaattta taattttgaa gttttggaaa gtagtagacc 840
 tgggtactaca gtgggggtgg tttgtgccac agacagagat gaaccggaca caatgcatac 900
 gcgcctgaaa tacagcattt tgcagcagac accaaggcca cctgggctct tttctgtgca 960
 tcccagcaca ggcgtaatca ccacagtctc tcattatttg gacagagagg ttgtagacaa 1020
 gtactcattg ataagtgaag tacaagacat ggtatggccag ttttttggat tgataggcac 1080
 atcaacttgt atcataacag taacagattc aaatgataat gcaaccactt tcagacaaaa 1140
 tgccttatga gcatttgtag aggaaaatgc attcaatgtg gaaatcttac gaatacctat 1200
 agaagataag gatttaatta acactgccaa ttggagagtc aattttacca ttttaagggt 1260
 aaatgaaaat ggacatttca aaatcagcac agacaaagaa actaatgaag gtgttctttc 1320
 tgttgtaaag ccaactgaatt atgaagaaaa ccgtcaagtg aacctggaaa ttggagttaa 1380
 caatgaagcg ccatttgtga gagatattcc cagagtgaac gccttgaaac gagccttggt 1440
 tacagttcat gtgaggatc tggatgaggg gcctgaaatg actcctgcag ccaaatatgt 1500
 gcggattaaa gaaaacttag cagtgggggtc aaagatcaac ggctataagg catatgacc 1560
 cgaaaataga aatggcaatg gtttaaggta caaaaaattg catgatccta aaggttggat 1620
 caccattgat gaaatttcag ggtcaatcat aacttccaaa atcctggata gggaggttga 1680
 aactcccaa aatgagttgt ataattatc agtccctggca atagacaaag atgatagatc 1740
 atgtactgga acacttgctg tgaacattga agatgtaaat gataatccac cagaaatact 1800
 tcaagaatat gtatcatctt gcaaaccaaa aatggggtat accgacattt tagctgttga 1860
 tcttgatgaa cctgtccatg gagctccatt tttttcagt ttgcccataa cttctccaga 1920
 aatcagtaga ctgtggagcc tcaccaagt taatgatata gctgcccgtc tttcatatca 1980
 gaaaaatgct ggatttcaag aatataccat tcctattact gtaaaagaca gggccggcca 2040
 agctgcaaca aaattattga gagttaact gtgtgaatgt actcatcaa ctcatgtctg 2100
 tgcgacttca aggtgtacag gagttaact tggaaaatgg gcaatccttg caatattact 2160
 gggatataga ctgctctttt ctgtattgct aactttagta tgtggagttt ttggtgcaac 2220
 taaagggaaa cgttttctg aagatttagc acagcaaaac ttaattatat caaacacaga 2280
 agcacctgga gacgatagag tgtgctctgc caatggattt atgacccaaa ctaccaacaa 2340
 ctctagccaa ggtttttgtg gtactatggg atcaggaatg aaaaatggag ggcaggaaac 2400
 cattgaaatg atgaaaggag gaaaccagac cttggaatcc tgccgggggg ctgggcatca 2460
 tcataacctg gactcctgca ggggaggaca cacggaggtg gacaactgca gatacactta 2520
 ctggagtggt cacagtttta ctcaaccccg tctcggtgaa aaattgcac gatgtaatca 2580
 gaatgaagac cgcagccat cccaagatta tgcctcact tataactatg aggggaagg 2640
 atctccagct ggttctgtg gctgctgcag tgaaaagcag gaagaagatg gccttgactt 2700

```

tttaaataat ttggaaccca aattttattac attagcagaa gcatgcacaa agagataatg 2760
tcacagtgct acaatttaggt ctttgcagaa cattctggag gttcccaaaa ataataattgt 2820
aaagttcaat ttcaacatgt atgtatatga tgattttttt ctcaattttg aattatgcta 2880
ctcaccaatt tataattttta aagcaagttg ttgcttatct tttccaaaaa gtgaaaaatg 2940
ttaaaacaga caactggtaa atctcaaaact ccagcactgg aattaaggtc tctaaagcat 3000
ctgctctttt ttttttttac agatatttta gtaataaata tgctggataa atattagtcc 3060
aacaatagct aagttatgct aatatcacat tattatgtat tcactttaag tgatagttaa 3120
aaaaataaac aagaaatatt gagtatcact atgtgaagaa agttttggaa aagaaacaat 3180
gaagactgaa ttaaatataa aatgttgag ctcataaaga attggactca cccctactgc 3240
actaccaat tcatttgact ttggaggcaa aatgtgttga agtgcctat gaagtagcaa 3300
ttttctatag gaatatagtt ggaaataaat gtgtgtgtgt atattattat taatcaatgc 3360
aatatttaaa tgaatgaga acaaaagaga aaatggtaaa aacttgaat gaggtgggg 3420
tatagtttgt cctacaatag aaaaaagaga gagcttccca ggcttgggt cttaaatgct 3480
gcattataac tgagtctatg aggaatatgt tcctgtccaa tttgtgtaat ttgtttaaaa 3540
ttgtaataaa at 3552

```

<210> 127
 <211> 754
 <212> DNA
 <213> Homo sapien

```

<400> 127
ttttttttt ttgtcattgt tcattgattt taatgagaaa gctaagagag gaaataagta 60
gcctttcaaa ggtcacacag aagtaagtga cagatccagg attcatatcc aagcattctg 120
gctctagtgt ccatgcttct caaccattat gacccaatat tcaaccaaat caatactgaa 180
ggacacgtga aatgtatcog gtattttact attacaaaca aaaatccaat gaacattctt 240
gaagacatac acaaaaaataa tggttacaat agaagttact ggaattgaaa ttttggttca 300
acctatatta aaatgtaagg cttttgatat agctaataga tttttgaaat gatcagtcct 360
aacgtttgta ggggagcaca ctctctgatg gggaaaagat tcactgtgaa gcacagagca 420
cctttatggg tggatcatct tgtcattaaa gtccaggcgt tatctatcct gtaagtggca 480
gaatcaagac tgcaatatcg cctgcttttc tttttaactc atgttttccc ttgactacac 540
tggctctcaa agtaaaaccc ctgtgtcagt gtactattca tggaaatactc tgcaattata 600
accaccttct aatactttta atacccaatc aaaattttat atacatatgt atcatagata 660
ctcatctgta aagctgtgct tcaaaatagt gatctcttcc caacattaca atatatatta 720
atgatgtcga acctgcccgg gcggccgctc gaag 754

```

<210> 128
 <211> 374
 <212> DNA
 <213> Homo sapien

```

<400> 128
aggttttgat taaaaaggca aatgatttta ttgttcgata atctttttaa aaaataagag 60
gaaggagtaa aattaaagat gaaagatgat ttttatttcc ttgtgacctc tatatcccc 120
ttcccctgcc cttggtaagt aactcttgat ggagaaagga ttaaagactc ttatttaacc 180
aaaaaacaga gccagctaant catttccaaa ggtagtatc tccctgctga cctcttcttt 240
ggtttaattg aataaaaacta tatgttcata tatgtattaa aacaactcag aataacatct 300
tttcttccct agttaaggca ttataagggc tatactatca tccataataa ccaaggcaat 360
aacttaaaaa gctg 374

```

<210> 129
 <211> 546
 <212> DNA
 <213> Homo sapien

<400> 129

agtgtgatgg	atatctgcag	aattcgggct	aagcgtgggc	gcccgcgag	gtctggaact	60
tcccagcacy	tgaaaaggag	cctcctgagc	tgactcggct	aaagccccc	tttcgctcct	120
cctcatttct	gcctactgat	ttccttgagg	cattcatctg	aatattaccg	tttgctgtgt	180
aacctggtac	atacatagca	tgactccctg	gaatagagtg	ggctgggggtg	cttatgctgg	240
gagagtgtat	gacatgcact	ttcaagctat	atctaccatt	tgacgcaaa	gagaaaaaat	300
acctcgagta	aattccatca	ttttttataa	catcagcacc	tgctccatca	tcaaggagtc	360
tcagcgtaac	aggatctcca	gtctctggct	caactgtggc	agtgacagtg	gcattaagaa	420
tgggataaaa	tcctctgttc	acattggcat	aaatcatcac	aggatgagga	aaatggaggc	480
tgtctctttc	cacaaaggct	tccacagtgg	ctggggggc	agacctgccc	ggcgggccgc	540
tcgaaa						546

<210> 130

<211> 5156

<212> DNA

<213> Homo sapien

<400> 130

accaaccgag	gcgcggggca	gcgacccctg	cagcggagac	agagactgag	cggcccgcca	60
ccgccatgcc	tgcgctctgg	ctgggctgct	gcctctgctt	gtcgctcctc	ctgcccgcag	120
cccggggcac	ctccaggagg	gaagtctgtg	attgcaatgg	gaagtcagg	cagtgtatct	180
ttgatcggga	acttcacaga	caaactggta	atggattccg	ctgcctcaac	tgcaatgaca	240
acactgatgg	cattcactgc	gagaagtgc	agaatggctt	ttaccggcac	agagaaagg	300
accgctgttt	gccttgcaat	tgttaactcca	aaggttctct	tagtgctcga	tgtgacaact	360
ccggacgggtg	cagctgtaaa	ccaggtgtga	caggagccag	atgcgaccga	tgtctgccag	420
gcttccacat	gctcacggat	gcgggggtgca	cccaagacca	gagactgcta	gactccaagt	480
gtgactgtga	cccagctggc	atcgacgggc	cctgtgacgc	gggcccgtgt	gtctgcaagc	540
cagctgtcac	tggaagacgc	tgtgatagg	gtcgatcagg	ttactataat	ctggatgggg	600
ggaaccctga	gggctgtacc	cagtgtttct	gctatgggca	ttcagccagc	tgccgcagct	660
ctgcagaata	cagtgtccat	aagatcacct	ctacctttca	tcaagatgtt	gatggctgga	720
aggctgtcca	acgaaatggg	tctcctgcaa	agctccaatg	gtcacagcgc	catcaagatg	780
tgtttagctc	agcccaacga	ctagaccctg	tctattttgt	ggctcctgcc	aaatttcttg	840
ggaatcaaca	ggtgagctat	ggtcaaagcc	tgtcctttga	ctaccgtgtg	gacagaggag	900
gcagacaccc	atctgcccac	gatgtgatcc	tggaagggtg	tggtctacgg	atcacagctc	960
ccttgatgcc	acttggaag	acactgcctt	gtgggctcac	caagacttac	acattcaggt	1020
taaatgagca	tccaagcaat	aattggagcc	cccagctgag	ttactttgag	tatcgaaggt	1080
tactgcgga	tctcacagcc	ctccgcaccc	gagctacata	tggaagaatac	agtactgggt	1140
acattgacaa	tgtgacccctg	atttcagccc	gccctgtctc	tggagcccca	gcaccctggg	1200
ttgaacagtg	tatatgtcct	gttgggtaca	aggggcaatt	ctgccaggat	tgtgcttctg	1260
gctacaagag	agattcagcg	agactggggc	cttttggcac	ctgtattcct	tgttaactgtc	1320
aagggggagg	ggcctgtgat	ccagacacag	gagattgtta	ttcaggggat	gagaatcctg	1380
acattgagtg	tgctgactgc	ccaattggtt	tctacaacga	tccgcacgac	ccccgcagct	1440
gcaagccatg	tcctgtgcat	aacgggttca	gctgtcag	gatgccggag	acggaggagg	1500
tggtgtgcaa	taactgccct	cccggggcca	ccggtgcccg	ctgtgagctc	tgtgctgatg	1560
gctacttttg	ggaccccttt	ggtgaacatg	gcccagtgag	gccttgtcag	ccctgtcaat	1620
gcaacaacaa	tgtggacccc	agtgcctctg	ggaattgtga	ccggctgaca	ggcaggtgtt	1680
tgaagtgtat	ccacaacaca	gccggcatct	actgcgacca	gtgcaaaagca	ggctactctg	1740
gggacccatt	ggctcccaac	ccagcagaca	agtgtcagac	ttgcaactgt	aaccccatgg	1800
gctcagagcc	tgtaggatgt	cgaagtgatg	gcacctgtgt	ttgcaagcca	ggatttgggtg	1860
gccccaaactg	tgagcatgga	gcattcagct	gtccagcttg	ctataatcaa	gtgaagattc	1920
agatggatca	gtttatgcag	cagcttcaga	gaatggaggc	cctgatttca	aaggctcagg	1980
gtgggtgatgg	agtagtacct	gatacagagc	tggaaggcag	gatgcagcag	gctgagcagg	2040
cccttcagga	cattctgaga	gatgcccaga	tttcagaagg	tgctagcaga	tccttgggtc	2100
tccagttggc	caaggtaggg	agccaagaga	acagctacca	gagccgctg	gatgacctca	2160
agatgactgt	ggaaagagtt	cggtctctgg	gaagttagta	ccagaaccga	gttcgggata	2220

```

ctcacaggct catcactcag atgcagctga gcctggcaga aagtgaagct tccttgggaa 2280
acactaacat tcctgcctca gaccactacg tggggccaaa tggctttaaa agtctggctc 2340
aggaggccac aagatttagca gaaagccacg ttgagtcagc cagtaacatg gagcaactga 2400
caagggaaac tgaggactat tccaaacaag cctctctact ggtgcgcaag gccctgcatg 2460
aaggagtcgg aagcggaaagc ggtagcccg ggtgctctgt ggtgcaaggg ctgtggaaa 2520
aattggagaa aaccaagtcc ctggcccagc agttgacaag ggaggccact caagcggaaa 2580
ttgaagcaga taggtcttat cagcacagtc tccgcctcct ggattcagtg tctcggttc 2640
agggagtcag tgatcagtc tttcaggtgg aagaagcaaa gaggatcaaa caaaaagcgg 2700
attcactctc aagcctggta accaggcata tggatgagtt caagcgtaca cagaagaatc 2760
tgggaaaactg gaaagaagaa gcacagcagc tcttacagaa tggaaaaagt gggagagaga 2820
aatcagatca gctgcttcc cgtgccaatc ttgctaaaag cagagcaca gaaagcactga 2880
gtatgggcaa tgccactttt tatgaagtgg agagcatcct taaaaacctc agagagtttg 2940
acctgcaggt ggacaacaga aaagcagaag ctgaagaagc catgaagaga ctctcctaca 3000
tcagccagaa ggtttcagat gccagtgaca agaccagca agcagaaaga gccctgggga 3060
gcctgctcgc tgatgcacag agggcacaaga atggggccgg ggaggccctg gaaatctcca 3120
gtgagattga acaggagatt gggagtcctga acttggaaagc caatgtgaca gcagatggag 3180
ccttgcccat ggaaaaggga ctggcctctc tgaaagagtga gatgagggaa gtggaaggag 3240
agctggaaag gaaggagctg gagtctgaca cgaatatgga tgcagtacag atggtgatta 3300
cagaagccca gaaggttgat accagagcca agaacgctgg ggttacaatc caagcacac 3360
tcaacacatt agaoggcctc ctgcatctga tggaccagcc tctcagtgta gatgaagagg 3420
ggctggctct actggagcag aagccttccc gagccaagac ccagatcaac agccaactgc 3480
ggcccatgat gtcagagctg gaagagaggg cacgtcagca gaggggccac ctccatttgc 3540
tggtagcaag catagatggg attctggctg atgtgaagaa cttggagaa attagggaca 3600
acctgcccc aggtgctac aatacccagg ctcttgagca acagtgaagc tgccataaat 3660
atttctcaac tgaggttctt gggatcacaga tctcagggct cgggagccat gtcagtgtgag 3720
tggttgggat ggggacattt gaacatgttt aatgggtatg ctccaggtcaa ctgacctgac 3780
ccattcctg atccctggc cagggtggtt tcttatttgc ccatactcct tgcctcctga 3840
tgctgggcaa tgaggcagat agcactgggt gtgagaatga tcaaggatct ggacccaaa 3900
gaatagactg gatggaaaaga caaactgcac aggcagatgt ttgcctcata atagtgtaa 3960
gtggagtcct ggaatttga caagtgcctg tgggatatag tcaacttatt ctttgagtaa 4020
tgtactaaa ggaaaaaact ttgacttgc ccaggcatga aattcttctc aatgtcagaa 4080
cagagtgcaa cccagtcaca ctgtggccag taaaaacta ttgcctcata ttgtcctctg 4140
caagcttctt gctgatcaga gtctctccta cttacaaccc aggtgtgtga catgtctctc 4200
atthtcaagc tggagaaggt gagcagtggt ggagtgagga cctgtaaggc aggccattc 4260
agagctatgg tgcttgctgg tgcttgccac cttcaagtcc tggacctggg catgacatcc 4320
ttctttttaa tgatgcatg gcaacttaga gattgcattt ttattaaagc atttctacc 4380
agcaaagcaa atgttgggaa agtatttact ttttcggttt caaagtgata gaaaagtgtg 4440
gcttgggcat tgaaaagggt aaaattctct agatttatta gtcctaattc aatcctactt 4500
ttagaacacc aaaaatgatg cgcatcaatg tattttatct tattttctca atctcctctc 4560
tctttcctcc acccataata agagaatgtt cctactcaca cttcagctgg gtcacatcca 4620
tccctccatt catcctcca tccatcttcc catccattac ctccatccat ccttccaaca 4680
tatatttatt gagtacctac tgtgtgccag gggctggtgg gacagtgggt acatagcttc 4740
tgccctcata gagtgtattg tctagttagg aagacaagca tttttaaaaa ataaatttaa 4800
acttacaac tttgtttgtc acaagtgtgt tttattgcaa taacgcttg gtttgcaacc 4860
tctttgctca acagaacata tgttgcaaga ccctcccatg ggggcacttg agttttggca 4920
aggctgacag agctctgggt tgtgcacatt tctttgcatt ccagctgtca ctctgtgcct 4980
ttctacaact gattgcaaca gactgttgag ttatgataac accagtggga attgctggag 5040
gaaccagagg cacttccacc ttggctggga agactatggt gctgccttgc ttctgtattt 5100
ccttggattt tctgaaagt gtttttaaat aaagaacaat tgtagaaaa aaaaaa 5156

```

<210> 131

<211> 671

<212> DNA

<213> Homo sapien

<400> 131
aggctctggag ggcccacagc cggatgtggg acaccgggaa aaagtgggca tagcacacat 60
ttttgcatcc cggttgcagt gtgttgaga cgaagtcctc ttgctcgta cccacacactt 120
cctgggcagc caycacgagg atcatgactc ggaaaaataa gatgactgtg atccacacctt 180
tcccgatgct ggtggagtggt ttgttgacac ccccgatgaa agtgtgcagc gtcccccaat 240
ccattgcgct ggtttatccc tgagtcctgt ttccaacgac tgccagtgtt tcagacccaa 300
agaatgaggg caagatccct ctgcgagggg ttccagacctc cttctctac cccactggag 360
tgcctagaag ccaatgggtg cacagtgatg atacgaatgt caatctttgc tcggtcagtg 420
aggatgtcgc ctggaatatt caaatgaaat tacagatgca tgaagagggc gtacaagtta 480
gaatttttct ttccgcatatc agaaattgtt tagccagatc ttctgtactt ctttctcttc 540
cctgacctt cctgctcccc aggaagggag gtcagccccg ttgcaaaac acaggatgcc 600
cgtgacaccg gagacaggtc ttcttcaccg acaggaagtg cttctctggg cctgcacgct 660
ttaactgcta t 671

<210> 132
<211> 590
<212> DNA
<213> Homo sapien

<400> 132
ctgaatggaa aagcttatgg ctctgtgatg atattagtga ccagcggaga tgataagctt 60
cttggcaatt gcttaccacac tgtgtctcagc agtgggtcaa caattcactc cattgccctg 120
ggttcatctg cagccccaaa tctggaggaa ttatcacgtc ttacaggagg tttaaagttc 180
tttgttccag atatatacaa ctccaatagc atgattgatg ctttcagtag aatttctctt 240
ggaactggag acatttttcca gcaacatatt cagcttgaaa gtacaggtga aaatgtcaaa 300
cctcaccatc aattgaaaaa cacagtgcac gtggataata ctgtgggcaa cgacactatg 360
tttctagtta cgtggcaggc cagtggctct cctgagatta tattatttga tcctgatgga 420
cgaaaatact acacaaataa ttttatcacc aatctaactt ttoggacagc tagtctttgg 480
attccaggaa cagctaagcc tgggcactgg acttacacc tgaacaatac ccatcattct 540
ctgcaagccc tgaaagtgc agtgacctct cgcgcctcca actcagaact 590

<210> 133
<211> 581
<212> DNA
<213> Homo sapien

<400> 133
aggctcctgtc cggggggcact gagaactccc tctggaattc ttgggggggtg ttgggggagag 60
actgtgggccc tggagataaa acttgtctcc tctaccacca cctgtaccc tagcctgcac 120
ctgtcctcat ctctgcaaag ttccagcttcc ttccccaggt ctctgtgcac tctgtcttgg 180
atgctctggg gagctcatgg gtggaggagt ctccaccaga gggaggctca ggggactggt 240
tgggcccagg atgaatatgt gagggataaa aattgtgtaa gagccaaaga attggtagta 300
gggggagaac agagaggagc tgggctatgg gaaatgattt gaataatgga gctgggaata 360
tggctgggata tctggtacta aaaaagggtc tttaagaacc tacttcttaa tctcttcccc 420
aatccaaacc atagctgtct gtccagtgtc ctcttctctc ctccagctct gcccagggt 480
cctcctagac tctgtccttg ggctagggca ggggaggagg gagagcaggg ttgggggaga 540
ggctgaggag agtgtgacat gtgggggagag gaccagacct c 581

<210> 134
<211> 4797
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature

<222> (1) ... (4797)

<223> n = A, T, C or G

<400> 134

cctgggacca	aagtgtctgc	cagagctgag	ggctctggag	ccacatgaga	aggcttctcc	60
ctgtgtacct	gtgcagcaca	gggtagggtg	agtcactca	gctgtctagg	agaggaccca	120
ggagcagcag	agacncgcca	agcctttact	cataccatat	tctgatcctt	ttccagcaaa	180
ttgtggctac	taatttgccc	cctgaagatc	aagatggctc	tggggatgac	tctgacaact	240
tctccggctc	aggtgcaggt	gaggttgtca	tgggggcccc	ccccacccaa	gacggcaaca	300
ggcatgcct	gggggcagtg	gtcaggcagt	ctcctgtgtt	tactgagcat	gtactgagtg	360
cacctgcct	gccctgtctc	caccagctg	gctccaaagg	gcaatgctga	ggagagggaat	420
ggggctcgtg	gctgctgtta	aggagagctc	atgcttggag	gtgaggtgaa	ggctgtgagc	480
tccagaaggc	cccaggcgcg	nctgtctgac	gcaggctcat	attcactagg	aatagtctta	540
ctcactaaga	aacctctgga	acccccctca	gaaggttatt	tgactcctga	gcctctattt	600
tctcatctgc	aaaatgggaa	taataccttg	acctgataag	cttgtggagc	tgtaaggcag	660
cacagagcca	gctggggtgt	agctcttcca	tccaagctcc	cttccttact	tcccccttcc	720
tgtggggact	gggggagaga	agtcctctgag	ctggaggtgg	tcagggaagc	ttcacagagg	780
aggtggctct	tgagtggacc	tcaggaagag	gggtgagaga	gctaaggaa	gaggctgagg	840
tcatccctcg	ggaagtgacc	tagcggagcg	ctgagagctg	caaggtagga	tatctgttgt	900
tggaaagtgtc	tgttgttgga	agtggggggc	tttttttcag	ggaggggtgg	gccagagaag	960
tgtgtgccct	gggataagta	ggataaccac	agtagttatg	ccccaaagg	atgccacccc	1020
cacctctgtg	gtcacagaaa	agcttttcca	ggtggcctag	gcacctgtct	cgtggctcca	1080
gagacaggct	gcacctgaca	cacacaatgg	aaggacagct	ctcctgttcc	attttccaag	1140
gagcttagcc	tcagctgcct	tgtccaggta	ctagcctccc	tcatagcctg	agcttggcca	1200
gcccagggtg	tctggagcct	cccccgacc	acccaacaca	ctctgcttct	ggctctcccc	1260
acccccccacc	tccccaacac	actctgcttc	tggctctgca	gggtgcttgc	aagatatcac	1320
cttgtcacag	cagacccccct	ccacttgga	ggacacgcag	ctcctgacgg	ctattcccc	1380
gtctccagaa	cccaccggcc	tggaggctac	agctgcctcc	acctccaccc	tgcggctgg	1440
agaggggccc	aaggaggag	aggctgtagt	cctggccagaa	gtggagcctg	gcctcacccg	1500
ccgggagcag	gaggccaccc	cccagaccag	ggagaccaca	cagctcccga	ccactcatca	1560
ggctccaacg	accacagcca	ccacggccca	ggagcccgcc	acctccccc	cccacaggga	1620
catgcagcct	ggccaccatg	agacctcaac	ccctgcagga	cccagccaag	ctgaccttca	1680
cactccccac	acagaggatg	gaggtccttc	tgccaccgag	agggtctgctg	aggatggagc	1740
ctccagtcag	ctcccagcag	cagagggctc	tggggagcag	gtgagtggcc	tctgcattcc	1800
ttgggaaatt	gagtgggttg	gtcctaattg	ctggcacttg	gcaggcccta	cacctgtgcc	1860
ctgctgcgac	tcttattcct	caccaggaag	acagggcaca	ggggcgccct	ttccctaccc	1920
ccagggcctc	gcagagcagg	acagactaac	tatgagatca	gagcagaagc	acctttaaag	1980
atcacccaag	agagggtccc	caaaactcaca	atccaaactt	gcagccctcg	tccaagagtg	2040
aacgtttatac	cagtcatttt	atttatagct	tctgtgattt	acgtttacac	taaatagtct	2100
gctattcata	caaaatgtgt	gctttgtatc	actttttgtg	atatccatgc	catggtccag	2160
ccagggtccc	gagttgatgt	ggcaagaagg	cctggcttcc	gggcccctgtg	cgatcctggt	2220
ttgggtgcat	ctgagtgggt	ggtggcaaa	atcaggagg	caggagctgc	ttctgggtct	2280
gtagtggagc	tgggtgctgc	tgctggcggt	gacctggcca	acccaatctg	cccctgccct	2340
cccacaggac	ttcacctttg	aaacctcggt	ggagaatacg	gctgtagtgg	ccgtggagcc	2400
tgaccgccc	aaccagctcc	cagtggatca	gggggccacg	ggggcctcac	agggcctcct	2460
ggacaggaaa	gaggtgctgg	gaggtgagtt	ttctttcagg	ggggtagttt	gggggtgaatt	2520
gctgctgtgg	ggtcaggggt	gggctgacca	cagccaaggc	cactgctttg	ggaggggtctg	2580
cacgagagcc	caaggagccg	ctgagctgag	ctggccccgt	ctacctgccc	taggggtcat	2640
tgcgggagcc	ctcgtggggc	tcatctttgc	tgtgtgcctg	gtgggtttca	tgctgtaccg	2700
catgaagaag	aaggacgaag	gcagctactc	cttggaggag	ccgaaacaag	ccaacggcgg	2760
ggcctaccag	aagcccacca	aacaggagga	attctatgcc	tgacgcggga	gccatgcggc	2820
ccctccgccc	tgcactcac	taggccccca	cttgccctct	ccttgaagaa	ctgcaggccc	2880
tggcctcccc	tgccaccagg	ccacctcccc	agcatctccag	ccccctctggt	cgctcctgcc	2940
cacggagtcg	tgggtgtgct	gggagctcca	ctctgcttct	ctgacttctg	cctggagact	3000
tagggcacca	ggggtttctc	gcataggacc	tttccaccac	agccagcacc	tggcatcgca	3060

ccattctgac	tcggtttctc	caaaactgaag	cagcctctcc	ccagggtccag	ctctggagg	3120
gagggggatc	cgactgcttt	ggacctaaat	ggcctcatgt	ggctggaaga	tcctgcgggt	3180
ggggcttggg	gctcacacac	ctgtagcact	tactggtagg	accaagcatc	ttgggggggt	3240
ggccgctgag	tggcagggga	caggagtcac	tttgtttcgt	ggggagggtc	aatctagata	3300
tcgacttggt	tttgacatg	tttctcttag	ttctttgttc	atagcccagt	agaccttggt	3360
acttctgagg	taagttaagt	aagttgattc	ggtatccccc	catcttgctt	ccctaatacta	3420
tggtcgggag	acagcatcag	ggttaagaag	actttttttt	ttttttttaa	actaggagaa	3480
ccaaatctgg	aagccaaaat	gtaggcttag	tttgtgtgtt	gtctcttgag	tttgtcgctc	3540
atgtgtgcaa	cagggatagg	actatctgtc	tgggtggccc	gttctggtgg	tctgttgga	3600
ggctggccag	tccaggctgc	cgtggggcgg	ccgcctcttt	caagcagtcg	tgctgtgtgc	3660
catgcgctca	gggcatgct	gaggcctggg	ccgctgccac	gttggagaag	cccgtgtgag	3720
aagtgaatgc	tgggactcag	ccttcagaca	gagaggactg	tagggagggc	ggcaggggcc	3780
tggagatcct	cctgcaggct	cacgcccgtc	ctcctgtggc	gccgtctcca	ggggctgctt	3840
cctcctggaa	attgacgagg	ggtgtcttgg	gcagagctgg	ctctgagcgc	ctccatccaa	3900
ggccagggtc	tcogttagct	cctgtggccc	caccctgggc	cctgggctgg	aatcaggaaat	3960
attttccaaa	gagtgatagt	cttttgcttt	tggcaaaact	ctacttaatc	caatgggttt	4020
ttccctgtac	agtagatttt	ccaaatgtaa	taaaacttaa	tataaagtag	tctgtgaatg	4080
ccactgcctt	cgcttcttgc	ctctgtgtctg	tgtgtgacgt	gaccggactt	ttctgcaaac	4140
accaacatgt	tgggaaactt	ggctcgaatc	tctgtgcctt	cgtctttccc	atggggagg	4200
attctggttc	cagggtccct	ctgtgtattt	gcttttttgt	tttggctgaa	attctcctgg	4260
agggtcggtg	gttcagccaa	ggtttataaa	ggctgatgtc	aatttctgtg	tgcgaagct	4320
ccaagcccat	cttctaatag	gcaaagggaag	gtggatggcc	ccagcacagc	tgcacctgag	4380
gctgtggtca	cagcggagg	gtggagccga	ggcctacccc	ncagacacct	tggacatcct	4440
cctccccacc	ggctgcagag	gccaganncc	agccagggtt	cctgcactta	cttgcctatt	4500
tgacaacggt	tcagcgactc	cgttggccac	tccgagagtg	ggccagtctg	tggatcagag	4560
atgacaccac	aagccaaagg	aacctgtgtc	cggtattcga	tactgcgact	ttctgcctgg	4620
agtgtatgac	tgcacatgac	tcgggggtgg	ggaaaaggggt	cggtgacca	tgctcatctg	4680
ctgtcccggtg	ggacggtnc	caagccagag	gtgggttcac	ttgtgtaacg	acaataaacg	4740
gtacttgtca	tttcgggcaa	cggctgctgt	ggtggtggtt	gagtcctctc	ttggcct	4797

<210> 135

<211> 2856

<212> DNA

<213> Homo sapien

<400> 135

tagtgcgggg	tccccgagtg	agcacgccag	ggagcaggag	accaaacgac	gggggtcgga	60
gtcagagtcg	cagtgaggag	ccccggaccg	gagcacgagc	ctgagcggga	gagcgccgct	120
cgcacgcccc	tcgccacccg	cgtaccgggc	gcagccagag	ccaccagcgc	agcgctgcca	180
tggagcccag	cagcaagaaag	ctgacgggtc	gcctcatgct	ggctgtggga	ggagcagtg	240
ttggctccct	gcagtttggc	tacaacactg	gagtcataca	tgccccccag	aaggtgatcg	300
aggagttcta	caaccagaca	tgggtccacc	gctatgggga	gagcatcctg	cccaccacgc	360
tcaccacgct	ctggctccctc	tcagtggcca	tcttttctgt	tgggggcatg	attggctcct	420
tctctgtggg	ccttttctgt	aaccgctttg	gcggcgga	ttcaatgctg	atgatgaacc	480
tgctggcctt	cgtgtccgcc	gtgtcatagg	gcttctcgaa	actgggcaag	tcctttgaga	540
tgctgatcct	gggcgcttc	atcatcggtg	tgtactgcgg	cctgaccaca	ggcttcgtgc	600
ccatgtatgt	gggtgaagtg	tcaccacag	cctttcgtgg	ggccctgggc	accctgcacc	660
agctgggcat	cgtcgtcgcc	atcctcatcg	cccagggtgt	cggcctggac	tccatcatgg	720
gcaacaagga	cctgtggccc	ctgtgtctga	gcacatctt	catcccgccc	ctgctgcagt	780
gcacgtgtgt	gcccttctgc	cccagagatc	cccgttccct	gctcatcaac	cgcaacgagg	840
agaaccgggc	caagagtgtg	ctaaagaagc	tgcgcgggac	agctgacgtg	acccatgacc	900
tgcaggagat	gaaggaaagag	agtcggcaga	tgatgcggga	gaagaaggct	accatcctgg	960
agctgttccg	ctccccgcc	taccgcagc	ccatcctcat	cgctgtgggt	ctgcagctgt	1020
cccagcagct	gtctggcatc	aacgtgtct	tctattactc	cacgagcatc	ttcgagaagg	1080
cgggggtgca	gcagcctgtg	tatgccacca	ttggctccgg	tatcgtcaac	acggccttca	1140

```

ctgtcgtgtc gctgtttgtg gtggagcgag caggccggcg gaccctgcac ctcataggcc 1200
tcgtctggcat ggcgggttgt gccatactca tgaccatcgc gctagcactg ctggagcagc 1260
taccctggat gtcctatctg agcatcgtgg ccactcttgg ctttgtggcc ttctttgaag 1320
tgggctcctgg ccccatccca tgggtcatcg tggctgaact cttcagccag ggtccacgtc 1380
cagctgccat tgcggttgca ggcttctcca actggacctc aaatttcatt gtgggcatgt 1440
gcttccagta tgtggagcaa ctgtgtggtc cctacgtctt catcatcttc actgtgtctc 1500
tggttctgtt cttcatcttc acctacttca aagttcctga gactaaaggc cggaccttcg 1560
atgagatcgc ttccggcttc cggcaggggg gagccagcca aagtataag acaccgagg 1620
agctgttcca tccctgggg gctgattccc aagtgtgagt cgcgccagat caccagcccc 1680
gcctgtctcc agcagcccta aggatctctc aggagcacag gcagctggat gagacttcca 1740
aacctgacag atgtcagccg agccgggctt ggggtctctt tctccagcca gcaatgatgt 1800
ccagaagaat attcaggact taacggctcc aggtatttaa caaaagcaag actgttgctc 1860
aaatctattc agacaagcaa caggttttat aattttttta ttactgattt tgttattttt 1920
atatcagcct gagtctcctg tgcccacatc ccaggcttca ccctgaatgg tccatgcctc 1980
gaggttgagg actaagccct gtcgagacac ttgccttctt caccagcta atctgtaggg 2040
ctggacctat gtcctaagga cacactaatc gaactatgaa ctacaaagct tctatcccag 2100
gaggtggcta tggccaccgg ttctgctggc ctggatctcc ccactctagg ggtcaggctc 2160
cattagattt tgcctcttcc catctcttcc taccacaacca ctcaaatata tctttcttta 2220
cctgagacca gttgggagca ctggagtcca gggagtagag gggaaaggcc agtctgggt 2280
gccgggttct agtctcttct gcactgaggg ccacactatt accatgagaa gagggcctgt 2340
gggagcctgc aaactcactg ctcaagaaga catggagact cctgccctgt tgtgtataga 2400
tgcaagatat ttatatatat ttttgggtgt caatattaaa tacagacact aagttatagt 2460
atatctggag aagccaactt gtaaatatac cacctcactc ctgttactta cctaaacaga 2520
tataaatggc tgggttttag aaacatggtt ttgaaatgct tgtggattga gggtaggagg 2580
tttggatggg agtgagacag aagtaagtgg ggttgcaacc actgcaacgg cttagacttc 2640
gactcaggat ccagctccct acacgtacct ctcatcagt tctctctgt caaaaatctg 2700
tttgatccct gttaccaga gaatatatac attctttatc ttgacattca aggcatttct 2760
atcacatatt tgatagtgg tgttcaaaaa aacactagtt ttgtgccagc cgtgatgctc 2820
aggcttgaaa tgcattatt ttgaatgtga agggaa 2856

```

<210> 136

<211> 356

<212> DNA

<213> Homo sapien

<400> 136

```

ggtggagcca aatgaagaaa atgaagatga aagagacaga caccctcagtt tttctggatc 60
aggcattgat gatgatgaag attttatctc cagcaccatt tcaaccacac caccggcttt 120
tgaccacaca aaacagaacc aggactggac tcagtggaa ccaagccatt caaatccgga 180
agtgtactt cagacaacca caaggatgac tgatgtagac agaaatggca ccactgttta 240
tgaaggaaac tggaaaccag aagcacaccc tccctctatt caccatgagc atcatgagga 300
agaagagacc ccacattcta caagcacaa caggcaact cctagttagta caacgg 356

```

<210> 137

<211> 356

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(356)

<223> n = A,T,C or G

<400> 137

```

gcagggtggag aagacatttt attgttcttg gggctctctg aggccattg gtggggctgg 60

```

```

gtcactggct gcccccgaa cagggcgctg ctccatggct ctgcttggtg tagtctgtgg 120
ctatgtctcc cagcaaggac agaaactcag aaaaatcaat cttcttatcc tcattcttgt 180
cctttttctc aaagacatcg gcgaggtaat ttgtgccctt tttacctcgg cccgcgacca 240
cgctaaggcc aaanttcag acanayggcc gggccggtnc nataggggan cccaacttgg 300
ggacccaaac tctggcgcg aaacacangg gcataagctt gnttcctgtg gggaaa 356

```

<210> 138

<211> 353

<212> DNA

<213> Homo sapien

<400> 138

```

aggtccagtc ctccacttgg cctgatgaga gtggggagtg gcaaggagcg tttctcctgc 60
aatagacact tagatttctc tcttggtgga agaaaccacc tgtccatcca ctgactcttc 120
tacattgatg tggaatttgc tgcgtgtacc accacctcct gaagaggctt ccctgatgcc 180
aatgccagcc atcttggtcat cctggccctc gagcaggctg cggtaagtag cgatctcctg 240
ctccagccgt gtctttatgt caagcagcat cttgtactcc tgggtctgag cctccatctc 300
gcatcgagtc tctactcagac ctgcgcccag masmcgctam gccgaattcc agc 353

```

<210> 139

<211> 371

<212> DNA

<213> Homo sapien

<400> 139

```

agcgtggctg cggccgaggt ccattccgaag caagattgca gatggcagtg tgaagagaga 60
agacatattc tacacttcaa agctttggtg caattcccat cgaccagagt tggtcgagcc 120
agccttggaag aggtcactga aaaatcttca attggattat gttgacctct acctattca 180
ttttccagtg tctgtaaagc caggtgagga agtgatccca aaagatgaaa atggaaaaat 240
actatttgac acagtggatc tctgtgccac gtggggaggcc gtggagaaat gtaaatatgc 300
aggattggac ctgcccgggc ggccgctcga aagccgaatt ccagcacact ggccggccgtt 360
actagtggat c 371

```

<210> 140

<211> 370

<212> DNA

<213> Homo sapien

<400> 140

```

tagcgtggtc gcggccgagg tccatctccc tttgggaact agggggctgc tgggtggaaa 60
tggaagccag ggcagatgtt gcattccttt gtgtccctgt aaatgtggga ctacaagaag 120
aggagctgcc tgagtggtag tttctcttcc tggtaatect ctggcccagc ctcatggcag 180
aatagaggta tttttaggct attttttaa tatggcttct ggccaaaatc cctgtgtagc 240
tgaattccca agccctgcat tgtacagccc cccactcccc tcaccaccta ataaagggaat 300
agttaacact caaaaaaaaa aaaaaacctg cccggggcggc cgctcgaaaag ccgaattcca 360
gcacactggc 370

```

<210> 141

<211> 371

<212> DNA

<213> Homo sapien

<400> 141

```

tagcgtggtc gcggccgagg tcctctgtgc tgcctgtcac agcccgatgg taccagcgca 60
gggtgtaggc agtcaggag ccctcatcca gtggcaggga acaggggtca tcactatccc 120

```

```

aaggagcttc aggggtcctgg tactcctcca cagaatactc ggagtattca gagtactcat 180
cctcctcagg gggtaaccgc tctcctcctt ctgcatgaga gacgcggagc acaggcacag 240
catggagctg ggagccggca gtgtctgcag cataactagg gaggggtcgt gatccagatg 300
cgatgaactg gccctggcag gcacagtgcg gactcatctc ttggcgacct gcccgggcgg 360
ccgctcgaag c 371

```

```

<210> 142
<211> 343
<212> DNA
<213> Homo sapien

```

```

<400> 142
gcgttttgag gccaatggg taaaaggaaa tatcttcaca taaaaactag atggaagcat 60
tgtcagaaac ctcttttgta tgtttgcttt caactcacag agttgaacat tccttttcat 120
agagcagttt tgaacactc ttttgtagaa ttgcaagcg gatgattgga tcgctatgag 180
gtcttcattg gaaacgggat acctttacat aaaaactaga cagtagcatt ctcagaaatt 240
tctttgggat gtgggcattc aaccacaga ggagaacttc atttgataga gcagttttga 300
aacacctttt ttgtagaatc tacagggtgga catttagagt gct 343

```

```

<210> 143
<211> 354
<212> DNA
<213> Homo sapien

```

```

<400> 143
aggtctgatg gcagaaaaac tcagactgtc tgcaacttta cagatgggtc attggttcag 60
catcaggagt gggatgggaa ggaaagcaca ataacaagaa aattgaaaga tgggaaatta 120
gtggtggagt gtgtcatgaa caatgtcacc tgtactcggg tctatgaaaa agtagaataa 180
aaattccatc atcacttttg acaggagtta attaagagaa tgaccaagct cagttcaatg 240
agcaaatctc catactgttt ctttcttttt ttttccatta ctgtgttcaa ttatctttat 300
cataaacatt ttacatgcag ctatttcaaa gtgtgttgga ttaattagga tcat 354

```

```

<210> 144
<211> 353
<212> DNA
<213> Homo sapien

```

```

<400> 144
ggtaaggac ctgggggacc ccaggtcca gcagccacat gattctgcag cagacaggga 60
cctagagcac atctggatct cagccccacc cctggcaacc tgctgccta gagaactccc 120
aagatgacag actaagttag attctgccat ttagaataat tctggtatcc tgggcgttgc 180
gttaagtgc ttaactttca ttctgtctta cgatagtctt cagaggtggg aacagatgaa 240
gaaaccatgc ccagagaag gttaagtgc ttctcttcta tggagccagt gttccaacct 300
aggtttgcct gataccagac ctgtggcccc acctcccatg caggtctctg tgg 353

```

```

<210> 145
<211> 371
<212> DNA
<213> Homo sapien

```

```

<400> 145
caggctctgtc ataaactggg ctggagtctc tgacgactcc ttgttcacca aatgcaccat 60
ttcttgagac ttgctggcct ctccgttgag tccacttggc tttctgtcct ccacagctcc 120
attgccactg ttgatcacta gctttttctt ctgccacac cttcttcgac tgttgactgc 180
aatgcaaact gcaagaatca aagccaaggc caagagggat gccaaagtga tcagccattc 240

```

```

tggaatttgg ggtgtcctta taggaccaga ggttgtgttt gctccacctt cttgactccc 300
atgtgagacc tcggccgcga ccacgctaag ccgaattcca gcacactggc ggcccggtac 360
tagtggatcc g                                     371

```

```

<210> 146
<211> 355
<212> DNA
<213> Homo sapien

```

```

<400> 146
ggctctccgt cctcttccca gaggtgtcgg ggcttggccc cagcctccat cttcgtctct 60
caggatggcg agtagcagcg gctccaaggc tgaattcatt gtcggagggg aatataaact 120
ggtacgggaa atcgggtctg gctccttcgg ggacatctat ttggcgatca acatcaccaa 180
cggcgaggaa gtggcagtga agctagaatc tcagaaggcc aggcaccccc agttgctgta 240
cgagagcaag ctctataaga ttcttcaagg tggggttggc atcccccaca tacggtggtg 300
tggtcaggaa aaagactaca atgtactagt catggatctt ctgggaccta gcctc 355

```

```

<210> 147
<211> 355
<212> DNA
<213> Homo sapien

```

```

<400> 147
ggtctgttac aaaatgaaga cagacaacac aacatttact ctgtggagat atcctactca 60
tactatgcac gtgctgtgat tttgaacata actcgtccca aaaacttgtc acgatcatcc 120
tgacttttta ggttggctga tccatcaatc ttgcactcaa ctgttacttc tttcccagtg 180
ttgttaggag caaagctgac ctgaacagca accaatggct gtagataccc aacatgcagt 240
tttttcccat aatatgggaa atattttaag tctatcattc cattatgagg ataaactgct 300
acatttggtg tatcttcatt ctttgaaaca caatctatcc ttggcactcc ttcag 355

```

```

<210> 148
<211> 369
<212> DNA
<213> Homo sapien

```

```

<400> 148
aggtctctct cccctctctc ctctcctgcc agccaagtga agacatgctt acttccccct 60
caccttccct catgatgtgg gaagagtgtc gcaacccagc cctagccaac accgcatgag 120
agggagtgtg ccgagggctt ctgagaaggc ttctctcaca tctagaaaga agcgcttaag 180
atgtggcagc ccctctctct caagtggctc ttgtcctgtt gccctgggag ttctcaaatt 240
gctgcagcag cctccatcca gcctgaggat gacatcaata cacagaggaa gaagagtcag 300
gaaaagatga gagaagttac agactctctt gggcgacccc gagagcttac cattcctcag 360
actttcttca                                     369

```

```

<210> 149
<211> 620
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (620)
<223> n = A,T,C or G
<400> 149

```

actagtcaaa	aatgctaaaa	taatttgga	gaaaatattt	tttaagtagt	gttatagttt	60
catgtttatc	ttttattatg	ttttgtgaag	ttgtgtcttt	tcactaatta	cctatactat	120
gccaatattt	ccttatatct	atccataaca	tttatactac	atttgtaana	naatatgcac	180
gtgaaactta	acactttata	aggtaaaaa	gaggtttcca	anatttaata	atctgatcaa	240
gttcttgtaa	tttccaaata	gaatggactt	ggctctgttaa	gggctaagga	gaagaggaag	300
ataagggtta	aagtgtgtta	tgaccaaaca	ttctaaaaga	aatgcaaaaa	aaaagtttat	360
tttcaagcct	tcgaactatt	taaggaaagc	aaaatcattt	cctaaatgca	tatcattttgt	420
gagaattttc	cattaatatc	ctgaatcatt	catttcacta	aggctcatgt	tnactccgat	480
atgtctctaa	gaaagtacta	tttcatggtc	caaacctggg	tgccatantt	gggtaaaggc	540
tttcccttaa	gtgtgaaant	attttaaagt	aaattttctt	ctttttaaaa	attctttana	600
aggggttaag	gtgttgggga					620

<210> 150

<211> 371

<212> DNA

<213> Homo sapien

<400> 150

gggtccgatca	aaacctgcta	cctccccaag	actttactag	tgccgataaa	ctttctcaaa	60
gagcaaccag	tatcacttcc	ctgtttataa	aacctctaac	catctctttg	ttctttgaac	120
atgctgaaaa	ccacctgggc	tgcatgtatg	cccgaatttg	yaattctttt	ctctcaaatg	180
aaaatttaat	tttagggatt	cattttctata	ttttcacata	tgtagtatta	ttatttccct	240
atatgtgtaa	gggtaaattt	atggattttg	agtgtgcaag	aaaatatatt	tttaaagctt	300
tcatttttcc	cccagtgaa	gatttagaat	tttttatgta	aatatacaga	atgttttttc	360
ttacttttat	a					371

<210> 151

<211> 4655

<212> DNA

<213> Homo sapien

<400> 151

gggacttgag	ttctgttacc	ttcttaagta	gattcatatt	gtaagggtct	cggggtgggg	60
gggttgagca	aatcctggag	ccagaagaaa	ggacagcagc	attgatcaat	cttacagcta	120
acatgttgta	cctgggaaac	aatgcccaga	ctcaatttag	tgagccacag	tacacgaacc	180
tggggctcct	gaacagcatg	gaccagcaga	ttcagaaagg	ctcctcgtcc	accagtccct	240
ataacacaga	ccacgcgcag	aacagcgta	cggcgccctc	gccctacgca	cagcccagct	300
ccaccttoga	tgctctctct	ccatcacccg	ccatcccttc	caacaccgac	taccagggcc	360
cgcacagttt	cgcgtgttcc	ttccagcagt	cgcgcaccgc	caagtcggcc	acctggacgt	420
attccactga	actgaagaaa	ctctactgcc	aaattgcaaa	gacatgcccc	atccagatca	480
agggtgatgac	cccacctcct	cagggaagctg	ttatccgcgc	catgcctgtc	tacaaaaaag	540
ctgagcacgt	cacggagggtg	gtgaagcggg	gccccaaaca	tgagctgagc	cgtgaattca	600
acgaggggaca	gattgcccc	ycatgcatr	tgattcagag	agaggggaac	agccatgccc	660
agtatgtaga	agatcccatc	acaggaagac	agagtggtgt	ggtaccttat	gagccacccc	720
agggtggcac	tgaattcacg	acagtcttgc	acaatttcat	gtgtaacagc	agttgtgttg	780
gaggggatgaa	ccgcccgtcca	attttaatca	ttgttactct	ggaaaccaga	gatgggcaag	840
tcctggggccg	acgtctgttt	gaggcccagg	ttgtgtcttg	cccaggaaga	gacaggaagg	900
cggatgaaga	tagcatcaga	aagcagcaag	tttcggacag	tacaaagaac	gggtatggta	960
cgaagcgcgc	gtttcgtcag	aacacacatg	gtatccagat	gacatccatc	aagaaacgaa	1020
gatccccaga	tgatgaactg	gtatacttac	cagtgagggg	cgtgagact	tatgaaatgc	1080
tgggtgaagat	caaagagtcc	ctggaaactca	tgcagtacct	tcttcagcac	acaattgaaa	1140
cgtacaggca	acagcaacag	cagcagcacc	agcacttact	tcagaacacg	acctcaatac	1200
agtctccatc	ttcatatggt	aacagctccc	cacctctgaa	caaatgaac	agcatgaaca	1260
agctgccttc	tgtgagccag	cttatcaacc	ctcagcagcg	caacgcccct	actcctacaa	1320
ccattctctga	tggcatggga	gccaaacttc	ccatgatggg	caccacatg	ccaatggctg	1380

gagacatgaa	tggactcagc	cccacccagg	cactccctcc	cccactctcc	atgccatcca	1440
cctcccactg	cacaccccca	cctccgtatc	ccacagattg	cagcattgtc	agtttcttag	1500
cgagggtggg	ctgttcatca	tgtctggact	atttcacgac	ccaggggctg	accaccatct	1560
atcagattga	gcattactcc	atggatgac	tggcaagtct	gaaaatccct	gagcaatttc	1620
gacatgcgat	ctggaagggc	atcctggacc	accggcagct	ccacgaattc	tcctcccctt	1680
ctcatctcct	gcggacccca	agcagtgcct	ctacagttag	tgtgggctcc	agttagaccc	1740
gggggtgagc	tgttattgat	gctgtgcgat	tcacccctcg	ccagaccatc	tccttcccac	1800
cccagatga	gtggaatgac	ttcaactttg	acatggatgc	tcgccgcaat	aagcaacagc	1860
gcctcaaaaga	ggagggggag	tgagcctcac	catgtgagct	cttcctatcc	ctctcctaac	1920
tgccagcccc	ctaaaagcac	tcctgcttaa	tcctcaaagc	cttctcccta	gctcctcccc	1980
ttcctcttgt	ctgatttctt	aggggaaggga	gaagtgaag	gcttacttct	tacctaaacc	2040
atctgacctg	gcattctaatt	ctgattcttg	ctttaagcct	tcaaaactat	agcttgacga	2100
actgtagctt	gcataggcta	ggtagaagt	agcaaaaaag	agttgggtgt	ctccttaagc	2160
tcgagagatt	tctcattgac	ttttataaag	catgttcacc	cttatagtct	aagactatat	2220
atataaatgt	ataaatatcac	agtatagatt	tttgggtggg	gggcatttag	tattgtttaa	2280
aatgtaattt	aaatgaaaga	aaattgagtt	gcacttattg	accatttttt	aatttacttg	2340
ttttggatgg	cttgtctata	ctcctccctc	taagggggat	catgtatggt	gataggatat	2400
tagagcttaa	tgctacatgt	gagtgacgat	gatgtacaga	ttctttcagt	tccttggatt	2460
ctaaatacat	gccacatcaa	acctttgagt	agatccattt	ccattgctta	ttatgtaggt	2520
aagactgtag	atatgtattc	ttttctcagt	gttggatat	tttatattac	tgacatttct	2580
tctagttagt	atgggttcacg	ttgggggtgat	ttaatccagt	tataaagaaga	agttcatgtc	2640
caaacgtcct	ctttagtttt	tgggtgggaa	tgaggaaaat	tcctaaaagg	cccatagcag	2700
ccagttcaaa	aacacccgac	gtcatgtatt	tgagcatatc	agtaaccccc	ttaaatttaa	2760
taccagatac	cttatcttac	aatattgatt	gggaaaaacat	ttgtgccaat	tacagaggta	2820
ttaaaactaa	atttcactac	tagattgact	aactcaataa	cacatttgct	actgttgtaa	2880
gaattctgat	tgatttgatt	gggatgaatg	ccatctatct	agttctaaca	gtgaagtttt	2940
actgtctatt	aatattcagg	gtaaatagga	atcattcaga	aatgttgagt	ctgtactaaa	3000
cagtaagata	tctcaatgaa	ccataaatcc	aactttgtaa	aaatcttttg	aagcatagat	3060
aatattgttt	ggtaaatggt	tcctttgttt	ggtaaatggt	tcytttaag	accctccat	3120
tctataaaaac	tctgcatgta	gaggtctggt	tacctttctc	tctctaaggt	ttacaatagg	3180
agtgggtgatt	tgaaaaatat	aaaattatga	gattgggttt	cctgtggcat	aaattgcac	3240
actgtatcat	tttctttttt	aaccggtaag	agtttcagtt	tggtggaag	taactgtgag	3300
aacccagttt	cccgtccatc	tccttaggg	actaccata	gacatgaaag	gtccccacag	3360
agcaagagat	aagtccttca	tggctgctgt	tgcttaaac	acttaaacga	agagttccct	3420
tgaaactttg	ggaaaacatg	ttaatgacaa	tattccagat	ctttcagaaa	tataacacat	3480
ttttttgcat	gcatgcaaat	gagctctgaa	atcttcccat	gcattctggt	caagggctgt	3540
cattgcacat	aagcttccat	tttaatttta	aagtgcataa	gggccagcgt	ggctctaaaa	3600
ggtaattgtg	ggattgcctc	tgaaaagcgt	gtatatattt	tgtgtgaaat	tgcatacttt	3660
gtattttgat	tatttttttt	ttcttcttgg	gatagtggga	tttcagaaac	cacacttgaa	3720
accttttttt	atogtttttg	tattttcatg	aaaaataccat	ttagtaagaa	taccacatca	3780
aataagaaat	aatgctacaa	ttttaagagg	ggaggggaagg	gaaagttttt	ttttttatta	3840
tttttttaaa	attttgtatg	ttaaagagaa	tgagtccttg	atttcaaagt	tttgtgtgac	3900
ttaaatggta	ataagcactg	taaaactctg	caacaagcat	gcagctttgc	aaaccattta	3960
aggggaagaa	tgaaagctgt	tccttgggtc	tagtaagaag	acaaactgct	tccttacttt	4020
tgctgagggg	ttgaataaac	ctaggacttc	cgagctatgt	cagtactatt	caggtaacac	4080
tagggccttg	gaaatccctg	tactgtgtct	catggatttg	gcactagcca	aagcgaggca	4140
ccccttactg	gcttacctcc	tcattggcagc	ctactctcct	tgagtgtatg	agtagccagg	4200
gtaaggggta	aaaggatagt	aagcatagaa	accactagaa	agtgggctta	atggagttct	4260
tgtggcctca	gctcaatgca	gttagctgaa	gaattgaaaa	gtttttgttt	ggagacgttt	4320
ataaacagaa	atggaaagca	gagttttcat	taaatccctt	tacctttttt	ttttcttggt	4380
aatcccccaa	aataacagta	tgtgggatat	tgaatgttaa	agggatatatt	ttttctatta	4440
tttttataat	tgtacaaaat	taagcaaatg	ttaaaagttt	tatatgcttt	attaatgttt	4500
tcaaaaggta	ttatacatgt	gatacatttt	ttaagcttca	gttgcttgct	ttctgggtact	4560
ttctgttatg	ggcttttggg	gagccagaag	ccaatctaca	atctcttttt	gtttgccagg	4620
acatgcaata	aaatttaaaa	aataataaaa	aacta			4655

<210> 152
 <211> 586
 <212> PRT
 <213> Homo sapien

<400> 152
 Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
 1 5 10 15
 Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn
 20 25 30
 Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
 35 40 45
 Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala
 50 55 60
 Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
 65 70 75 80
 His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
 85 90 95
 Thr Trp Thr Tyr Ser Thr Glu Leu Lys Leu Tyr Cys Gln Ile Ala
 100 105 110
 Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
 115 120 125
 Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
 130 135 140
 Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn
 145 150 155 160
 Glu Gly Gln Ile Ala Pro Ser Ser His Leu Ile Arg Val Glu Gly Asn
 165 170 175
 Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val
 180 185 190
 Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val
 195 200 205
 Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg
 210 215 220
 Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val
 225 230 235 240
 Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg
 245 250 255
 Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp
 260 265 270
 Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr
 275 280 285
 His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp
 290 295 300
 Glu Leu Val Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu
 305 310 315 320
 Val Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Leu Gln His
 325 330 335
 Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu
 340 345 350
 Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser
 355 360 365
 Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val
 370 375 380

Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr
 385 390 395 400
 Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met
 405 410 415
 Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro
 420 425 430
 Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro
 435 440 445
 Tyr Pro Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys
 450 455 460
 Ser Ser Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr
 465 470 475 480
 Gln Ile Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro
 485 490 495
 Glu Gln Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln
 500 505 510
 Leu His Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser
 515 520 525
 Ala Ser Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val
 530 535 540
 Ile Asp Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro
 545 550 555 560
 Arg Asp Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn
 565 570 575
 Lys Gln Gln Arg Ile Lys Glu Glu Gly Glu
 580 585

<210> 153

<211> 2007

<212> DNA

<213> Homo sapien

<400> 153

gaattcgctg	ctgctccagg	gaaagtctctg	ttactccact	gactctctct	tttcttgata	60
acatggccag	caagaaagta	attacagtgt	ttggagcaac	aggagctcaa	ggtggctctg	120
tggccagggc	aattttggag	agcaaaaaat	ttgcagttag	agcagttagc	agggatgtga	180
cttgaccaaa	tgccctggag	ctccagcgcc	ttggagctga	ggtgggtcaa	ggtgacctga	240
atgataaagc	atcggtggac	agtgccttaa	aagtggtcta	tggggccttc	ttggtgacca	300
acttctggga	ccctctcaac	caagataagg	aagtgtgtcg	ggggaagctg	gtggcagact	360
ccgccaagca	cctgggtctg	aagcacgtgg	tgtacagcgg	cctggagaac	gtcaagcgac	420
tgacggatgg	caagctggag	gtgccgcact	ttgacagcaa	gggagaggtg	gaggagtact	480
tctgttccat	tggtatcccc	atgaccagtg	tccgcgtggc	ggcctacttt	gaaaactttc	540
tcgcggcgtg	gcggcccgtg	aaagcctctg	atggagatta	ctacaccttg	gctgtaccga	600
tgggagatgt	accaatggat	ggtatctctg	ttgctgatat	tggagcagcc	gtctctagca	660
tttttaattc	tccagaggaa	tttttaggca	aggccgtggg	gctcagtgc	gaagactaa	720
caatacagca	atatgctgat	gttttgtcca	aggctttggg	gaaagaagtc	cgagatgcaa	780
agattacccc	ggaagctttc	gagaagctgg	gattccctgc	agcaaaaggaa	atagccaata	840
tgtgtcgttt	ctatgaaatg	aagccagacc	gagatgtcaa	tctcaccac	caactaaatc	900
ccaaagtcaa	aagcttcagc	cagtttatct	cagagaacca	gggagccttc	aagggcatgt	960
agaaaatcag	ctgttcagat	aggcctctgc	accacacagc	ctcttctctc	tctgatcctt	1020
ttcctcttta	cggcacaaca	ttcatgttga	cagaacatgc	tggaaatgcaa	ttgtttgcaa	1080
caccgaagga	tttctgcggg	tgcctctctc	agtaggaagc	actgcattgg	tgataggaca	1140
cggttaattg	attcacattt	aacttgctag	ttagtataaa	gggtgggtaca	actgtttggg	1200
aaaatgagaa	gcctcggaac	ttggagcttc	tctcctacca	ctaattgggag	ggcagattat	1260
actgggatatt	ctcctgggtg	agtaatttca	agccctaattg	ctgaaattcc	cctaggcagc	1320

tccagttttc	tcaactgcat	tgcaaaattc	ccagtgaact	tttaagtact	tttaacttaa	1380
aaaaatgaac	atctttgtag	agaattttct	ggggaacatg	gtgttcaatg	aacaagcaca	1440
agcattggaa	atgctaaaaa	tcagtttttc	ctcaagattg	gaagttttat	ttctgactca	1500
ttcatgaagt	catctattga	gccaccattc	aattattcat	ctattaatc	cttgatcctt	1560
catttatcca	ttctgcaaac	ttttcttgag	caccagcacg	ggtggccatt	tgtggacttc	1620
tcttcattcc	tatgtgtttt	cttatcaaa	tgatccactc	tcgaaaggct	cctttccagt	1680
ctgtgggtgg	gttcaagtca	tgccaggggc	agggggccca	tctcctcggt	tagctctagg	1740
caaaatccag	gggatctgca	gtggggagcg	ggggcaggaa	gctggaggga	aggcctgtga	1800
agggtaggga	tgtggaaa	caagggtgac	gaaggaccac	ataggacctt	tctatatctc	1860
tggccttagc	ttttctacat	catattgtaa	tctgtctatt	tgctagtttt	cttccctact	1920
gtgagtga	aacagtcac	tttatcccag	tgcttggtac	ataataagt	atcaataaat	1980
gttgattgac	taaaaaaaaa	aaaaaaa				2007

<210> 154

<211> 2148

<212> DNA

<213> Homo sapien

<400> 154

gaattcgtcg	ctgctccagg	gaaagttctg	ttactccact	gactctctct	tttcttgata	60
acatggccag	caagaaagta	attacagtgt	ttggagcaac	aggagctcaa	ggtggctctg	120
tggccagggc	aattttggag	agcaaaaaat	ttgcagttag	agcagtgaac	agggatgtga	180
cttgaccaaa	tgccctggag	ctccagcgcc	ttggagctga	ggtggtcaaa	ggtgacctga	240
atgataaagc	atcggtggac	agtgccttaa	aaggggaagc	tgggtggcaga	ctccgccaa	300
cacctgggtc	tgaagcacgt	ggtgtacagc	ggcctggaga	acgtcaagcg	actgacggat	360
ggcaagctgg	agggtccgca	ctttgacagc	aagggcgagg	tggaggagta	cttctggtcc	420
attggcatcc	ccatgaccag	tgtccgctgt	gcgcctact	tgaaaaactt	tctcgcgcg	480
tggcggcccg	tgaaagcctc	tgatggagat	tactacacct	tggctgtacc	gatgggagat	540
gtaccaatgg	atggtatctc	tgttgcctgt	attggagcag	ccgtctctag	catttttaat	600
tctccagagg	aatttttagg	caaggccgtg	gggctcagtg	cagaagcact	aacaatacag	660
caatatgctg	atgttttgct	caaggctttg	gggaaagaag	tccgagatgc	aaagactatc	720
tgtgctatag	atgaccagaa	aacagtggaa	gaaggtttca	tggaaagcgt	gggcttgagt	780
tggtccttga	gggaacatga	ccatgtatag	acagaggagg	catcaagaag	gctggcctgg	840
ctaattcttg	aataaacacg	acaaaccaga	ggcagtcagg	gaaggaggca	aattctgggt	900
ctgcctctat	ccttgattac	cccggaagct	ttcgagaagc	tgggattccc	tgacgcaaa	960
gaaatagcca	atatgtgtcg	tttctatgaa	atgaagccag	accgagatgt	caatctcacc	1020
caccaactaa	atcccaaagt	caaaagcttc	agccatttta	tctcagagaa	ccagggagcc	1080
ttcaagggca	tgtagaaaat	cagctgttca	gataggcctc	tgaccacac	agcctctttc	1140
ctctctgac	cttttctct	ttacggcaca	acattcatgt	tgacagaaca	tgctggaatg	1200
caattgtttg	caacaccgaa	ggatttctct	cggctgcctc	ttcagttaga	agcactgcat	1260
tggtgatagg	acacggtaat	ttgattcaca	tttaacttgc	tagtttagtga	taagggtggg	1320
acaactgttt	ggtaaaatga	gaagcctcgg	aacttggagc	ttctctccta	ccactaatgg	1380
gagggcagat	tatactggga	tttctcctgg	gtgagtaatt	tcaagcccta	atgctgaaat	1440
tcccttaggc	agctccagtt	ttctcaactg	cattgcaaaa	ttccagtgga	acttttaagt	1500
acttttaact	taaaaaaatg	aacatctttg	tagagaattt	tctggggaac	atggtgttca	1560
atgaacaagc	acaagcattg	gaaatgctaa	aattcagttt	tgctcaaga	ttggaagttt	1620
attttctgac	tcattcatga	agtcacatct	tgagccacca	ttcaattatt	catctattaa	1680
ttccttgatc	cttcatttat	ccattctgca	aacttttctt	gagcaccagc	acgggtggcc	1740
atttgtggac	ttctcttcat	tcctatgtgt	tttcttatca	aagtgatcca	ctctcgaaag	1800
gctcctttcc	agtctgtggt	tgggttcaag	tcatgccagg	gccagggggc	ccatctcttc	1860
gtttagctct	aggcaaaatc	caggggatct	gcagtgggga	gcggggggcag	gaagctggag	1920
ggaaagcctg	tgaagggtag	ggatgtggaa	agacaagggt	acagaaggac	ccaataggac	1980
ctttctata	ctctggccta	gcattttcta	catcatattg	taatcgtctt	atttgcctagt	2040
tttcttctt	actgtgagtg	actaacagtc	atctttatcc	cagtgcctgg	tacataataa	2100
gtgatcaata	aatgttgatt	gactaaatga	aaaaaaaaaa	aaaaaaaaa		2148

<210> 155
 <211> 153
 <212> PRT
 <213> Homo sapien

<400> 155
 Met Thr Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Ile Thr
 85 90 95
 Pro Glu Ala Phe Glu Lys Leu Gly Phe Pro Ala Ala Lys Glu Ile Ala
 100 105 110
 Asn Met Cys Arg Phe Tyr Glu Met Lys Pro Asp Arg Asp Val Asn Leu
 115 120 125
 Thr His Gln Leu Asn Pro Lys Val Lys Ser Phe Ser Gln Phe Ile Ser
 130 135 140
 Glu Asn Gln Gly Ala Phe Lys Gly Met
 145 150

<210> 156
 <211> 128
 <212> PRT
 <213> Homo sapien

<400> 156
 Met Thr Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Thr Ile
 85 90 95
 Cys Ala Ile Asp Asp Gln Lys Thr Val Glu Glu Gly Phe Met Glu Asp
 100 105 110
 Val Gly Leu Ser Trp Ser Leu Arg Glu His Asp His Val Ala Gly Ala
 115 120 125

<210> 157
 <211> 424
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(424)
 <223> n = A,T,C or G

<400> 157
 ctgcagcccc ggggatccac tagtccagtg tgggtggaatt cattggtctt tacaagactt 60
 ggatacatta cagcagacat ggaaatataa ttttaaaaaa tttctctcca acctccttca 120
 aattcagtca ccactgttat attaccttct ccaggaaccc tccagtgggg aaggctgcga 180
 tattagattt ccttgatgac aaagtttttg ttgaaagctg tgctcagagg aggtgagagg 240
 agaggaagga gaaaactgca tcataacttt acagaattga atctagagtc tccccgaaa 300
 agcccagaaa cttctctgcn gnatctggct tgtccatctg gtctaagggtg gctgctctct 360
 ccccagccat cgagtcagtt tgtgcccctg aataatacac gacctgctat tccccatgac 420
 tgct 424

<210> 158
 <211> 2099
 <212> DNA
 <213> Homo sapien

<400> 158
 ccgcgggttaa aaggcgcagc aggtgggagc cggggccttc acccgaaacc cgacgagagc 60
 ccgacagccg gcggcgcccg agcccgacct gcctgccag ccggagcgaa gggcgccgcc 120
 ccgcgcagag ccgcgcagag ggcgcgcgag cgacgagcag ttaaaacgtg caggcaccag 180
 aaggcacttc ctgtcgggtga agaagacctg tctccggtgt caggggcatc ctgtgttttg 240
 caaacggggc tgacctccct tccctgggag caggaagggt cagggaagga aaagaagtac 300
 agaagatctg gctaaacaat ttctgtatgg cgaagagaaa attctaactt gtacgcccctc 360
 ttcatgcatc ttttaattcaa ttggaatatt ccaggcgaca tctcactga ccgagcaaaag 420
 attgacatcc gtatcaccac tgtgcacccat tggcttctag gcactccagt ggggtaggag 480
 aaggagggtg gaaacccctg cagagggatc ttgccctcat tctttgggtc tgaacactg 540
 gcagtcggtg gaaacaggac tcagggataa accagcgcaa tggattgggg gacgctgcac 600
 actttcatcg ggggtgtcaa caaacactcc accagcatcg ggaagggtgt gatcacagtc 660
 atctttatct tccgagtcac gatcctcggt gtggctgccc aggaagtgtg ggggtgacgag 720
 caagaggact tegtctgcaa cacactgcaa ccgggatgca aaaatgtgtg ctatgaccac 780
 tttttcccggt gtgccacat ccggctgtgg gccctccagc tgatcttctg ctccacccca 840
 gcgctgctgg tggccatgca tgtggcctac tacaggcacg aaaccactcg caagtccagg 900
 cgaggagaga agaggaatga tttcaaaagc atagaggaca ttaaaaagca gaagggtcgg 960
 atagaggggt cgctgtgggt gacgtacacc agcagcatct tttccgaat catcttgaa 1020
 gcagccctta tgtatgtgtt ttacttcctt tacaatgggt accacctgcc ctgggtgttg 1080
 aaatgtggga ttgacccctg ccccaacctt gtgtactgct ttatttctag gccaacagag 1140
 aagaccgtgt ttaccatttt tatgatctct gcgtctgtga tttgcatgct gcttaacgtg 1200
 gcagagtgtg gctacctgct gctgaaagtg tgttttagga gatcaaagag agcacagacg 1260
 caaaaaaatc accccaatca tgccctaaag gagagtaagc agaataaat gaatgagctg 1320
 atttcagata gtggtcaaaa tgcaatcaca ggttcccaag ctaaacattt caaggtaaaa 1380
 tgtagctgag tcataaggag acttctgtct tctccagaag gcaataccaa cctgaaagt 1440
 ccttctgtag cctgaagagt ttgtaaatga ctttcataat aaatagacac ttgagttaac 1500
 tttttgtagg atacttgctc cattcataca caacgtaatc aaatatgtgg tccatctctg 1560
 aaaacaagag actgcttgac aaaggagcat tgcagtcact ttgacagggt ccttttaagt 1620
 ggactctctg acaaaagtggg tactttctga aaatttatat aactgtgtgt gataaggaac 1680
 atttaccag gaattgatac gtttatagg aaaagatatt tttataggct tggatgtttt 1740
 tagttctgac ttgtaattta tataaagtat ttttataatg actggtcttc cttacctgga 1800
 aaaacatgag atgttagttt tagaattaca ccacaagtat ctaaaatttg aacttacaaa 1860
 gggctctatc tgtaaatatt gttttgcat gtctgttggc aaatttgtga actgtcatga 1920
 tacgttaag gtggaagtgt ttcattgcac aatatatttt tactgcttcc tgaatgtaga 1980

cggaacagtg tggaagcaga aggcctttttt aactcatccg ttgccaatc attgcaaaaca 2040
actgaaatgt ggatgtgatt gcctcaataa agctcgtccc cattgcttaa aaaaaaaaaa 2099

<210> 159
<211> 291
<212> PRT
<213> Homo sapien

<400> 159
Met Asp Trp Gly Thr Leu His Thr Phe Ile Gly Gly Val Asn Lys His
1 5 10 15
Ser Thr Ser Ile Gly Lys Val Trp Ile Thr Val Ile Phe Ile Phe Arg
20 25 30
Val Met Ile Leu Val Val Ala Ala Gln Glu Val Trp Gly Asp Glu Gln
35 40 45
Glu Asp Phe Val Cys Asn Thr Leu Gln Pro Gly Cys Lys Asn Val Cys
50 55 60
Tyr Asp His Phe Phe Pro Val Ser His Ile Arg Leu Trp Ala Leu Gln
65 70 75 80
Leu Ile Phe Val Ser Thr Pro Ala Leu Leu Val Ala Met His Val Ala
85 90 95
Tyr Tyr Arg His Glu Thr Thr Arg Lys Phe Arg Arg Gly Glu Lys Arg
100 105 110
Asn Asp Phe Lys Asp Ile Glu Asp Ile Lys Lys Gln Lys Val Arg Ile
115 120 125
Glu Gly Ser Leu Trp Trp Thr Tyr Thr Ser Ser Ile Phe Phe Arg Ile
130 135 140
Ile Phe Glu Ala Ala Phe Met Tyr Val Phe Tyr Phe Leu Tyr Asn Gly
145 150 155 160
Tyr His Leu Pro Trp Val Leu Lys Cys Gly Ile Asp Pro Cys Pro Asn
165 170 175
Leu Val Asp Cys Phe Ile Ser Arg Pro Thr Glu Lys Thr Val Phe Thr
180 185 190
Ile Phe Met Ile Ser Ala Ser Val Ile Cys Met Leu Leu Asn Val Ala
195 200 205
Glu Leu Cys Tyr Leu Leu Leu Lys Val Cys Phe Arg Arg Ser Lys Arg
210 215 220
Ala Gln Thr Gln Lys Asn His Pro Asn His Ala Leu Lys Glu Ser Lys
225 230 235 240
Gln Asn Glu Met Asn Glu Leu Ile Ser Asp Ser Gly Gln Asn Ala Ile
245 250 255
Thr Gly Ser Gln Ala Lys His Phe Lys Val Lys Cys Ser Cys Val Ile
260 265 270
Arg Arg Leu Leu Ser Ser Pro Glu Gly Asn Thr Asn Leu Lys Val Pro
275 280 285
Ser Val Ala
290

<210> 160
<211> 3951
<212> DNA
<213> Homo sapien

<400> 160
tctgcatcca tattgaaac ctgacacaat gtatgcagca ggctcagtgt gagtgaactg 60

gaggetttctc	tacaacatga	cccaaaggag	cattgcaggt	cctattttgca	acctgaagtt	120
tgtgactctc	ctggttgcc	taagttcaga	actcccattc	ctgggagctg	gagtacagct	180
tcaagacaat	gggtataatg	gattgctcat	tgcaattaat	cctcaggtac	ctgagaatca	240
gaacctcatc	tcaaacatta	aggaaatgat	aactgaagct	tcattttacc	tatttaatgc	300
taccaagaga	agagtatttt	tcagaaatat	aaagatttta	atacctgcca	catggaaagc	360
taataataac	agcaaaataa	aacaagaatc	atatgaaaag	gcaaatgtca	tagtgactga	420
ctgggtatggg	gcacatggag	atgatccata	caccctacaa	tacagagggg	gtggaaaaga	480
gggaaaatac	attcattttca	cacctaat	cctactgaat	gataacttaa	cagctggcta	540
cggatcacga	ggcagagtg	ttgtccatga	atgggcccac	ctccgttggg	gtgtgttcga	600
tgagtataac	aatgacaaac	ctttctacat	aaatgggcaa	aatcaaat	aagtgaacag	660
gtgttcattct	gacatcacag	gcatttttgt	gtgtgaaaaa	gggtccttgc	cccaagaaaa	720
ctgtattatt	agtaagcttt	ttaaagaagg	atgcaccttt	atctacaata	gcacccaaaa	780
tgcaactgca	tcaataatgt	tcattgcaag	tttatcttct	gtggttgaat	tttgtaatgc	840
aagtacccac	aaccaagaag	caccaaact	acagaaccag	atgtgcngcc	tcagaagtc	900
atgggatgta	atcacagact	ctgtcgact	tcaccacagc	tttcccctga	acgggactga	960
gcttcacact	cctccacat	tctcgcttgt	agaggctggg	gacaaagtgg	tctgtttagt	1020
gctggatgtg	tccagcaaga	tggcagaggg	tgacagactc	cttcaactac	aacaagccgc	1080
agaattttat	ttgatgcaga	ttgttgaat	tcataccttc	gtgggcattg	ccagtttcga	1140
ctgggaagga	gagatcacag	cccagctaca	ccaaattaac	agcaatgatg	atcgaaagt	1200
gctgggttca	tatctgcccc	ccactgtatc	agctaaaaca	gacatcagca	tttgttcagg	1260
gcttaagaaa	ggattttgag	tgggtgaaaa	actgaatgga	aaagcttatg	gctctgtgat	1320
gatatttagt	accagcggag	atgataagct	tcttggaat	tgcttaccac	ctgtgctcag	1380
cagtgtgtca	acaattcact	ccattgccct	gggttcattc	gcagccccc	atctggagga	1440
attatcacgt	cttacaggag	gtttaaagtt	ctttgttcca	gatatatcaa	actccaatag	1500
catgatgat	gctttcagta	gaatttcctc	tggaaactgga	gacattttcc	agcaacatat	1560
tcagcttgaa	agtacagggt	aaaatgtcaa	acctcaccat	caattgaaaa	acacagtgc	1620
ctcggaatct	actgtgggca	acgacactat	gtttctagtt	acgtggcagg	ccagtggtcc	1680
tcctgagatt	atattatttg	atcctgatgg	acgaaaatac	tacacaaata	attttatcac	1740
caatctaact	tttcggacag	ctagtctttg	gattccagga	acagctaagc	ctgggctact	1800
gacttacacc	ctgaacaata	cccattcatt	tctgcaagcc	ctgaaagtga	cagtgcacct	1860
tcgcgcctcc	aactcagctg	tgccccagc	cactgtggaa	gccttttgtg	aaagagacag	1920
cctccatttt	cctcatcctg	tgatgattta	tgccaatgtg	aaacagggat	tttatcccat	1980
tcttaatgcc	actgtcactg	ccacagttga	gccagagact	ggagatcctg	ttacgctgag	2040
actccttgat	gatggagcag	gtgctgatgt	tataaaaaat	gatggaaatt	actcgaggta	2100
ttttttctcc	tttctgcaaa	atggtagata	tagcttgaaa	gtgcatgtca	atcactctcc	2160
cagcataaag	acccagcccc	actctattcc	agggagtcat	gctatgtatg	taccaggtta	2220
cacagcaaac	ggtaatattc	agatgaatgc	tccaaggaaa	tcagtagyca	gaaatgagga	2280
ggagcgaaag	tggggcttta	gccaggtcag	ctcaggaggc	tccttttcag	tgctgggagt	2340
cccagctggc	ccccaccctg	atgtgtttcc	accatgcaaa	attattgacc	tggaagctgt	2400
aaaagtagaa	gagggaattga	ccctatcttg	gacagcacct	ggagaagact	ttgatcaggg	2460
ccaggctaca	agctatgaaa	taagaatgag	taaaagtcta	cagaatatcc	aagatgactt	2520
taacaatgct	attttagtaa	atatacctaa	gcgaaatcct	cagcaagctg	gcattcagga	2580
gatattttacg	ttctcaccct	aaatttccac	gaatggacct	gaacatcagc	caaatggaga	2640
aacacatgaa	agccacagaa	tttatgttgc	aatacagca	atggatagga	actccttaca	2700
gtctgtgtga	tctaacattg	cccagcgccc	tctgtttatt	ccccccaatt	ctgatcctgt	2760
acctgccaga	gattatctta	tattgaaagg	agttttaaca	gcaatgggtt	tgataggaat	2820
cattttgcctt	attatagtgt	tgacacatca	tactttaagc	aggaaaaaga	gagcagacaa	2880
gaaagagaat	ggaacaaaat	tattataaat	aaatatccaa	agtgtcttcc	ttcttagata	2940
taagacccat	ggccttcgac	tacaaaaaca	tactaacaaa	gtcaaatata	catcaaaact	3000
gtattaaaaat	gcattgagtt	tttgtacaat	acagataaga	tttttacatg	gtagatcaac	3060
aaattctttt	tgggggtaga	ttagaaaaac	cttacacttt	ggctatgaac	aaataataaa	3120
aattattctt	taaaagtaag	tctttaaagg	caaagggaag	ggtaaaagtcg	gaccagtgtc	3180
aaggaaagtt	tgttttattg	aggtggaaaa	atagccccaa	gcagagaaaa	ggagggtagg	3240
tctgcattat	aactgtctgt	gtgaagcaat	catttagtta	ctttgatata	tttttctttt	3300
ctccttatct	gtgcagaaca	gggtgcttgt	ttacaactga	agatcatgtc	atatttcata	3360


```

tatgaagccc ctaatgcaaa gctctttacc tcttgctatt ttgttatata tattacagat 3420
gaaatctcac tgctaagtct cagagatctt ttttcactgt aagaggtaac cttaacaat 3480
atgggtatta cctttgtctc ttcataccgg ttttatgaca aagggtctatt gaatttattt 3540
gtttgtaagt ttctactccc atcaaagcag ctttttaagt tattgccttg gttattatgg 3600
atgatagtta tagcccttat aatgccttaa ctaaggaaga aaagatgtta ttctgagttt 3660
gttttaatac atatatgaac atatagtttt attcaattaa accaaagaag aggtcagcag 3720
ggagatacta acctttggaa atgattagct ggctctgttt ttgggttaaa taagagtctt 3780
taatcctttc tccatcaaga gttacttacc aagggcaggg gaagggggat atagaggtcc 3840
caaggaaata aaaatcatct ttcacttcta attttactcc ttctcttat ttttttaaaa 3900
gattatcgaa caataaaatc atttgctttt ttaattaaaa acataaaaaa a 3951

```

<210> 161
 <211> 943
 <212> PRT
 <213> Homo sapien

<400> 161

```

Met Thr Gln Arg Ser Ile Ala Gly Pro Ile Cys Asn Leu Lys Phe Val
1      5      10      15
Thr Leu Leu Val Ala Leu Ser Ser Glu Leu Pro Phe Leu Gly Ala Gly
20      25      30
Val Gln Leu Gln Asp Asn Gly Tyr Asn Gly Leu Leu Ile Ala Ile Asn
35      40      45
Pro Gln Val Pro Glu Asn Gln Asn Leu Ile Ser Asn Ile Lys Glu Met
50      55      60
Ile Thr Glu Ala Ser Phe Tyr Leu Phe Asn Ala Thr Lys Arg Arg Val
65      70      75      80
Phe Phe Arg Asn Ile Lys Ile Leu Ile Pro Ala Thr Trp Lys Ala Asn
85      90      95
Asn Asn Ser Lys Ile Lys Gln Glu Ser Tyr Glu Lys Ala Asn Val Ile
100     105     110
Val Thr Asp Trp Tyr Gly Ala His Gly Asp Asp Pro Tyr Thr Leu Gln
115     120     125
Tyr Arg Gly Cys Gly Lys Glu Gly Lys Tyr Ile His Phe Thr Pro Asn
130     135     140
Phe Leu Leu Asn Asp Asn Leu Thr Ala Gly Tyr Gly Ser Arg Gly Arg
145     150     155     160
Val Phe Val His Glu Trp Ala His Leu Arg Trp Gly Val Phe Asp Glu
165     170     175
Tyr Asn Asn Asp Lys Pro Phe Tyr Ile Asn Gly Gln Asn Gln Ile Lys
180     185     190
Val Thr Arg Cys Ser Ser Asp Ile Thr Gly Ile Phe Val Cys Glu Lys
195     200     205
Gly Pro Cys Pro Gln Glu Asn Cys Ile Ile Ser Lys Leu Phe Lys Glu
210     215     220
Gly Cys Thr Phe Ile Tyr Asn Ser Thr Gln Asn Ala Thr Ala Ser Ile
225     230     235     240
Met Phe Met Gln Ser Leu Ser Ser Val Val Glu Phe Cys Asn Ala Ser
245     250     255
Thr His Asn Gln Glu Ala Pro Asn Leu Gln Asn Gln Met Cys Ser Leu
260     265     270
Arg Ser Ala Trp Asp Val Ile Thr Asp Ser Ala Asp Phe His His Ser
275     280     285
Phe Pro Met Asn Gly Thr Glu Leu Pro Pro Pro Pro Thr Phe Ser Leu
290     295     300

```

Val Glu Ala Gly Asp Lys Val Val Cys Leu Val Leu Asp Val Ser Ser
 305 310 315 320
 Lys Met Ala Glu Ala Asp Arg Leu Leu Gln Leu Gln Gln Ala Ala Glu
 325 330 335
 Phe Tyr Leu Met Gln Ile Val Glu Ile His Thr Phe Val Gly Ile Ala
 340 345 350
 Ser Phe Asp Ser Lys Gly Glu Ile Arg Ala Gln Leu His Gln Ile Asn
 355 360 365
 Ser Asn Asp Asp Arg Lys Leu Val Ser Tyr Leu Pro Thr Thr Val
 370 375 380
 Ser Ala Lys Thr Asp Ile Ser Ile Cys Ser Gly Leu Lys Lys Gly Phe
 385 390 395 400
 Glu Val Val Glu Lys Leu Asn Gly Lys Ala Tyr Gly Ser Val Met Ile
 405 410 415
 Leu Val Thr Ser Gly Asp Asp Lys Leu Leu Gly Asn Cys Leu Pro Thr
 420 425 430
 Val Leu Ser Ser Gly Ser Thr Ile His Ser Ile Ala Leu Gly Ser Ser
 435 440 445
 Ala Ala Pro Asn Lys Glu Glu Leu Ser Arg Leu Thr Gly Gly Leu Lys
 450 455 460
 Phe Phe Val Pro Asp Ile Ser Asn Ser Asn Ser Met Ile Asp Ala Phe
 465 470 475 480
 Ser Arg Ile Ser Ser Gly Thr Gly Asp Ile Phe Gln Gln His Ile Gln
 485 490 495
 Leu Glu Ser Thr Gly Glu Asn Val Lys Pro His His Gln Leu Lys Asn
 500 505 510
 Thr Val Thr Val Asp Asn Thr Val Gly Asn Asp Thr Met Phe Leu Val
 515 520 525
 Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe Asp Pro Asp
 530 535 540
 Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn Leu Thr Phe Arg
 545 550 555 560
 Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys Pro Gly His Trp Thr
 565 570 575
 Tyr Thr Leu Asn Asn Thr His His Ser Leu Gln Ala Leu Lys Val Thr
 580 585 590
 Val Thr Ser Arg Ala Ser Asn Ser Ala Val Pro Pro Ala Thr Val Glu
 595 600 605
 Ala Phe Val Glu Arg Asp Ser Leu His Phe Pro His Pro Val Met Ile
 610 615 620
 Tyr Ala Asn Val Lys Gln Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val
 625 630 635 640
 Thr Ala Thr Val Glu Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu
 645 650 655
 Leu Asp Asp Gly Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr
 660 665 670
 Ser Arg Tyr Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys
 675 680 685
 Val His Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile
 690 695 700
 Pro Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn
 705 710 715 720
 Ile Gln Met Asn Ala Pro Arg Lys Ser Val Gly Arg Asn Glu Glu Glu
 725 730 735
 Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser Val

	740		745		750
Leu Gly Val	Pro Ala Gly	Pro His	Pro Asp Val	Phe Pro	Pro Cys Lys
	755		760		765
Ile Ile Asp	Leu Glu Ala	Val Lys Val	Glu Glu Glu	Leu Thr	Leu Ser
	770		775		780
Trp Thr Ala	Pro Gly Glu	Asp Phe Asp	Gln Gly Gln	Ala Thr	Ser Tyr
785		790		795	800
Glu Ile Arg	Met Ser Lys	Ser Leu Gln	Asn Ile Gln	Asp Asp	Phe Asn
	805		810		815
Asn Ala Ile	Leu Val Asn	Thr Ser Lys	Arg Asn Pro	Gln Gln	Ala Gly
	820		825		830
Ile Arg Glu	Ile Phe Thr	Phe Ser Pro	Gln Ile Ser	Thr Asn	Gly Pro
	835		840		845
Glu His Gln	Pro Asn Gly	Glu Thr His	Glu Ser His	Arg Ile	Tyr Val
	850		855		860
Ala Ile Arg	Ala Met Asp	Arg Asn Ser	Leu Gln Ser	Ala Val	Ser Asn
865		870		875	880
Ile Ala Gln	Ala Pro Leu	Phe Ile Pro	Pro Asn Ser	Asp Pro	Val Pro
	885		890		895
Ala Arg Asp	Tyr Leu Ile	Leu Lys Gly	Val Leu Thr	Ala Met	Gly Leu
	900		905		910
Ile Gly Ile	Ile Cys Leu	Ile Ile Val	Val Thr His	His Thr	Leu Ser
	915		920		925
Arg Lys Lys	Arg Ala Asp	Lys Lys Glu	Asn Gly Thr	Lys Leu	Leu
	930		935		940

<210> 162
 <211> 498
 <212> DNA
 <213> Homo sapien

<400> 162
 tggagaacca cgtggacagc accatgaaca tgttgggagg gggaggcagc gctggccgga 60
 agcccccctcaa gtccgggtatg aaggagctgg ccgtgttccg ggagaaggtc actgagcagc 120
 accggcagat gggcaagggt ggcaagcctc accttggcct ggaggagccc aagaagctgc 180
 gaccaccccc tgccaggact cctgccaac aggaactgga ccaggtcctg gagcggatct 240
 ccacatgctg ccttccggat gagcggggcc ctctggagca cctctactcc ctgcacatcc 300
 ccaactgtga caagcatggc ctgtacaacc tcaaacagtg gcaagatgtc tctgaacggg 360
 cagcgtgggg agtgctgggtg tgtgaacccc aacaccggga agctgatcca gggagccccc 420
 accatccggg gggaccccga gtgtcatctc ttctacaatg agcagcagga ggctcgcggg 480
 gtgcacaccc cagcggat 498

<210> 163
 <211> 1128
 <212> DNA
 <213> Homo sapien

<400> 163
 gccacctggc cctcctgctc gacgacacac gcacttgaaa cttgttctca ggggtgtgtg 60
 aatcaacttt ccggaagcaa ccagcccacc agaggaggtc ccgagcgcga gcggagacga 120
 tgcagcggag actgggtcag cagtggagcg tcgcggtgtt cctgctgagc tacgcggtgc 180
 cctcctgagg gcgctcggtg gaggggtctca gccgccgcct caaaagagct gtgtctgaac 240
 atcagctcct ccatgacaag gggaagtcca tccaagattt acggcgacga ttcttctctc 300
 accatctgat cgcagaaatc cacacagctg aaatcagagc tacctcggag gtgtccctta 360
 actccaagcc ctctcccaac acaaagaacc accccgtccg atttgggtct gatgatggg 420

```

gcagatacct aactcaggaa actaacaagg tggagacgta caaagagcag ccgctcaaga 480
cacctgggaa gaaaaagaaa ggcaagcccg ggaaacgcaa ggagcaggaa aagaaaaaac 540
ggcgaactcg ctctgcctgg ttagactctg gagtgactgg gagtgggcta gaaggggacc 600
acctgtctga cacctccaca acgtcgctgg agctcgattc acggaggcat tgaaattttc 660
agcagagacc ttccaaggac atattgcagg attctgtaat agtgaacata tggaaagtat 720
tagaaatatt tattgtctgt aaatactgta aatgcattgg aataaaactg tctcccccac 780
tgctctatga aactgcacat tggtcattgt gaatattttt ttttttgcca aggctaattcc 840
aattattatt atcacattta ccataattta ttttgcccat tgatgtattt attttgtaaa 900
tgtatcttgg tgctgctgaa ttctatattt ttttgtaaca taatgcactt tagatataca 960
tatcaagtat gttgataaat gacacaatga agtgtctcta ttttgggtt gattttaatg 1020
aatgcctaaa tataattatc caaattgatt ttcctttgtg catgtaaaaa taacagtatt 1080
ttaaatttgt aaagaatgtc taataaaata taatctaatt acatcatg 1128

```

<210> 164
 <211> 1310
 <212> DNA
 <213> Homo sapien

```

<400> 164
gggccttggtt cgcaagaag ctgacttcag agggggaaac tttcttctt taggaggcgg 60
ttagccctgt tccacgaacc caggagaact gctggccaga ttaattagac attgctatgg 120
gagacgtgta aacacactac ttatcattga tgcataata aaaccatttt attttcgcta 180
ttatttcaga ggaagcgct ctgatttgtt tcttttttcc ctttttgctc tttctggctg 240
tgtgttctgg agaagcaca gttggagtag ccggttgcta aataagtcac gagcgcgagc 300
ggagacgatg cagcggagac tggttcagca gtggagcgtc gcggtgttcc tgcagagcta 360
cgcggtgccc tcctgcgggc gctcggtgga ggtctcagc cgccgcctca aaagagctgt 420
gtctgaacat cagctcctcc atgacaaggg gaagtcacac caagatttac ggcgacgatt 480
cttccctcac catctgatcg cagaaatcca cacagctgaa atcagagcta cctcggagggt 540
tgccctaac tccaagccct ctcccaacac aaagaaccac ccggtccgat ttgggtctga 600
tgatgagggc agatacctaa ctccaggaaac taacaagggt gagacgtaca aagagcagcc 660
gctcaagaca cctgggaaga aaaagaaagg caagcccggt aaacgcaagg agcaggaaaa 720
gaaaaaacgg cgaactcgct ctgcctgggt agactctgga gtgactggga gtgggctaga 780
aggggaccac ctgtctgaca cctccacaac gtcgctggag ctgatttcac ggaggcattg 840
aaattttcag cagagacctt ccaaggacat attgcaggat tctgtaata tgaaacatag 900
gaaagtatta gaaatattta ttgtctgtaa atactgtaa tgcattggaa taaaactgtc 960
tccccattg ctctatgaaa ctgcacattg gtcattgtga atatttttt ttttgccaag 1020
gctaatacaa ttattattat cacatttacc ataatttatt ttgtccattg atgtatttat 1080
tttgtaaatg tatcttgggt ctgctgaatt tctatatttt ttgtaacata atgcacttta 1140
gatatacata tcaagtatgt tgataaatga cacaatgaag tgtctctatt ttgtggttga 1200
ttttaatgaa tgccataata taattatcca aattgatttt cctttgtgcc cgtaaaaata 1260
acagtatttt aaatttgtaa agaattgtca ataaaatata atctaattac 1310

```

<210> 165
 <211> 177
 <212> PRT
 <213> Homo sapien

```

<400> 165
Met Gln Arg Arg Leu Val Gln Gln Trp Ser Val Ala Val Phe Leu Leu
1           5           10           15
Ser Tyr Ala Val Pro Ser Cys Gly Arg Ser Val Glu Gly Leu Ser Arg
20           25           30
Arg Leu Lys Arg Ala Val Ser Glu His Gln Leu Leu His Asp Lys Gly
35           40           45
Lys Ser Ile Gln Asp Leu Arg Arg Phe Phe Leu His His Leu Ile

```

```

      50      55      60
Ala Glu Ile His Thr Ala Glu Ile Arg Ala Thr Ser Glu Val Ser Pro
65      70      75      80
Asn Ser Lys Pro Ser Pro Asn Thr Lys Asn His Pro Val Arg Phe Gly
      85      90      95
Ser Asp Asp Glu Gly Arg Tyr Leu Thr Gln Glu Thr Asn Lys Val Glu
      100      105      110
Thr Tyr Lys Glu Gln Pro Leu Lys Thr Pro Gly Lys Lys Lys Gly
      115      120      125
Lys Pro Gly Lys Arg Lys Glu Gln Glu Lys Lys Lys Arg Arg Thr Arg
      130      135      140
Ser Ala Trp Leu Asp Ser Gly Val Thr Gly Ser Gly Leu Glu Gly Asp
145      150      155      160
His Leu Ser Asp Thr Ser Thr Thr Ser Leu Glu Leu Asp Ser Arg Arg
      165      170      175
His

```

```

<210> 166
<211> 177
<212> PRT
<213> Homo sapien

```

```

      <400> 166
Met Gln Arg Arg Leu Val Gln Gln Trp Ser Val Ala Val Phe Leu Leu
1      5      10      15
Ser Tyr Ala Val Pro Ser Cys Gly Arg Ser Val Glu Gly Leu Ser Arg
      20      25      30
Arg Leu Lys Arg Ala Val Ser Glu His Gln Leu Leu His Asp Lys Gly
      35      40      45
Lys Ser Ile Gln Asp Leu Arg Arg Arg Phe Phe Leu His His Leu Ile
50      55      60
Ala Glu Ile His Thr Ala Glu Ile Arg Ala Thr Ser Glu Val Ser Pro
65      70      75      80
Asn Ser Lys Pro Ser Pro Asn Thr Lys Asn His Pro Val Arg Phe Gly
      85      90      95
Ser Asp Asp Glu Gly Arg Tyr Leu Thr Gln Glu Thr Asn Lys Val Glu
      100      105      110
Thr Tyr Lys Glu Gln Pro Leu Lys Thr Pro Gly Lys Lys Lys Gly
      115      120      125
Lys Pro Gly Lys Arg Lys Glu Gln Glu Lys Lys Lys Arg Arg Thr Arg
      130      135      140
Ser Ala Trp Leu Asp Ser Gly Val Thr Gly Ser Gly Leu Glu Gly Asp
145      150      155      160
His Leu Ser Asp Thr Ser Thr Thr Ser Leu Glu Leu Asp Ser Arg Arg
      165      170      175
His

```

```

<210> 167
<211> 3362
<212> DNA
<213> Homo sapien

```

```

<400> 167

```

cacaatgtat	gcagcaggct	cagtgtagt	gaactggagg	cttctctaca	acatgaccca	60
aaggagcatt	gcaggtccta	tttgcacact	gaagtttgtg	actctcctgg	ttgccttaag	120
ttcagaactc	ccattcctgg	gagctggagt	acagcttcaa	gacaaagggt	ataatggatt	180
gctcattgca	attaatcctc	aggtacctga	gaatcagaac	ctcatctcaa	acattaagga	240
aatgataact	gaagcttcat	tttacctatt	taatgctacc	aagagaagag	tatttttcag	300
aaatataaag	attttaatac	ctgccacatg	gaaagctaata	aataacagca	aaataaaaaca	360
agaaatcatat	gaaaaggcaa	atgtcatagt	gactgactgg	tatggggcac	atggagatga	420
tccatacacc	ctacaataca	gaggggtgtg	aaaagagggg	aaatacattc	atttcacacc	480
taatttccta	ctgaatgata	acttaacagc	tggctacgga	tcacgaggcc	gagtggttgt	540
ccatgaatgg	gcccacctcc	gttgggggtg	gttcgatgag	tataacaatg	acaaaccttt	600
ctacataaat	gggcaaaatc	aaattaaagt	gacaagggtg	tcactcgaca	tcacaggcat	660
ttttgtgtgt	gaaaaagggtc	cttggcccca	agaaaactgt	attattagta	agctttttta	720
agaaggatgc	acctttatct	acaatagcac	ccaaaatgca	actgcatcaa	taatgttcatt	780
gcaaaagtta	tcttctgtgg	ttgaattttg	taatgcaagt	accacacaacc	agaagcacc	840
aaacctacag	aaccagatgt	gcagcctcag	aagtgcattg	gatgtaatca	cagactctgc	900
tgactttcac	cacagcttcc	ccatgaacgg	gactgagctt	ccacctctc	ccacattctc	960
gcttgtagag	gctggtagca	aagtggctcg	tttagtctg	gatgtgtcca	gcaagatggc	1020
agaggctgac	agactccttc	aactacaaca	agccgcagaa	ttttatttga	tgcatagttg	1080
tgaaattcat	accttcgtgg	gcattgccag	tttcgacagc	aaaggagaga	tcagagccca	1140
gctacaccaa	attaacagca	atgatgatcg	aaagtgtctg	gtttcatatc	tgcccaccac	1200
tgtatcagct	aaaacagaca	tcagcatttg	ttcagggtct	aagaaaggat	ttgagggtgt	1260
tgaaaaactg	aatggaaaag	cttatggctc	tgtgatgata	ttagtgaacca	gcggagatga	1320
taagcttctt	ggcaattgct	taccactgt	gctcagcagt	ggttcaacaa	ttcactccat	1380
tgccctgggt	tcactctgag	ccccaaatct	ggaggaaatta	tcacgtctta	caggagggtt	1440
aaagtctctt	gttcagata	tatcaauctc	caatagcatg	attgatgctt	tcagttagaat	1500
ttcctctgga	actggagaca	ttttccagca	acatattcag	cttgaaagta	caggtgaaaa	1560
tgtcaaacct	caccatcaat	tgaaaaacac	agtgaactgt	gataatactg	tgggcaacga	1620
cactatgttt	ctagttaact	ggcaggccag	tggctcctct	gagattatat	tatttgatcc	1680
tgatggacga	aaatactaca	caaataattt	tatcaccaat	ctaacttttc	ggacagctag	1740
tctttggatt	ccaggaacag	ctaagcctgg	gcactggact	tacacccctg	tgtgtttcca	1800
ccatgcacaa	ttattgacct	ggaagctgta	aaagtagaag	aggaattgac	cctatcttgg	1860
acagcacctg	gagaagactt	tgatcagggc	caggctacaa	gctatgaaat	aagaatgagt	1920
aaaagtctac	agaatatcca	agatgacttt	aacaatgcta	ttttagtaaa	tacatcaaaag	1980
cgaatcctc	agcaagctgg	catcaggggg	atattttact	tctcacccca	aatttccacg	2040
aatggacctg	aacatcagcc	aaatggagaa	acacatgaaa	gccacagaat	ttatgttgca	2100
atacgagcaa	tggataggaa	ctccttacag	tctgctgtat	ctaaccattg	ccaggcgctt	2160
ctgtttattc	cccccaattc	tgatcctgta	cctgccagag	attatcttat	attgaaaggga	2220
gttttaacag	caatgggttt	gataggaatc	atttgcctta	ttatagttgt	gacacatcat	2280
actttaagca	ggaaaaagag	agcagacaag	aaagagaatg	gaacaaaatt	attataaata	2340
aatatccaaa	gtgtcttctt	tcttagatat	aagacccatg	gccttcgact	acaaaaacat	2400
actaacaagg	tcaaatatac	atcaaaactg	tattaaaatg	cattgagttt	ttgtacaata	2460
cagataaagt	ttttacatgg	tagatcaaca	aattcttttt	gggggtagat	tagaaaaacc	2520
ttacactttg	gctatgaaca	aataataaaa	attattcttt	aaagtaatgt	ctttaagggc	2580
aaaggggaag	gtaaagtctg	accagtgtca	aggaaagttt	gttttattga	gggtggaaaa	2640
tagccccaa	cagagaaaag	gagggtaggt	ctgcattata	actgtctgtg	tgaagcaatc	2700
atttagttac	tttgattaat	ttttcttttc	tccttatctg	tgcaagaacg	gttgcttgtt	2760
tacaactgaa	gatcatgcta	tatttcatat	atgaagcccc	taatgcaaa	ctctttacct	2820
cttgctattt	tggttatata	attacagatg	aaatctcact	gctaattgct	agagatcttt	2880
tttcaactga	agaggtaacc	tttaacaata	tgggtattac	ctttgtctct	tcataccggg	2940
tttatgacaa	aggtctattg	aatttatttg	tttgtaagtt	tctactccca	tcaaaagcag	3000
tttctaagtt	attgccttgg	ttattatgga	tgatagttat	agcccttata	atgccttaac	3060
taaggaagaa	aagatgttat	tctgagtttg	ttttaataca	tatatgaaca	tatagtttta	3120
ttcaattaaa	ccaaagaaga	ggtcagcagg	gagatactaa	cctttggaaa	tgattagctg	3180
gctctgtttt	ttggttaaat	aagagtcttt	aatcctttct	ccatcaagag	ttactttacca	3240
agggcagggg	aagggggata	tagaggtcac	aaggaaataa	aaatcatctt	tcacttttaa	3300

ttttactcct tctctcttatt tttttaaaag attatcgaac aataaaatca ttgacctttt 3360
tt 3362

<210> 168
<211> 2784
<212> DNA
<213> Homo sapien

<400> 168
tctgcatcca tattgaaaac ctgacacaat gtatgcagca ggctcagtggt gagggaactg 60
gaggctttctc tacaacatga cccaaaggag cattgcagggt cctatttgca acctgaagtt 120
tgtagactctc ctggttgccct taagttcaga actccatttc ctgggagctg gaggacagct 180
tcaagacaat ggggtataatg gattgctcat tgcaattaat cctcagggtac ctgagaatca 240
gaacctcatc tcaaacatta aggaaatgat aactgaagct tcattttacc tatttaatgc 300
taccaagaga agagtatttt tcagaaatat aaagatttta atacctgcca catggaaagc 360
taataataac agcaaaataa aacaagaatc atatgaaaag gcaaatgtca tagtgactga 420
ctggtatggg gcacatggag atgatccata caccctacaa tacagagggt gtggaaaaga 480
gggaaaat ac attcattttca cacttaattt cctactgaat gataaactta cagctggcta 540
cggatcacga ggccgagtggt ttgtccatga atgggcccac ctccgttggg gtgtgttcga 600
tgagtataac aatgacaaac ctttctacat aaatgggcaa aatcaaatga aagtgcacag 660
gtgttcatct gacatcacag gcatttttgt gtgtgaaaaa ggctccttgcc cccaagaaaa 720
ctgtattatt agtaagcttt ttaaagaagg atgcaccttt atctacaata gcacccaaaa 780
tgcaactgca tcaataatgt tcatgcaaaag tttatcttct gtggttgaat ttgtaatgc 840
aagtaccac aaccaagaag caccacaccc acagaaccag atgtgcagcc tcagaagtgc 900
atgggatgta atcacagact ctgctgactt tcaccacagc tttcccatga acgggactga 960
gcttccacct cctcccatct tctcgttgt agaggctgggt gacaaagtgg tctgtttagt 1020
gctggatgtg tccagcaaga tggcagaggc tgacagactc cttcaactac aacaagccgc 1080
agaattttat ttgatgcaga ttgttgaaat tcataccttc gtgggcattg ccagtttcga 1140
cagcaaaaga gagatcagag cccagctaca ccaaatatc agcaatgatg atcgaaagt 1200
gctggtttca tatctgcccc cactgtatc agctaaaaca gacatcagca ttgtttcagg 1260
gcttaagaaa ggatttgagg tgggtgaaaa actgaatgga aaagcttatg gctctgtgat 1320
gatattagtg accagcggag atgataagct tcttggaat tgcttaccac ctgtgttcag 1380
cagtggttca acaattcact ccattgcccc ggggttcatct gcagcccaa atctggagga 1440
attatcacgt cttacaggag gtttaaaagt ctttgtttca gatatatcaa actccaatag 1500
catgattgat gctttcagta gaatttctc tggaactgga gacattttcc agcaacatat 1560
tcagcttgaa agtacagggtg aaaaatgtcaa acctcaccat caattgaaaa acacagtgc 1620
tgttgataat actgtgggca acgacactat gtttctagt acgtggcagg ccagtgtgcc 1680
tcctgagatt atattatttg atcctgatgg acgaaaatc tacacaaata attttatcac 1740
caatcaact tttcggacag ctagtctttg gattccagga acagctaagc ctgggactg 1800
gacttacacc ctgaacaata cccatcattc tctgcaagcc ctgaaagtga cagtgcacc 1860
tcgcccctcc aactcagctg tgccccacg cactgtggaa gcctttgtgg aaagagacag 1920
cctccatttt cctcactctg tgatgattta tgccaatgtg aaacagggat tttatcccat 1980
tcttaatgcc actgtcactg ccacagttga gccagagact ggagatcctg ttacgctgag 2040
actccttgat gatggagcag gtgctgatgt tataaaaaat gatggaattt actcgaggta 2100
ttttttctcc ttgctgcaa atggtagata tagcttgaat gtgcatgtca atcactctcc 2160
cagcataago accccagccc actctattcc agggagtcac gctatgtatg taccaggtta 2220
cacagcaaac ggtaatattc agatgaatgc tccaagaaa tcagtaggca gaaatgagga 2280
ggagcgaaag tggggcttta gccagtcag ctcaggaggc tccttttcag tgctgggagt 2340
tccagctggc cccaccctg atgtgtttcc accatgcaaa attattgacc tggagctgt 2400
aaatagaaga ggaattgacc ctatcttgga cagcacctgg agaagacttt gatcagggcc 2460
aggctacaag ctatgaaata agaattgagta aaagtctaca gaatatccaa gatgacttta 2520
acaatgctat ttagtaaaat acatcaaaagc gaaatcctca gcaagctggc atcagggaga 2580
tatttacgtt ctcaccccaa atttccacga atggacctga acatcagcca aatggagaaa 2640
cacatgaag ccacagaatt tatgttgcaa tacgagcaat ggataggaac tccttacagt 2700
ctgctgtatc taacattgcc caggcgctc tgtttattcc cccaattct gatcctgtac 2760

ctgccagaga ttatcttata ttga

2784

<210> 169

<211> 592

<212> PRT

<213> Homo sapien

<400> 169

```

Met Thr Gln Arg Ser Ile Ala Gly Pro Ile Cys Asn Leu Lys Phe Val
 1           5           10           15
Thr Leu Leu Val Ala Leu Ser Ser Glu Leu Pro Phe Leu Gly Ala Gly
 20           25           30
Val Gln Leu Gln Asp Asn Gly Tyr Asn Gly Leu Leu Ile Ala Ile Asn
 35           40           45
Pro Gln Val Pro Glu Asn Gln Asn Leu Ile Ser Asn Ile Lys Glu Met
 50           55           60
Ile Thr Glu Ala Ser Phe Tyr Leu Phe Asn Ala Thr Lys Arg Arg Val
 65           70           75           80
Phe Phe Arg Asn Ile Lys Ile Leu Ile Pro Ala Thr Trp Lys Ala Asn
 85           90           95
Asn Asn Ser Lys Ile Lys Gln Glu Ser Tyr Glu Lys Ala Asn Val Ile
100          105          110
Val Thr Asp Trp Tyr Gly Ala His Gly Asp Asp Pro Tyr Thr Leu Gln
115          120          125
Tyr Arg Gly Cys Gly Lys Glu Gly Lys Tyr Ile His Phe Thr Pro Asn
130          135          140
Phe Leu Leu Asn Asp Asn Leu Thr Ala Gly Tyr Gly Ser Arg Gly Arg
145          150          155          160
Val Phe Val His Glu Trp Ala His Leu Arg Trp Gly Val Phe Asp Glu
165          170          175
Tyr Asn Asn Asp Lys Pro Phe Tyr Ile Asn Gly Gln Asn Gln Ile Lys
180          185          190
Val Thr Arg Cys Ser Ser Asp Ile Thr Gly Ile Phe Val Cys Glu Lys
195          200          205
Gly Pro Cys Pro Gln Glu Asn Cys Ile Ile Ser Lys Leu Phe Lys Glu
210          215          220
Gly Cys Thr Phe Ile Tyr Asn Ser Thr Gln Asn Ala Thr Ala Ser Ile
225          230          235          240
Met Phe Met Gln Ser Leu Ser Ser Val Val Glu Phe Cys Asn Ala Ser
245          250          255
Thr His Asn Gln Glu Ala Pro Asn Leu Gln Asn Gln Met Cys Ser Leu
260          265          270
Arg Ser Ala Trp Asp Val Ile Thr Asp Ser Ala Asp Phe His His Ser
275          280          285
Phe Pro Met Asn Gly Thr Glu Leu Pro Pro Pro Thr Phe Ser Leu
290          295          300
Val Glu Ala Gly Asp Lys Val Val Cys Leu Val Leu Asp Val Ser Ser
305          310          315          320
Lys Met Ala Glu Ala Asp Arg Leu Leu Gln Leu Gln Gln Ala Ala Glu
325          330          335
Phe Tyr Leu Met Gln Ile Val Glu Ile His Thr Phe Val Gly Ile Ala
340          345          350
Ser Phe Asp Ser Lys Gly Glu Ile Arg Ala Gln Leu His Gln Ile Asn
355          360          365
Ser Asn Asp Asp Arg Lys Leu Leu Val Ser Tyr Leu Pro Thr Thr Val

```



```

      370      375      380
Ser Ala Lys Thr Asp Ile Ser Ile Cys Ser Gly Leu Lys Lys Gly Phe
385      390      395      400
Glu Val Val Glu Lys Leu Asn Gly Lys Ala Tyr Gly Ser Val Met Ile
      405      410      415
Leu Val Thr Ser Gly Asp Asp Lys Leu Leu Gly Asn Cys Leu Pro Thr
      420      425      430
Val Leu Ser Ser Gly Ser Thr Ile His Ser Ile Ala Leu Gly Ser Ser
      435      440      445
Ala Ala Pro Asn Leu Glu Glu Leu Ser Arg Leu Thr Gly Gly Leu Lys
      450      455      460
Phe Phe Val Pro Asp Ile Ser Asn Ser Asn Ser Met Ile Asp Ala Phe
465      470      475      480
Ser Arg Ile Ser Ser Gly Thr Gly Asp Ile Phe Gln Gln His Ile Gln
      485      490      495
Leu Glu Ser Thr Gly Glu Asn Val Lys Pro His His Gln Leu Lys Asn
      500      505      510
Thr Val Thr Val Asp Asn Thr Val Gly Asn Asp Thr Met Phe Leu Val
      515      520      525
Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe Asp Pro Asp
      530      535      540
Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn Leu Thr Phe Arg
545      550      555      560
Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys Pro Gly His Trp Thr
      565      570      575
Tyr Thr Leu Met Cys Phe His His Ala Lys Leu Leu Thr Trp Lys Leu
      580      585      590

```

<210> 170

<211> 791

<212> PRT

<213> Homo sapien

<400> 170

```

Met Thr Gln Arg Ser Ile Ala Gly Pro Ile Cys Asn Leu Lys Phe Val
1      5      10      15
Thr Leu Leu Val Ala Leu Ser Ser Glu Leu Pro Phe Leu Gly Ala Gly
      20      25      30
Val Gln Leu Gln Asp Asn Gly Tyr Asn Gly Leu Leu Ile Ala Ile Asn
      35      40      45
Pro Gln Val Pro Glu Asn Gln Asn Leu Ile Ser Asn Ile Lys Glu Met
      50      55      60
Ile Thr Glu Ala Ser Phe Tyr Leu Phe Asn Ala Thr Lys Arg Arg Val
65      70      75      80
Phe Phe Arg Asn Ile Lys Ile Leu Ile Pro Ala Thr Trp Lys Ala Asn
      85      90      95
Asn Asn Ser Lys Ile Lys Gln Glu Ser Tyr Glu Lys Ala Asn Val Ile
      100      105      110
Val Thr Asp Trp Tyr Gly Ala His Gly Asp Asp Pro Tyr Thr Leu Gln
      115      120      125
Tyr Arg Gly Cys Gly Lys Glu Gly Lys Tyr Ile His Phe Thr Pro Asn
      130      135      140
Phe Leu Leu Asn Asp Asn Leu Thr Ala Gly Tyr Gly Ser Arg Gly Arg
145      150      155      160
Val Phe Val His Glu Trp Ala His Leu Arg Trp Gly Val Phe Asp Glu

```


Ala Phe Val Glu Arg Asp Ser Leu His Phe Pro His Pro Val Met Ile
 610 615 620
 Tyr Ala Asn Val Lys Gln Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val
 625 630 635 640
 Thr Ala Thr Val Glu Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu
 645 650 655
 Leu Asp Asp Gly Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr
 660 665 670
 Ser Arg Tyr Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys
 675 680 685
 Val His Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile
 690 695 700
 Pro Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn
 705 710 715 720
 Ile Gln Met Asn Ala Pro Arg Lys Ser Val Gly Arg Asn Glu Glu Glu
 725 730 735
 Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser Val
 740 745 750
 Leu Gly Val Pro Ala Gly Pro His Pro Asp Val Phe Pro Pro Cys Lys
 755 760 765
 Ile Ile Asp Leu Glu Ala Val Asn Arg Arg Gly Ile Asp Pro Ile Leu
 770 775 780
 Asp Ser Thr Trp Arg Arg Leu
 785 790

<210> 171

<211> 1491

<212> DNA

<213> Homo sapien

<400> 171

```

cctcctgccca gccaaagtga gacatgctta cttccccttc accttccttc atgatgtggg      60
aagagtgtctg caaccagcc ctagccaacg ccgcatgaga gggagtgtgc cgagggtcttc      120
tgagaagggtt tctctcacat ctagaagaa ggccttaaga tgtggcagcc cctctctcttc      180
aagtggctctt tgtcctgttg ccttgggagt tctcaaattg ctgcagcagc ctccaccag      240
cctgaggatg acatcaatac acagaggaag aagagtcagg aaaagatgag agaagttaca      300
gactctcctg ggcgaccccg agagcttacc attcctcaga cttcttcaca tgggtgctaac      360
agattttgtt ctaaaagtaa agctctagag gccgtcaaat tggcaataga agccgggttc      420
caccatattg attctgcaca tgtttacaat aatgaggagc aggttggaact ggccatccga      480
agcaagattg cagatggcag tgtgaagaga gaagacatat tctacacttc aaagctttgg      540
agcaattccc atcgaccaga gttggtccga ccagccttgg aaaggctcact gaaaaatctt      600
caattggact atgttgacct ctatcttatt catcttccag tgtctgtaaa gccagggtgag      660
gaagtgtatc caaaagatga aaatggaaaa atactatttg acacagtgga tctctgtgcc      720
acatgggagg ccatggagaa gtgtaaagat gcaggatttg ccaagtccat cgggggtgtcc      780
aacttcaacc acaggctgct ggagatgatc ctcaacaagc cagggtctca gtacaagcct      840
gtctgcaacc aggtggaatg tcatccttac ttcaaccaga gaaaactgct ggattttctgc      900
aagtcaaaag acattgttct ggttgctctat agtgccttgg gatcccatcg agaagaacca      960
tgggtggacc cgaactcccc ggtgctcttg gaggaccag tcctttgtgc cttggcaaaa      1020
aagcacaagc gaacccccag cctgattgcc ctgcgtacc agctgcagcg tgggggttgtg      1080
gtcctggcca agagctacaa tgagcagcgc atcagacaga acgtgcagggt gtttgaattc      1140
cagttgactt cagaggagat gaaagccata gatggcctaa acagaaatgt gcgatatattg      1200
acccttgata ttttgcctgg ccccccata tatccatttt ctgatgaata ttaacatgga      1260
gggcattgca tgaggctctg cagaaggccc tgcgtgtgga tgggtgacaca gaggatggct      1320
ctatgctggg gactggacac atcgctctct gttaaatctc tcctgcttgg cgacttcagt      1380
aagctacagc taagcccatc ggccggaaaa gaaagacaat aattttgttt ttcattttga      1440

```

aaaaattaaa tgctctctcc taaagattct tcacctaaaa aaaaaaaaaa a

1491

<210> 172
 <211> 364
 <212> PRT
 <213> Homo sapien

<400> 172
 Met Trp Gln Pro Leu Phe Phe Lys Trp Leu Leu Ser Cys Cys Pro Gly
 1 5 10 15
 Ser Ser Gln Ile Ala Ala Ala Ala Ser Thr Gln Pro Glu Asp Asp Ile
 20 25 30
 Asn Thr Gln Arg Lys Lys Ser Gln Glu Lys Met Arg Glu Val Thr Asp
 35 40 45
 Ser Pro Gly Arg Pro Arg Glu Leu Thr Ile Pro Gln Thr Ser Ser His
 50 55 60
 Gly Ala Asn Arg Phe Val Pro Lys Ser Lys Ala Leu Glu Ala Val Lys
 65 70 75 80
 Leu Ala Ile Glu Ala Gly Phe His His Ile Asp Ser Ala His Val Tyr
 85 90 95
 Asn Asn Glu Glu Gln Val Gly Leu Ala Ile Arg Ser Lys Ile Ala Asp
 100 105 110
 Gly Ser Val Lys Arg Glu Asp Ile Phe Tyr Thr Ser Lys Leu Trp Ser
 115 120 125
 Asn Ser His Arg Pro Glu Leu Val Arg Pro Ala Leu Glu Arg Ser Leu
 130 135 140
 Lys Asn Leu Gln Leu Asp Tyr Val Asp Leu Tyr Leu Ile His Phe Pro
 145 150 155 160
 Val Ser Val Lys Pro Gly Glu Glu Val Ile Pro Lys Asp Glu Asn Gly
 165 170 175
 Lys Ile Leu Phe Asp Thr Val Asp Leu Cys Ala Thr Trp Glu Ala Met
 180 185 190
 Glu Lys Cys Lys Asp Ala Gly Leu Ala Lys Ser Ile Gly Val Ser Asn
 195 200 205
 Phe Asn His Arg Leu Leu Glu Met Ile Leu Asn Lys Pro Gly Leu Lys
 210 215 220
 Tyr Lys Pro Val Cys Asn Gln Val Glu Cys His Pro Tyr Phe Asn Gln
 225 230 235 240
 Arg Lys Leu Leu Asp Phe Cys Lys Ser Lys Asp Ile Val Leu Val Ala
 245 250 255
 Tyr Ser Ala Leu Gly Ser His Arg Glu Glu Pro Trp Val Asp Pro Asn
 260 265 270
 Ser Pro Val Leu Leu Glu Asp Pro Val Leu Cys Ala Leu Ala Lys Lys
 275 280 285
 His Lys Arg Thr Pro Ala Leu Ile Ala Leu Arg Tyr Gln Leu Gln Arg
 290 295 300
 Gly Val Val Val Leu Ala Lys Ser Tyr Asn Glu Gln Arg Ile Arg Gln
 305 310 315 320
 Asn Val Gln Val Phe Glu Phe Gln Leu Thr Ser Glu Glu Met Lys Ala
 325 330 335
 Ile Asp Gly Leu Asn Arg Asn Val Arg Tyr Leu Thr Leu Asp Ile Phe
 340 345 350
 Ala Gly Pro Pro Asn Tyr Pro Phe Ser Asp Glu Tyr
 355 360

<210> 173
 <211> 1988
 <212> DNA
 <213> Homo sapiens

<400> 173
 cgggagccgc ctccccgcgg cctcttgcgt tttgtggcgg cgccccgcgt cgcaggccac 60
 tctctgctgt cgcccgtccc gcgcgctcct ccgaccgcgt ccgctccgct ccgctcggcc 120
 ccgcgcgcgc cgtcaacatg atccgctgcg gcctggcctg cgcgcgctgc cgtcggatcc 180
 tgcccctgct cctactcagc gccatcgccct tcgacatcat cgcgctggcc ggccgcggct 240
 ggttgcagtc tagcgaccac ggccagacgt cctcgcgtgtg gtggaaatgc tcccaagagg 300
 gcgcgcgcgc cgggtcctac gaggagggtg gtcagagcct catggagtag gcgtggggta 360
 gagcagcggc tgccatgctc ttctgtgggt tcatcatcct ggtgatcgtt tcatcctctc 420
 ccttcttctc cctctgtgga ccccgatgct ttgtcttctc gagagtgtt ggagggtctc 480
 ttgccttggc tgcgtgtgtc cagatcatct ccctggtaat ttaccctgtg aagtagaccc 540
 agaccttcac ccttcatgcc aaccctgctg tcaacttacct ctataactgg gcctaaggct 600
 ttgggtgggc agccacgatt atcctgatcg gctgtgcctt cttcttctgc tgccctccca 660
 actacgaaga tgaccttctg ggcaatgcca agccaggtta cttctacaca tctgcctaac 720
 ttgggaatga atgtgggaga aaatcgctgc tgcgtgagatg gactccagaa gaagaaactg 780
 tttctccagg cgactttgaa cccatttttt ggcaagtgtc atattattaa actagtagaa 840
 aatgctaaaa taatttggga gaaaatattt ttaagttagt gttatagttt catgtttatc 900
 ttttattatg ttttgtgaag ttgtgtcttt tcaactaata ctatactat gccaatattt 960
 ccttatatct atccataaca tttatactac atttgaaga gaatatgcac gtgaaactta 1020
 acactttata aggtaaaaat gagggttcca agatttaata atctgatcaa gttcttgtta 1080
 tttccaaata gaatggactt ggtctgttaa gggctaagga gaagaggaag ataagggtta 1140
 aagttgttaa tgaccaaaca ttctaaaaga aatgcaaaaa aaaagtattt tttcaagcct 1200
 tcgaactatt taaggaaagc aaaaatcatt cctaaatgca tatcatttgt gagaatttct 1260
 cattaatatc ctgaatcatt catttcagct aaggcttcat gttgactcga tatgtcatct 1320
 aggaaagtac tatttcatgg tccaaacctg ttgccatagt tggtaaggct ttcctttaag 1380
 tgtgaaatat ttagatgaaa tttctctctt taaagtctct tatagggtta ggtgtgtgga 1440
 aaatgctata ttaataaate ttagtgtgtt tgtgtttata tgttcagaac cagagtagac 1500
 tggattgaaa gatggactgg gtctaattta tcatgactga tagatctggt taagtgtgtt 1560
 agtaagcat taggagggtc attcytgtca caaaagtgcc actaaaacag cctcaggaga 1620
 ataaatgact tgcttttcta aatctcaggt ttatctgggc tctatcatat agacaggctt 1680
 ctgatagttt gcarctgtaa gcagaaacct acatatagtt aaaatcctgg tctttcttgg 1740
 taaacagatt ttaaatgtct gatataaaac atgccacagg agaattcggg gatttgagtt 1800
 tctctgaata gcatatatat gatgcacgag ataggtcatt atgatttttt accatttcga 1860
 cttacataat gaaaaccaat tcattttaaa taccagatta ttattttgta agttgtggaa 1920
 aaagctaatt gtagttttca ttatgaagtt ttcccaataa accaggtatt ctaaaaaaaaa 1980
 aaaaaaaaa 1988

<210> 174
 <211> 238
 <212> PRT
 <213> Homo sapiens

<400> 174
 Gly Ala Ala Ser Pro Arg Pro Leu Arg Phe Cys Gly Gly Ala Arg Ala
 5 10 15
 Arg Arg Pro Leu Ser Ala Val Ala Arg Pro Ala Arg Ser Ser Asp Pro
 20 25 30
 Leu Arg Ser Ala Pro Leu Gly Pro Ala Pro Pro Val Asn Met Ile Arg

35	40	45
Cys Gly Leu Ala Cys Glu Arg Cys Arg Trp Ile Leu Pro Leu Leu Leu		
50	55	60
Leu Ser Ala Ile Ala Phe Asp Ile Ile Ala Leu Ala Gly Arg Gly Trp		
65	70	75 80
Leu Gln Ser Ser Asp His Gly Gln Thr Ser Ser Leu Trp Trp Lys Cys		
85	90	95
Ser Gln Glu Gly Gly Gly Ser Gly Ser Tyr Glu Glu Gly Cys Gln Ser		
100	105	110
Leu Met Glu Tyr Ala Trp Gly Arg Ala Ala Ala Ala Met Leu Phe Cys		
115	120	125
Gly Phe Ile Ile Leu Val Ile Cys Phe Ile Leu Ser Phe Phe Ala Leu		
130	135	140
Cys Gly Pro Gln Met Leu Val Phe Leu Arg Val Ile Gly Gly Leu Leu		
145	150	155 160
Ala Leu Ala Ala Val Phe Gln Ile Ile Ser Leu Val Ile Tyr Pro Val		
165	170	175
Lys Tyr Thr Gln Thr Phe Thr Leu His Ala Asn Pro Ala Val Thr Tyr		
180	185	190
Ile Tyr Asn Trp Ala Tyr Gly Phe Gly Trp Ala Ala Thr Ile Ile Leu		
195	200	205
Ile Gly Cys Ala Phe Phe Phe Cys Cys Leu Pro Asn Tyr Glu Asp Asp		
210	215	220
Leu Leu Gly Asn Ala Lys Pro Arg Tyr Phe Tyr Thr Ser Ala		
225	230	235

<210> 175

<211> 4181

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (3347)

<223> n=A,T,C or G

<221> unsure

<222> (3502)

<223> n=A,T,C or G

<221> unsure

<222> (3506)

<223> n=A,T,C or G

<221> unsure
<222> (3520)
<223> n=A, T, C or G
<221> unsure
<222> (3538)
<223> n=A, T, C or G
<221> unsure
<222> (3549)
<223> n=A, T, C or G
<221> unsure
<222> (3646)
<223> n=A, T, C or G
<221> unsure
<222> (3940)
<223> n=A, T, C or G
<221> unsure
<222> (3968)
<223> n=A, T, C or G
<221> unsure
<222> (3974)
<223> n=A, T, C or G
<221> unsure
<222> (4036)
<223> n=A, T, C or G
<221> unsure
<222> (4056)
<223> n=A, T, C or G
<221> unsure
<222> (4062)
<223> n=A, T, C or G
<221> unsure
<222> (4080)
<223> n=A, T, C or G
<221> unsure
<222> (4088)
<223> n=A, T, C or G
<221> unsure
<222> (4115)
<223> n=A, T, C or G

<400> 175
ggtaggagcg tttgggtgtg agctaggctt tttcttttct ttctctttta aaacacatct 60
agacaaggaa aaaacaagcc tcggatctga tttttcactc ctctgttcttg tgcttggttc 120
ttactgtgtt tgtgtatttt aaaggcgaga agacgagggg aacaaaacca gctggatcca 180
tccatcaccg tgggtgggtt taatttttcg ttttttctcg ttattttttt ttaaacaacc 240
actcttcaca atgaacaaac tgtatatcgg aaacctcagc gagaacgcgcg ccccttcgga 300
cctagaaagt atcttcaagg acgccaagat cccgggtgtg ggacccttcc tggtagagac 360
tggctacgcg ttcgtggact gcccggacga gagctggggc ctcaaggcca tcgaggcgct 420
ttcaggtaaa atagaactgc acgggaaacc catagaagtt gagcactcgg tcccaaaaag 480
gcaaaggatt cggaaacttc agatacgaaa tatccgcctt catttacagt gggaggtgct 540
ggatagttta ctagtccagt atggagtgtt ggagagctgt gagcaagtga acactgactc 600
ggaactgca gttgtaaatg taacctattc cagtaaggac caagctagac aagcactaga 660
caaaactgaat ggatttcagt tagagaattt caccttgaaa gtagcctata tccctgatga 720
aatggccgcc cagcaaaacc ccttcagca gccccgaggt cgcggggggc ttgggcagag 780
gggtctctca aggcagggtt ctccaggatc cgtatccaag cagaaaccat gtgatttgcc 840

```

tctgcgctg ctggttccca cccaatttgt tggagccatc ataggaaaag aaggtgccac 900
cattcggaaac atcaccaaac agaccagtc taaaatcgat gtccaccgta aagaaaatgc 960
gggggctgct gagaagtcga ttactatcct ctctactcct gaaggcacct ctgcggcttg 1020
taagtctatt ctggagatta tgcataagga agctcaagat ataaaattca cagaagagat 1080
ccccctgaag attttagctc ataataactt tgttggacgt cttattggta aagaaggaag 1140
aaatcttaaa aaaattgagc aagacacaga cactaaaatc acgatatctc cattgcagga 1200
attgacgctg tataatccag aacgcactat tacagttaaa ggcaatgttg agacatgtgc 1260
caaagctgag gaggagatca tgaagaaaat cagggagctc tatgaaaarg atattgcttc 1320
tatgaatctt caagcacatt taattcctgg attaaatctg aacgccttgg gtctgttccc 1380
accacttca gggatgccac ctcccacetc agggccccc tccagcatga ctctccctca 1440
ccgcagttt gagcaatcag aaacggagac tgttcacag tttatcccag ctctatcagt 1500
cggtgccatc atcggcaagc agggccagca catcaagcag cttctctcgt ttgctggagc 1560
ttcaattaaag attgctccag cggaagcacc agatgctaaa gtgaggatgg tgattatcac 1620
tggaccacca gaggtcagtc tcaaggctca gggaagaatt tatggaaaaa ttaagaaga 1680
aaactttggt agtcctaaag aagaggtgaa acttgaagct catatcagag tgccatcctt 1740
tgctgctggc agagtatttg gaaaaggagg caaaacggtg aatgaacttc agaatttgtc 1800
aagtgcagaa gttgttgtcc ctctgaccca gacacctgat gagaatgacc aagtgggtgt 1860
caaaaataact ggtcacttct atgcttgcca ggttgcccag agaaaaattc aggaaaattct 1920
gactcaggtt aagcagcacc aacaacagaa ggctctgcaa agtgggaccac ctcatcagc 1980
acggaagtaa aggtcagga aacagccac cacagaggca gatgccaaac caaagacaga 2040
ttgcttaacc aacagatggg cgtgacccc ctatccagaa tcacatgcac aagtttttac 2100
ctagccagtt gttcttgagg accaggcaac ttttgaactc ctgtctctgt gagaatgtat 2160
actttatgct ctctgaaatg tatgacaccc agctttaaaa caaacaacaa aacaacacaa 2220
aaaagggtgg gggaggggagg gaaagagaag agctctgcac ttccctttgt tgtagtctca 2280
cagtataaca gatattctaa ttcttcttaa tttccccc taatgccaga aattggctta 2340
atgatgcttt cactaaatc atcaaataga ttgctcctaa atccaattgt taaaattgga 2400
tcagaataat tatcacagga acttaaatgt taagccatta gcatagaaaa actgttctca 2460
gttttatttt tacctaacac taacatgagt aacctaggg aagtgtgaa tgggtgtggc 2520
aggggtatta aacgtgcatt tttactcaac taccctcaggt attcagtaat acaatgaaaa 2580
gcaaaattgt tctttttttt tgaaaatttt atatacttta taatgataga agtccaaccg 2640
ttttttaaaa aataaattta aaatttaaca gcaatcagct aacaggcaaa ttaagatttt 2700
tacttctggc tggtgacagt aaagctggaa aattaatttc aggggttttt gaggtttttg 2760
acacagttat tagttaaatc aaatgttcaa aaatacggag cagtgcctag tatctggaga 2820
gcagcactac catttatctt ttcatattata gttgggaaa gttttgacgg tactaacaaa 2880
gtggtcgcag gagattttgg aacggctggt ttaaatggct tcaggagact tcagtttttt 2940
gtttagctac atgattgaat gcataataaa tgctttgtgc ttctgactat caatacctaa 3000
agaaagtgca tcagtgaaga gatgcaagac ttccaactga ctggcaaaaa gcaagcttta 3060
gcttgtctta taggatgctt agtttgccac tacacttcag accaatggga cagtcataga 3120
tggtgtgaca gtgttttaac gcaacaaaag gctacatttc catggggcca gcactgtcat 3180
gagcctcact aagctatttt gaagattttt aagcactgat aaattaaaaa aaaaaaaaaa 3240
aaattagact ccaccttaag tagtaaahta taacaggatt tctgtatact gtgcaatcag 3300
ttctttgaaa aaaaagtcaa aagatagaga atacaagaaa agttttnggg atataatttg 3360
aatgactgtg aaaaatcatg acctttgata acgaactcat ttgctcactc cttgacagca 3420
aagcccagta cgtacaattg tgttgggtgt ggggtggtctc caaggccacg ctgctctctg 3480
aattgatttt ttgagttttg gnttgnaaaga tgatcacagn catgttacac tgatcttnaa 3540
ggacatatnt tataaccctt taaaaaaaa atcccctgcc tcattcttat ttcgagatga 3600
atttcgatac agactagatg tctttctgaa gatcaattag acattntgaa aatgatttaa 3660
agtgttttcc ttaatgttct ctgaaaaaaa gtttcttttg tagttttaac caaaaaagt 3720
ccctttttgt cactgggttc tcctagcatt catgattttt ttttcacaca atgaattaaa 3780
attgctaaaa tcatggactg gctttctggg tggatttcag gtaagatgtg ttaaggcca 3840
gagcttttct cagtatttga ttttttccc caatatttga ttttttaaaa atatacacat 3900
aggagctgca tttaaaacct gctggtttaa attctgtcan atttcacttc tagcctttta 3960
gtatggcnaa tcanaattta cttttactta agcatttcta atttgagta tctggtacta 4020
gctaagaaat aattcnataa ttgagttttg tactcncaa anatgggtca ttctcatgn 4080
ataatgtnc cccaatgcag cttcattttc caganacctt gacgcaggat aaattttttc 4140

```



```
<210> 176
<211> 580
<212> PRT
<213> Homo sapiens
```

400> 176

Met	Asn	Lys	Leu	Tyr	Ile	Gly	Asn	Leu	Ser	Glu	Asn	Ala	Ala	Pro	Ser	
				5					10						15	
Asp	Leu	Glu	Ser	Ile	Phe	Lys	Asp	Ala	Lys	Ile	Pro	Val	Ser	Gly	Pro	
			20					25					30			
Phe	Leu	Val	Lys	Thr	Gly	Tyr	Ala	Phe	Val	Asp	Cys	Pro	Asp	Glu	Ser	
		35					40					45				
Trp	Ala	Leu	Lys	Ala	Ile	Glu	Ala	Leu	Ser	Gly	Lys	Ile	Glu	Leu	His	
	50					55					60					
Gly	Lys	Pro	Ile	Glu	Val	Glu	His	Ser	Val	Pro	Lys	Arg	Gln	Arg	Ile	
65				70						75					80	
Arg	Lys	Leu	Gln	Ile	Arg	Asn	Ile	Pro	Pro	His	Leu	Gln	Trp	Glu	Val	
			85						90					95		
Leu	Asp	Ser	Leu	Leu	Val	Gln	Tyr	Gly	Val	Val	Glu	Ser	Cys	Glu	Gln	
		100						105					110			
Val	Asn	Thr	Asp	Ser	Glu	Thr	Ala	Val	Val	Asn	Val	Thr	Tyr	Ser	Ser	
	115						120					125				
Lys	Asp	Gln	Ala	Arg	Gln	Ala	Leu	Asp	Lys	Leu	Asn	Gly	Phe	Gln	Leu	
	130					135					140					
Glu	Asn	Phe	Thr	Leu	Lys	Val	Ala	Tyr	Ile	Pro	Asp	Glu	Met	Ala	Ala	
145				150						155					160	
Gln	Gln	Asn	Pro	Leu	Gln	Gln	Pro	Arg	Gly	Arg	Arg	Gly	Leu	Gly	Gln	
			165						170					175		
Arg	Gly	Ser	Ser	Arg	Gln	Gly	Ser	Pro	Gly	Ser	Val	Ser	Lys	Gln	Lys	
		180						185					190			
Pro	Cys	Asp	Leu	Pro	Leu	Arg	Leu	Leu	Val	Pro	Thr	Gln	Phe	Val	Gly	
	195						200					205				
Ala	Ile	Ile	Gly	Lys	Glu	Gly	Ala	Thr	Ile	Arg	Asn	Ile	Thr	Lys	Gln	
	210					215					220					
Thr	Gln	Ser	Lys	Ile	Asp	Val	His	Arg	Lys	Glu	Asn	Ala	Gly	Ala	Ala	
225				230						235					240	
Glu	Lys	Ser	Ile	Thr	Ile	Leu	Ser	Thr	Pro	Glu	Gly	Thr	Ser	Ala	Ala	
			245						250					255		

Cys Lys Ser Ile Leu Glu Ile Met His Lys Glu Ala Gln Asp Ile Lys
 260 265 270
 Phe Thr Glu Glu Ile Pro Leu Lys Ile Leu Ala His Asn Asn Phe Val
 275 280 285
 Gly Arg Leu Ile Gly Lys Glu Gly Arg Asn Leu Lys Lys Ile Glu Gln
 290 295 300
 Asp Thr Asp Thr Lys Ile Thr Ile Ser Pro Leu Gln Glu Leu Thr Leu
 305 310 315 320
 Tyr Asn Pro Glu Arg Thr Ile Thr Val Lys Gly Asn Val Glu Thr Cys
 325 330 335
 Ala Lys Ala Glu Glu Glu Ile Met Lys Lys Ile Arg Glu Ser Tyr Glu
 340 345 350
 Asn Asp Ile Ala Ser Met Asn Leu Gln Ala His Leu Ile Pro Gly Leu
 355 360 365
 Asn Leu Asn Ala Leu Gly Leu Phe Pro Pro Thr Ser Gly Met Pro Pro
 370 375 380
 Pro Thr Ser Gly Pro Pro Ser Ala Met Thr Pro Pro Tyr Pro Gln Phe
 385 390 395 400
 Glu Gln Ser Glu Thr Glu Thr Val His Gln Phe Ile Pro Ala Leu Ser
 405 410 415
 Val Gly Ala Ile Ile Gly Lys Gln Gly Gln His Ile Lys Gln Leu Ser
 420 425 430
 Arg Phe Ala Gly Ala Ser Ile Lys Ile Ala Pro Ala Glu Ala Pro Asp
 435 440 445
 Ala Lys Val Arg Met Val Ile Ile Thr Gly Pro Pro Glu Ala Gln Phe
 450 455 460
 Lys Ala Gln Gly Arg Ile Tyr Gly Lys Ile Lys Glu Glu Asn Phe Val
 465 470 475 480
 Ser Pro Lys Glu Glu Val Lys Leu Glu Ala His Ile Arg Val Pro Ser
 485 490 495
 Phe Ala Ala Gly Arg Val Ile Gly Lys Gly Gly Lys Thr Val Asn Glu
 500 505 510
 Leu Gln Asn Leu Ser Ser Ala Glu Val Val Val Pro Arg Asp Gln Thr
 515 520 525
 Pro Asp Glu Asn Asp Gln Val Val Val Lys Ile Thr Gly His Phe Tyr
 530 535 540

Ala Cys Gln Val Ala Gln Arg Lys Ile Gln Glu Ile Leu Thr Gln Val
 545 550 555 560

Lys Gln His Gln Gln Gln Lys Ala Leu Gln Ser Gly Pro Pro Gln Ser
 565 570 575

Arg Arg Lys

<210> 177
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 177
 atgccccgta aatgtcttca gtgttcttca gggtagttgg gatctcaaaa gatttggttc 60
 agatccaaac aaatacacat tctgtgtttt agctcagtg tttctaaaaa aagaaactgc 120
 cacacagcaa aaaattgttt actttgttgg acaaaccaaa tcagttctca aaaaatgacc 180
 ggtgcttata aaaagtata aatatcgagt agctctaaaa caaacacact gaccaagagg 240
 gaagtgaagt tgtgcttagt atttacattg gatgccagtt ttgtaatcac tgacttatgt 300
 gcaaaactgg gcagaaattc tataaactct ttgctgtttt tgatacctgc ttttctgttc 360
 attttgtttt gttttgtaaa aatgataaaa cttcagaaaa t 401

<210> 178
 <211> 561
 <212> DNA
 <213> Homo sapiens

<400> 178
 acgcctttca aggggtgtaag caaagcactc attgataccc ttttgatgag ctatgaaaca 60
 gcccgctatg ggacaggggt ctttggccag aatgagtacc tacgctatca ggaggccctg 120
 agtgagctgg ccaactgcgtg taaagcacga attgggagct ctacagcgaca tcaccagtca 180
 gcagccaaag acctaaactca gtcccctgag gtctcccca caaccatcca ggtgacatac 240
 ctcccctcca gtcagaagag taaacgtgcc aagcacttcc ttgaattgaa gagctttaag 300
 gataactata acacattgga gagtactctg tgacggagct gaaggactct tggcgtagat 360
 taagccagtc agttgcaatg tgcaagacag gctgcttgcc gggccgccct cggaaacatct 420
 ggcccagcag gccagactg tatccatcca agttcccggt gtatccagag ttcttagagc 480
 ttgtgtctaa agggtaattc cccaaccctt ccttatgagc atttttagaa cattggctaa 540
 gactattttc cccagtagc g 561

<210> 179
 <211> 521
 <212> DNA
 <213> Homo sapiens

<400> 179
 cccaacgcgt ttgcaaatat tcccctggta gcctacttcc ttacccccga atattggtaa 60
 gatcgagcaa tggcttcagg acatgggttc tcttctcctg tgatcattca agtgctcact 120
 gcatgaagac tggcttgtct cagtgtttca acctcaccag ggctgtctct tggccacac 180
 ctgcctccct gttagtgcg tatgacagcc cccatcaaat gacctggcc aagtcacgg 240
 ttctctgtg tcaagggttg ttggtgatt ggtggaaagt aggggtggacc aaaggaggcc 300
 acgtgagcag tcagcaccag ttctgcacca gcagcgcctc cgtcctagt ggtgttctg 360
 tttctcctg ccctgggtg gctagggcct gattcgggaa gatgccttt cagggagggg 420
 aggataagtg ggatctacca attgattctg gcaaaacaat ttctaagatt ttttgcctt 480

atgtgggaaa cagatctaaa tctcatttta tgctgtattt t 521

<210> 180
<211> 417
<212> DNA
<213> Homo sapiens

<400> 180
ggtgggaattc gccgaagatg gcggaggtgc aggtcctggt gcttgatggt cgaggccatc 60
tcctggggccg cctggcgcc atcgtggcta aacagggtact gctggggccg aaggtgggtgg 120
tcgtacgctg tgaaggcatc aacatttctg gcaatttcta cagaaacaag ttgaagtacc 180
tggttttctc ccgcaagcgg atgaacacca acccttccc aggccctac cacttccggg 240
ccccagccg catcttctgg cggaccgtgc gaggtatgct gccccacaaa accaagcgag 300
gccaggccgc tctggaccgt ctcaagggtg ttgacggcat cccaccgcc tacgacaaga 360
aaaagcggat ggtggttctt gctgacctca aggtcgtgcy tctgaagcct acaagaa 417

<210> 181
<211> 283
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (35)
<223> n=A,T,C or G

<400> 181
gatttcttct aaataggatg taaaacttct ttcanattac tcttctcag tcttgctgc 60
caagaactca agtgtaactg tgataaaata acctttccca ggtatatgg caggtatgtg 120
tgtaattctca gaatacacag gtgacataga tatgatatga caactggtaa tgggtggattc 180
atttacattg ttacacttc tatgaccagg ccttaagggg aggtcagttt tttaaaaaac 240
caagtagtgt ctctctacct atctccagat acatgtcaaa aaa 283

<210> 182
<211> 401
<212> DNA
<213> Homo sapiens

<400> 182
atattcttgc tgcttatgca gctgacattg ttgccctccc taaagcaacc aagtagcctt 60
tatttccac agtgaaagaa aacgctggcc tatcagttac attacaaaag gcagatttca 120
agaggattga gtaagtagtt ggatggcttt cataaaaaca agaattcaag aagaggattc 180
atgctttaag aaacatttgt tatacattcc tcacaaatta tacctgggat aaaaactatg 240
tagcagggcag tgtgttttcc ttccatgtct ctctgcacta cctgcagtgt gtcctctgag 300
gctgcaagtc tgcctatct gaattcccag cagaagcact aagaagctcc accctatcac 360
ctagcagata aaactatggg gaaaacttaa atctgtgcat a 401

<210> 183
<211> 366
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (325)

<223> n=A,T,C or G

<400> 183

```
accgtgtcca agttttttaga acccttggtta gccagaccga ggtgtcctgg tcaccgtttc 60
accatcatgc tttgatgttc cctgtctctt ctctcttctg ctctcaagag caaagggttaa 120
tttaaggaca aagatgaagt cactgtaaac taatctgtca ctgtttttac cttccttttc 180
tttttcagtg cagaaattaa aagtaagtat aaagcaccgt gattgggagt gtttttgcgt 240
gtgtcggaat cactggtaaa tgttggctga gaacaatccc tccccctgca cttgtgaaaa 300
cactttgagc gctttaagag attancctga gaaataatta aatatctttt ctcttcaaaa 360
aaaaaa 366
```

<210> 184

<211> 370

<212> DNA

<213> Homo sapiens

<400> 184

```
tcttacttca aaagaaaaat aaacataaaa aataagttgc tggttcctaa caggaaaaat 60
tttaataatt gtactgagag aaactgctta cgtacacatt gcagatcaaa tatttgaggt 120
taaaatgtta gtctacatag atgggtgatt gtaactttat tgccattaaa agatttcaaa 180
ttgcattcat gcttctgtgt acacataatg aaaaatgggc aaataatgaa gatctctcct 240
tcagtctgct ctgtttaatt ctgctgtctg ctcttctcta atgctgcgct cctaattgta 300
cacagtttag tgatatctag gagtataaag ttgtcgccca tcaataaaaa tcacaaagtt 360
ggtttaaaaa 370
```

<210> 185

<211> 107

<212> DNA

<213> Homo sapiens

<400> 185

```
ctcatattat tttccttttg agaaattgga aactctttct gttgctatta tattaataaa 60
gttgggtgtt atttcttggt agtcaccttc cccatttaaa aaaaaaa 107
```

<210> 186

<211> 309

<212> DNA

<213> Homo sapiens

<400> 186

```
gaaaggatgg ctctgggttg cacagagctg ggacttcatg ttcttctaga gagggccaca 60
agagggccac aggggtggcc gggagttgtc agctgatgcc tgctgagagg caggaaattgt 120
gccagtgaat gacagtcatt agggagtgtc tcttcttggg gaggaagaa ggtagagcct 180
ttctgtctga atgaaaggcc aaggctacag tacagggccc cgccccagcc aggggtgtta 240
tgccacgta gtggaggcct ctggcagatc ctgcattcca aggtcactgg actgtacgtt 300
tttatggtt 309
```

<210> 187

<211> 477

<212> DNA

<213> Homo sapiens

<400> 187

```
ttcagtccta gcaagaagcg agaattctga gatcctccag aaagtgcagc agcaccacc 60
tccaacctcg ggccagtgtc ttcaggcttt actggggacc tgcgagctgg cctaattgtg 120
```

```
tggcctgcaa gccaggccat ccctgggagc cacagacgag ctccgagcca ggtcaggctt 180
cggaggccac aagctcagcc tcaggccccc gcactgattg tggcagaggg gccactaccc 240
aaggtctagc taggcccagg acctagttac ccagacagtg agaagcccct ggaaggcaga 300
aaagtgggga gcatggcaga cagggaaggg aaacattttc agggaaaaga catgtatcac 360
atgtcttcag aagcaagtca ggtttcatgt aaccgagtgt cctcttgcgt gtccaaaagt 420
agcccagggc ttagcacag gcttcacagt gattttgtgt tcagccgtga gtcacac 477
```

<210> 188

<211> 220

<212> DNA

<213> Homo sapiens

<400> 188

```
taaatatggt agatattaat attcctctta gatgaccagt gattccaatt gtcccaagtt 60
ttaaataagt accctgtgag tatgagataa attagtgaca atcagaacaa gtttcagtat 120
cagatgttca agaggaagtt gctattgcat tgattttaat atttgtacat aaacactgat 180
ttttttgagc attattttgt atttgtgtga cttaataacc 220
```

<210> 189

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (76)

<223> n=A,T,C or G

<221> unsure

<222> (77)

<223> n=A,T,C or G

<400> 189

```
accatcttga cagaggatac atgctcccaa aacgtttgtt accacactta aaaatcactg 60
ccatcattaa gcatcnnntt caaaattata gccattcatg atttactttt tccagatgac 120
tatcattatt ctagtccctt gaatttgtaa ggggaaaaaa aacaaaaaca aaaacttacg 180
atgcactttt ctccagcaca tcagatttca aattgaaaat taaagacatg ctatggtaat 240
gcacttgcta gtactacaca ctttgtacaa caaaaaacag aggcagaaga caacggaaaag 300
agaaaagcct tcctttgttg gcccttaaac tgagtcaaga tctgaaatgt agagatgatc 360
tctgacgata cctgtatgtt cttattgtgt aaataaaatt gctggtatga aatgaca 417
```

<210> 190

<211> 497

<212> DNA

<213> Homo sapiens

<400> 190

```
gcactgcggc gctctcccgt cccgcggtgg ttgctgctgc tgccgctgct gctgggectg 60
aacgcaggag ctgtcattga ctggcccaca gaggagggca aggaagtatg ggattatgtg 120
acggtccgca aggatgccta catgttcttg tggctctatt atgccaccaa ctcttgcaag 180
aacttctcag aactgcccct ggtcatgttg cttcagggcg gtccaggcgg ttctagcact 240
ggatttggaa actttgagga aattgggccc cttgacagtg atctcaaacc acggaaaacc 300
acctggctcc aggtgccag tctcctattt gtggataatc ccgtgggcac tgggttcagt 360
tatgtgaatg gtatgggtgc ctatgccaaag gacctggcta tgggtggctt agacatgatg 420
gttctcctga agaccttctt cagttgccac aaagaattcc agacagttcc attctacatt 480
ttctcagagt cctatgg 497
```

<210> 191
<211> 175
<212> DNA
<213> Homo sapiens

<400> 191
atgttgaata ttttgcttat taactttggt tattgtcttc tccctcgatt agaataattag 60
ctacttgagt acaaggattt gagcctgtta cattcactgc tgaatttttag gtcctctggaa 120
gatacccgagc attcaataga gaccacacaa taaatatatg tcaataaaaa aaaaa 175

<210> 192
<211> 526
<212> DNA
<213> Homo sapiens

<400> 192
agtaaacatt attatTTTTT ttatatttgc aaaggaaaca tatctaattcc ttccctataga 60
aagaacagta ttgctgtaat tcctttttctt ttcttctca ttctctctgc cctttaaag 120
attgaagaaa gagaaacttg tcaactcata tccacgttat ctacgaaagt acataagaat 180
ctatcactaa gtaatgtatc ctccagaatg tgttggttta ccagtgcacac cccatattca 240
tcacaaaatt aaagcaagaa gtccatagta atttatttgc taatagtggg tttttaatgc 300
tcagagtctc tgaggtcaaa ttttatcttt tcacttacaa gctctatgat cttaaataat 360
ttacttaatg tattttggtg tattttcttc aaattaatat tgggtgtcaa gactatatct 420
aattctctcg atcactttga gaaacaaact tttattaaat gtaaggcact tttctatgaa 480
ttttaaatat aaaaaataat attgttctga ttattactga aaaaaa 526

<210> 193
<211> 552
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (290)
<223> n=A,T,C or G
<221> unsure
<222> (300)
<223> n=A,T,C or G
<221> unsure
<222> (411)
<223> n=A,T,C or G
<221> unsure
<222> (441)
<223> n=A,T,C or G

<400> 193
tccattgtgg tggaattcgc tctctggtaa aggcgtgcag gtgttggccg cggcctctga 60
gctgggatga gcogtgctcc cgggtggaagc aaggagagccc agccggagcc atggccagta 120
cagtggttagc agttggactg accattgctg ctgcaggatt tgcaggccgt tacgttttgc 180
aagccatgaa gcatatggag cctcaagtaa aacaagtttt tcaaagccta ccaaaatctg 240
ccttcagtgg tggctattat agaggtgggt ttgaacccaa aatgacaaan cgggaagcan 300
cattaatact aggtgtaagc cctactgccca ataaaggga aataagagat gctcatcgac 360
gaattatgct tttaaatcat cctgacaaag gaggatctcc ttatatagca nccaaaatca 420
atgaagctaa agatttacta naaggtcaag ctaaaaaatg aagtaaatgt atgatgaatt 480

ttaagttcgt attagtttat gtatatgagt actaagtttt tataataaaa tgcctcagag 540
ctacaatttt aaa 553

<210> 194
<211> 320
<212> DNA
<213> Homo sapiens

<400> 194
cccttcccaa tccatcagta aagaccccat ctgccttgtc catgccgttt cccaacaggg 60
atgtcacttg atatgagaat ctcaaatttc aatgccttat aagcattcct tccgtgtgcc 120
attaagactc tgataattgt ctcccccca taggaatttc tcccaggaaa gaaatatatc 180
cccatctccg ttccatatca gaactaccgt ccccgatatt cccttcagag agattaaaga 240
ccagaaaaaa gtgagcctct tcatctgcac ctgtaatatg ttcagttcct atttctctcc 300
attgacccat atttatacct 320

<210> 195
<211> 320
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (203)
<223> n=A,T,C or G
<221> unsure
<222> (218)
<223> n=A,T,C or G

<400> 195
aagcatgacc tggggaaatg gtcagacctt gtatttgttt ttggccttg aaagtagcaa 60
gtgaccagaa tctgccatgg caacaggctt taaaaaagac ccttaaaaag acactgtctc 120
aactgtggtg ttagcaccag ccagctctct gtacatttgc tagcttgtag ttttctaaga 180
ctgagttaac ttcttatttt tanaaagggg aggcctggntt gtaactttcc ttgtacttaa 240
ttgggtaaaa gtcttttcca caaaccacca tctattttgt gaactttgtt agtcactctt 300
tatttggtaa attatgaact 320

<210> 196
<211> 357
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (36)
<223> n=A,T,C or G

<400> 196
atataaaata atacgaaact ttaaaaagca ttggantgtc agtatgttga atcagtagtt 60
tcactttaac tgtaaacaat ttcttaggac accatttggg ctagtttctg tgtaagtgtg 120
aatactacaa aaacttattt atactgttct tatgtcattt gttatattca tagatttata 180
tgatgatatg acatctgggt aaaaagaaat tattgcaaaa ctaaccacta tgtacttttt 240
tataaatact gtatggacaa aaaatggcat tttttatatt aaattgttta gctctggcaa 300
aaaaaaaaa ttttaagagc tgggtactaat aaaggattat tatgactgtt aaaaaaa 357

<210> 197
<211> 565
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (27)
<223> n=A,T,C or G

<400> 197
tcagctgagt accatcagga tatttanccc ttttaagtgt gttttgggag tagaaaacta 60
aagcaacaat acttcctctt gacagctttg attggaatgg ggttattaga tcattcacct 120
tggtcctaca ctttttagga tgcttggtga acataacacc acttataatg aacatccctg 180
gttcctatat tttgggctat gtgggtagga attgttactt gttactgcag cagcagccct 240
agaaagtaag cccagggctt cagatctaag ttagtccaaa agctaaatga tttaaagtca 300
agttgtaatg ctaggcataa gcactctata atacattaaa ttataggcgg agcaattagg 360
gaatgtttct gaaacattaa acttgtattt atgtcactaa aattctaaca caaacttaaa 420
aaatgtgtct catcacatat ctgtactagg cttcatcatg catttctaaa tttgtgtatg 480
atattgaatat atgaaagaat ttatacaaga gtgttattta aaattattaa aaataaatgt 540
atataatttg tacctattgt aaaaa 565

<210> 198
<211> 484
<212> DNA
<213> Homo sapiens

<400> 198
tatgtaagta ttggtgtctg ctttaaaaaa ggagaccag acttcacctg tcctttttta 60
acatttgaga acagtgttac tctgagcagt tgggccacct tcaccttacc cgacagctga 120
ctgttgatg tgtccattgt cgcagtttg gctgttgccc ggacaggaca ggacctccat 180
tggtcgagc agcaggtggc aggggtgtgg cttgaggtgg gtggcagcgt ctggctctcc 240
tctctgtgct tttctgagag ggtctctaaa gcagagtgtg gttggcctgg gggaaggcag 300
agcacgtatt tctccctctt agtacctctg catttgtgag tgttccctct ggctttctga 360
agggcagcag actcttgagt atactgcaga ggacatgctt tatcagtagg tcctgagggc 420
tccaggggct caactgacca agtaacacag aagttggggg atgtggccta tttgggtcgg 480
aaac 484

<210> 199
<211> 429
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (77)
<223> n=A,T,C or G
<221> unsure
<222> (88)
<223> n=A,T,C or G
<221> unsure
<222> (134)
<223> n=A,T,C or G
<221> unsure
<222> (151)

<223> n=A,T,C or G
<221> unsure
<222> (189)
<223> n=A,T,C or G
<221> unsure
<222> (227)
<223> n=A,T,C or G
<221> unsure
<222> (274)
<223> n=A,T,C or G
<221> unsure
<222> (319)
<223> n=A,T,C or G

<400> 199
gcttatgttt tttgttttaa cttttgtttt ttaacattta gaatattaca ttttgtatta 60
tacagtacct ttctcanaca ttttgtanaa ttcatttcgg cagctcacta ggattttgct 120
gaacattaaa aagngtgata gcgatattag ngccaatcaa atggaaaaaa ggtagtctta 180
ataaacaana cacaacgttt ttatacaaca tactttaaaa tattaanaaa actccttaat 240
attgtttcct attaaagtatt attccttggg caanattttc tgatgctttt gattttctct 300
caatttagca tttgctttng gtttttttct ctatttagca ttctgttaag gcacaaaaac 360
tatgtactgt atgggaaatg ttgtaaatat taccttttcc acatttttaa cagacaactt 420
tgaatccaa 429

<210> 200
<211> 279
<212> DNA
<213> Homo sapiens

<400> 200
gcttttttga ggaattacag ggaagctcct ggaattgtac atggatatct ttatccctag 60
ggggaaatca aggaagctggg caccctaat tctttatgga agtgtttaaa actattttta 120
ttttattaca agtattacta gagtagtggg tctactctaa gatttcataa gtgcatttaa 180
aatcatacat gttcccgctt gcaaatatat tgttattttg gtggagaaaa aaatagtata 240
ttctacataa aaaattaaag atattaacta agaaaaaaa 279

<210> 201
<211> 569
<212> DNA
<213> Homo sapiens

<400> 201
taggtcagta ttttttagaa ctcttaatag ctcatactct tgataccaaa agcagccctg 60
attgttaaag cacacacctg cacaagaagc agtgatgggt gcattttacat ttcttgggtg 120
cacaaaaaaa aattcttcaa aagcaaggac ttacgctttt tgcaaacctt ttgagaagtt 180
actggatcat aggaagctta taacaagaat ggaagattct taaataactc actttctttg 240
gtatccagta acagtagatg ttcaaaatat gtagctgatt aataccagca ttgtgaacgc 300
tgtacaacct tgtggttatt actaagcaag ttactactag cttctgaaaa gtagcttcat 360
aattaatggt atttatacac tgccttccat gacttttact ttgccctaag ctaatctcca 420
aaatctgaaa tgctactcca atatcagaaa aaaaggggga ggtggaatta tatttcctgt 480
gattttaaga gtacagagaa tcatgcacat ctctgattag ttcatatatg tctagtgtgt 540
aataaaagtc aaagatgaac tctcaaaaa 569

<210> 202
<211> 501

<212> DNA
<213> Homo sapiens

<400> 202
attaataggc ttaataattg ttggcaagga tccttttgc tcttttggca tgcaagctcc 60
tagcatctgg cagtggggcc aagaaaataa ggtttatgca tgtatgatgg ttttcttctt 120
gagcaacatg attgagaacc agtgtatgtc aacagggtgca tttgagataa ctttaaatga 180
tgtacctgtg tggctctaagc tggaaatctgg tcaccttcca tccatgcaac aacttgttca 240
aattcttgac aatgaaatga agctcaatgt gcatatggat tcaatccac accatcgatc 300
atagcaccac ctatcagcac tgaaaactct tttgcattaa gggatcattg caagagcagc 360
gtgactgaca ttatgaaggc ctgtactgaa gacagcaagc tgttagtaca gaccagatgc 420
tttcttggca ggctcggtgt acctcttggg aaacctcaat gcaagatagt gtttcagtgc 480
tggcatattt tggaaattctg c 501

<210> 203
<211> 261
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (36)
<223> n=A,T,C or G
<221> unsure
<222> (96)
<223> n=A,T,C or G

<400> 203
gacaagctcc tggctctgag atgtcttctc gttaangaga tgggcctttt ggaggtaaag 60
gataaaatga atgagttctg tcatgattca ctattntata acttgcata cctttactgt 120
gttagctctt tgaatgttct tgaaatttta gactttcttt gtaaacaaat gatatgtcct 180
tatcattgta taaaagctgt tatgtgcaac agtgtggaga ttccttgtct gatattaataa 240
aatacttaaa cactgaaaaa a 261

<210> 204
<211> 421
<212> DNA
<213> Homo sapiens

<400> 204
agcatctttt ctacaacgtt aaaattgcag aagtagctta tcattaaaaa acaacaacaa 60
caacaataac aataaatcct aagtgtaaat cagttattct accccctacc aaggatatca 120
gcctgttttt tccctttttt ctccctggga taattgtggg cttcttccca aatttctaca 180
gcctctttcc tcttctcatg cttgagcttc cctgtttgca cgcattcggtg tgcaggactg 240
gcttggtgtc ttggactcgg ctccaggtgg aagcatgctt tcccttggtt ctggtggaga 300
aactcaaac ttcaagcctt aggtgtagcc attttgtcaa gtcaccaact gtatttttgt 360
actggcatta acaaaaaaag aagataaaat attgtaccat taaactttaa taaaacttta 420
a 421

<210> 205
<211> 460
<212> DNA
<213> Homo sapiens

<400> 205

tactctcaca atgaaggacc tggaaatgaaa aatctgtgtc taaacaagtc ctcttttagat 60
tttagtgcaa atccagagcc agcgtcgggt gcctcgagta attctttcat gggtagcttt 120
ggaaaagctc tcaggagacc tcacctagat gcctattcaa gctttggaca gccatcagat 180
tgtcagccaa gagcctttta ttgaaagct cttcttccc cagacttggg ctctgggtca 240
gaggaagatg ggaaagaaag gacagatttt caggaagaaa atcacatttg taccctttaa 300
cagactttag aaaactacag gactccaaat tttcagtcct atgacttggg cacatagact 360
gaatgagacc aaaggaaaag cttaacatac taccctcaagg tgaactttta tttaaaagag 420
agagaatctt atgtttttta aatggagtta tgaattttta 460

<210> 206

<211> 481

<212> DNA

<213> Homo sapiens

<400> 206

tgtggtggaa ttccgggacgc cccagacccc tgacttttct ctgcgtgggc cgtctcctcc 60
tgcggaagca gtgacctctg acccctgggtg accttcgctt tgagtgcctt ttgaacgctg 120
gtcccgccgg acttggtttt ctcaagctct gtctgtccaa agacgctccg gtcgagggtc 180
cgcttgccct ggggtggatac ttgaacccca gacgcccctc tgtgctgctg tgtccggagg 240
cgcccttccc atctgcctgc ccacccggag ctctttccgc cggcgagggg tcccaagccc 300
acctcccccc ctacgtcctg cgggtgtgct ctggggcact cctgcacaca caatgcaagt 360
cctggcctcc gcgcccgcgc gccacgcga gccgtaccgg ccgccaactc tgttatttat 420
gggttgaccc cctggagggtg ccctcggccc accggggcta tttattgttt aatttatttg 480
t 481

<210> 207

<211> 605

<212> DNA

<213> Homo sapiens

<400> 207

accttttttg gattcagggc tcctcacaat taaaatgagt gtaatgaaac aagggtgaaa 60
tatagaagca tcccttttga tactgttttg ctacttacag tgtacttggc attgctttat 120
ctcactggat tctcacggta ggatttctga gatcttaac taagctccaa agttgtctac 180
ttttttgatc ctagggtgct ccttttgttt tacagagcag ggtcacttga tttgctagct 240
ggtggcagaa ttggcaccat taccagggtc tgactgacca ccagtcagag gcactttatt 300
tgtatcatga aatgatttga aatcatttga aagcagcgaa gtctgataat gaatgccagc 360
tttccttgtg ctttgataac aaagactcca aatattcttg agaacttggg taaaagtgtg 420
aagggctaga ttgggatttg aagacaaaat tgtaggaaat cttacatttt tgcaataaca 480
aacattaatg aaagcaaac attataaaag taattttat tcaccacata cttatcaatt 540
tcttgatgct tccaaatgac atctaccaga tatggttttg tggacatctt tttctgttta 600
cataa 605

<210> 208

<211> 655

<212> DNA

<213> Homo sapiens

<400> 208

ggcgttgttc tggattcccg tcgtaactta aagggaact ttcacaatgt ccggagccct 60
tgatgtcctg caaatgaagg aggaggatgt ccttaagtgc cttgcagcag gaaccactt 120
agggtggacc aatcttgact tccagatgga acagtacatc tataaaagga aaagtgtatg 180
catctatata ataatctca agaggacctg ggagaagctt ctgctggcag ctggtgcaat 240
tgttgccatt gaaaacctcg ctgatgtcag tgttatatcc tccaggaata ctggccagag 300
ggctgtgctg aagtttgctg ctgccactgg agccactcca attgctggcc gcttactcc 360

```
tggaaaccttc actaaccaga tccaggcagc cttccgggag ccacggcttc ttgtggttac 420
tgaccccgagg gctgaccacc agcctctcac ggaggcatct tatgttaacc tacctaccat 480
tgcgctgtgt aacacagatt ctctctgcg ctatgtggac attgccatcc catgcaacaa 540
caaggaggct cactcagtgg gtttgatgtg gtggatgctg gctcgggaag ttctgcgcac 600
gcgtggcacc atttcccggtg aacacccatg ggaggtcacg cctgatctgt acttc 655
```

<210> 209

<211> 621

<212> DNA

<213> Homo sapiens

<400> 209

```
catttagaac atggttatca tccaagacta ctctaccctg caacattgaa ctcccaagag 60
caaatccaca ttctctctga gttctgcagc ttctgtgtaa atagggcagc tgcgtcttat 120
gccgtagaat cacatgatct gaggaccatt catggaagct gctaaatagc ctagtctggg 180
gagtcttcca taaagttttg catggagcaa acaaacagga ttaaaactagg ttgtgttctt 240
tcagccctct aaaagcatag ggcttagcct gcaggcttcc ttgggcttcc tctgtgtgtg 300
tagttttgta aacactatag catctgttaa gatccagtgt ccatggaaac cttcccat 360
gccgtgactc tggactatat cagtttttgg aaagcagggg tcctctgcct gctaaacaagc 420
ccacgtggac cagtctgaat gtctttcctt tacacctatg tttttaaata gtcaaaacttc 480
aagaaacaat ctaaacaggt ttctgttgca tatgtgtttg tgaacttgta ttgtatttta 540
gtaggcttct atattgcatt taacttgtt ttgtaactcc tgattcttcc ttttcggata 600
ctattgatga ataaagaaat t 621
```

<210> 210

<211> 533

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (20)

<223> n=A,T,C or G

<221> unsure

<222> (21)

<223> n=A,T,C or G

<221> unsure

<222> (61)

<223> n=A,T,C or G

<400> 210

```
cgcttgggg agccggcggn ngagtccggg acgtggagac ccgggggtccc ggcagccggg 60
nggcccgcgg gcccgagggt gggatgcacc gccgcggggg gggagctggc gccatcgcca 120
agaagaaact tgcagaggcc aagtataagg agcgaggagc ggtcttggtc gaggaccagc 180
tagcccagat gtcaaagcag ttggacatgt tcaagaccaa cctggaggaa ttgcccagca 240
aacacaagca ggagatccgg aagaatcctg agttccgtgt gcagttccag gacatgtgtg 300
caaccattgg cgtggatccg ctggcctctg gaaaaggatt ttggtctgag atgctgggag 360
tggggggact ctattacgaa ctagggtgcc aaattatcga agtgtgcctg gcgctgaagc 420
atcggaatgg aggtctgata actttggagg aactacatca acaggtgttg aagggaaggg 480
gcaagttcgc ccaggatgtc agtcaagatg acctgatcag agccatcaag aaa 533
```

<210> 211

<211> 451

<212> DNA

<213> Homo sapiens

```

<400> 211
ttagcttgag ccgagaacga ggcgagaaag ctggagaccg aggagaccgc ctagagcgga 60
gtgaacgggg aggggaccgc ggggacoggc ttgatcgtgc gcggacacct gctaccaagc 120
ggagcttcag caagggaagtg gaggagcgga gttagagaacg gccctcccag cctgaggggc 180
tcgcgaaggc agctagcctc acggaggatc gggaccgtgg gcgggatgcc gtgaagcgag 240
aagctgcctt acccccagtg agccccctga aggcggctct ctctgaggag gagttagaga 300
agaaatccaa ggctatcatt gaggaatatc tccatctcaa tgacatgaaa gaggcagtc 360
agtgcgtgca ggagctggcc tcacctcctt tgctcttcat ctttgtacgg catggtgtcg 420
agtctacgct ggagcgcgagt gccattgctc g 451

```

```

<210> 212
<211> 471
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> unsure
<222> (54)
<223> n=A,T,C or G

```

```

<400> 212
gtgattatc ttgatcaggg agaagatcat ttagatttgt ttgcattcc ttanaatgga 60
gggcaacatt ccacagctgc cctggctgtg atgagtgtcc ttgcaggggc cggagtagga 120
gcactggggg gggggcgga ttggggttac tcgatgtaag ggattccttg ttgttgtgtt 180
gagatccagt gcagttgtga tttctgtgga tcccagcttg gttccaggaa ttttgtgtga 240
ttggcttaaa tcagttttc aatcttcgac agctgggctg gaacgtgaac tcagtagctg 300
aacctgtctg acccggtcac gttcttggat cctcagaact ctttgcctct gtcgggggtg 360
gggtggggaac tcacgtgggg agcgggtggc gagaaaatgt aaggattctg gaatacatat 420
tccatgggac tttccttccc tctcctgctt cctcttttcc tgctccctaa c 471

```

```

<210> 213
<211> 511
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> unsure
<222> (27)
<223> n=A,T,C or G
<221> unsure
<222> (63)
<223> n=A,T,C or G
<221> unsure
<222> (337)
<223> n=A,T,C or G
<221> unsure
<222> (442)
<223> n=A,T,C or G

```

```

<400> 213
ctaattagaa acttgctgta ctttttnttt tcttttaggg gtcaaggacc ctctttatag 60
ctnccatttg cctacaataa attattgcag cagtttgcaa tactaaaaata ttttttatag 120
actttatatt ttcccttttg ataaagggat gctgcatagt agagttggtg taattaaact 180
atctcagccg ttccctgctt ttcccttctg ctccatagc ctcatgtgc ttccaggag 240

```

```
ctcttttaaat cttaaagttc tacatttcac gctcttagtc aaattctggt accctttttaa 300
taactcttcc cactgcataat ttccatcttg aattggnggt tctaaattct gaaactgtag 360
ttgagataca gctatttaaat atttctggga gatgtgcac cctcttcttt gtggttgccc 420
aagggtgttt tgcgtaactg anactccttg atatgcttca gagaatttag gcaaacactg 480
gccatggccg tgggagtact gggagtaaaa t 511
```

<210> 214

<211> 521

<212> DNA

<213> Homo sapiens

<400> 214

```
agcattgccca aataatccct aattttccac taaaaatata atgaaatgat gttaagcttt 60
ttgaaaagtt taggttaaac ctactgttgt tagattaatg tatttggtgc ttccctttat 120
ctggaatgtg gcattagctt ttttatttta accctcttta attcttattc aattccatga 180
cttaagggtg gagagctaaa cactgggatt tttggataac agactgcacg ttttgcataa 240
ttataatcgg cattgtacat agaaaggata tggctacctt ttgttaaate tgcactttct 300
aaatatcaaa aaagggaat gaagtataaa tcaatttttg tataatctgt ttgaaacatg 360
agtttttatt gcttaatat agggctttgc ccctttcttg taagtctctt gggatcctgt 420
gtagaagctg ttctcattaa acaccaaaca gttaagtcca ttctctggta ctagctacaa 480
attcggtttc atattctact taacaattta aataaactga a 521
```

<210> 215

<211> 381

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (17)

<223> n=A,T,C or G

<221> unsure

<222> (20)

<223> n=A,T,C or G

<221> unsure

<222> (60)

<223> n=A,T,C or G

<221> unsure

<222> (61)

<223> n=A,T,C or G

<221> unsure

<222> (365)

<223> n=A,T,C or G

<400> 215

```
gagcggagag cggaccngtn agagccctga gcagcccccac cgccgcgcgc ggcctagttn 60
ncatcacacc ccgggaggag ccgcagctgc cgagccggc cccagtcacc atcacgcgaa 120
ccatgagcag cyaggccgag acccagcagc cgccgcgcgc ccccccgcgc gccccgcgcc 180
tcagcgccgc cgacaccaag cccggcacta cgggcagcgg cgcaggggagc ggtggcccg 240
gcggcctcac atcggcggcg cctgccggcg gggacaagaa ggtcatcgca acgaagggtt 300
tggaacagat aaaatgggtc aatgtaagga acggatatgg ttcatcaac aggaatgaca 360
ccaangaaga tgtatttgta c 381
```

<210> 216

<211> 425

<212> DNA
<213> Homo sapiens

<400> 216
ttactaacta ggtcattcaa ggaagtcaag ttaacttaaa catgtcacct aaatgcactt 60
gatgggtgttg aaatgtccac ctctcttaaat ttttaagatg aacttagttc taaagaagat 120
aacaggccaa tcctgaagggt actcctgtt tgctgcagaa tgctagatat ttggatgtt 180
gcataagagt cctatttgcc ccagttaatt caacttttgt ctgcctgttt tgggactgg 240
ctggctctgt tagaactctg tccaaaaagt gcatggaata taacttgtaa agcttccac 300
aattgacaat atatatgcat gtgtttaaac caaatccaga aagcttaaac aatagagctg 360
cataatagta ttatttaaag aatcacaact gtaaacatga gaataactta aggattctag 420
ttag 425

<210> 217
<211> 181
<212> DNA
<213> Homo sapiens

<400> 217
gagaaaccaa atgataggtt gtagagcctg atgactccaa acaaagccat cccccgatt 60
cttctctctt cttctgtgct tacagctcca agggcccttc accttcattg ctgaaatgga 120
accttggcctt tttcagtggg agaatatgtt gaagggttca ttttgttcta gaaaaaaaaa 180
a 181

<210> 218
<211> 405
<212> DNA
<213> Homo sapiens

<400> 218
caggccttcc agttcaactga caaacatggg gaagtgtgcc cagctggctg gaaacctggc 60
agtataacca tcaagcctga tgtccaaaag agcaagaat atttctccaa gcagaagtga 120
gcgctgggct gtttttagtgc caggctgctg tgggcagcca tgagaacaaa acctcttctg 180
tatttttttt ttccattagt aaaacacaag acttcagatt cagccgaatt gtggtgtctt 240
acaaggcagg cctttcctac aggggggtgga gagaccagcc tttcttcctt tggtaggaat 300
ggcctgagtt ggcgtgtgtg gcaggctact ggtrtgtatg atgtattagt agagcaaccc 360
attaatcttt ttagtattgt attaaacttg aactgagaaa aaaaa 405

<210> 219
<211> 216
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (207)
<223> n=A,T,C or G
<221> unsure
<222> (210)
<223> n=A,T,C or G

<400> 219
actccaagag ttagggcagc agagtggagc gatttagaaa gaacatttta aaacaatcag 60
ttaatttacc atgtaaaatt gctgtaaaatg ataattgtgt cagattttct gttcaaatat 120
tcaattgtaa acttcttgtt aagactgtta cgttcttatt gcttttctat gggatattgc 180

aaaaataaaa aggaaagaac cctcttnaan aaaaaa

216

<210> 220

<211> 380

<212> DNA

<213> Homo sapiens

<400> 220

```
cttacaaatt gcccccatgt gtaggggaca cagaaccctt tgagaaaact tagatttttg 60
tctgtacaaa gtctttgect ttttccttct tcatcttttt ccagtagatt aaatttgta 120
atctcatctt tgagggaac tgattagatg gggttggttt gtgttctgat ggagaaaaca 180
gcacccaag gactcagaag atgattttta cagttcagaa cagatgtgtg caatattggt 240
gcatgtaata atgttgagtg gcagtcaaaa gtcattgatt ttatcttagt tcttcattac 300
tgcatgaaa aggaaaacct gtctgagaaa atgcctgaca gtttaattta aaactatggt 360
gtaagtcttt gacaaaaaaa 380
```

<210> 221

<211> 398

<212> DNA

<213> Homo sapiens

<400> 221

```
ggttagtaag ctgtcgactt tgtaaaaaag ttaaaaatga aaaaaaagg aaaaatgaat 60
tgtatattta atgaatgaac atgtacaatt tgccactggg aggaggttcc tttttgttg 120
gtgagtcctg aagtgaattt cactgatgtt gatattcatt gtgtgtagtt ttatttcggt 180
cccagccccc tttcctttta ttttgagct aatgccagct gcgtgtctag ttttgagtc 240
agtaaaatag aatcagcaaa tcaactctat ttttcaccc tttccggtat tttttgggt 300
gtttctgtgg gacgagtgta caccaactct tcctgtatat tgcctttttg ctggaaaatg 360
ttgtatgttg aataaaattt tctataaaaa ttaaaaaa 398
```

<210> 222

<211> 301

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (49)

<223> n=A,T,C or G

<221> unsure

<222> (64)

<223> n=A,T,C or G

<400> 222

```
ttcgataatt gatctcatgg gctttccctg gaggaagggt tttttttgnt gtttattttt 60
taanaacttg aaacttgtaa actgagatgt ctgtagcttt ttgcccac tgtagtgat 120
gtgaagattt caaaacctga gagcactttt tctttgttta gaattatgag aaaggcacta 180
gatgacttta ggatttgcat ttttcccttt attgcctcat ttcttgtgac gcottgttg 240
ggagggaat ctgtttattt tttcctacaa ataaaaagct aagattctat atcgcaaaa 300
a 301
```

<210> 223

<211> 200

<212> DNA

<213> Homo sapiens

<400> 223
 gtaagtgttt aggaagaaac ttgcaaaca tttaatgagg atacactgtt cattttttaa 60
 attccttcac actgtaattt aatgtgtttt atattctttt gtagtaaaac aacataactc 120
 agattttctac aggagacagt ggttttattt ggattgtctt ctgtaatagg tttcaataaa 180
 gctggatgaa cttaaaaaaa 200

<210> 224
 <211> 385
 <212> DNA
 <213> Homo sapiens

<400> 224
 gaaaggtttg atccggactc aaagaaagca aaggagtgtg agccgccatc tgctggagca 60
 gctgtaactg caagacctgg acaagagatt cgtcagcgaa ctgcagctca aagaaacctt 120
 tctccaacac cagcaagccc taaccagggc cctctctcac aagttccagt atctcctgga 180
 ccaccaagg acagttctgc ccctgggtgga cccccagaaa ggactgttac tccagcccta 240
 tcatcaaatg tgttaccag acatcttggga tccccgtcta cttcagtgcc tggaaatgggt 300
 aaacagagca cttaatgtta ttacagttt atattgtttt ctctgggtac caataaaacg 360
 ggccattttc aggtggtaaa aaaaa 385

<210> 225
 <211> 560
 <212> PRT
 <213> Homo sapien

<400> 225
 Met Glu Cys Leu Tyr Tyr Phe Leu Gly Phe Leu Leu Leu Ala Ala Arg
 1 5 10 15
 Leu Pro Leu Asp Ala Ala Lys Arg Phe His Asp Val Leu Gly Asn Glu
 20 25 30
 Arg Pro Ser Ala Tyr Met Arg Glu His Asn Gln Leu Asn Gly Trp Ser
 35 40 45
 Ser Asp Glu Asn Asp Trp Asn Glu Lys Leu Tyr Pro Val Trp Lys Arg
 50 55 60
 Gly Asp Met Arg Trp Lys Asn Ser Trp Lys Gly Gly Arg Val Gln Ala
 65 70 75 80
 Val Leu Thr Ser Asp Ser Pro Ala Leu Val Gly Ser Asn Ile Thr Phe
 85 90 95
 Ala Val Asn Leu Ile Phe Pro Arg Cys Gln Lys Glu Asp Ala Asn Gly
 100 105 110
 Asn Ile Val Tyr Glu Lys Asn Cys Arg Asn Glu Ala Gly Leu Ser Ala
 115 120 125
 Asp Pro Tyr Val Tyr Asn Trp Thr Ala Trp Ser Glu Asp Ser Asp Gly
 130 135 140
 Glu Asn Gly Thr Gly Gln Ser His His Asn Val Phe Pro Asp Gly Lys
 145 150 155 160
 Pro Phe Pro His His Pro Gly Trp Arg Arg Trp Asn Phe Ile Tyr Val
 165 170 175
 Phe His Thr Leu Gly Gln Tyr Phe Gln Lys Leu Gly Arg Cys Ser Val
 180 185 190
 Arg Val Ser Val Asn Thr Ala Asn Val Thr Leu Gly Pro Gln Leu Met
 195 200 205
 Glu Val Thr Val Tyr Arg Arg His Gly Arg Ala Tyr Val Pro Ile Ala

```

      210      215      220
Gln Val Lys Asp Val Tyr Val Val Thr Asp Gln Ile Pro Val Phe Val
225      230      235      240
Thr Met Phe Gln Lys Asn Asp Arg Asn Ser Ser Asp Glu Thr Phe Leu
      245      250      255
Lys Asp Leu Pro Ile Met Phe Asp Val Leu Ile His Asp Pro Ser His
      260      265      270
Phe Leu Asn Tyr Ser Thr Ile Asn Tyr Lys Trp Ser Phe Gly Asp Asn
      275      280      285
Thr Gly Leu Phe Val Ser Thr Asn His Thr Val Asn His Thr Tyr Val
      290      295      300
Leu Asn Gly Thr Phe Ser Leu Asn Leu Thr Val Lys Ala Ala Ala Pro
305      310      315      320
Gly Pro Cys Pro Pro Pro Pro Pro Pro Arg Pro Ser Lys Pro Thr
      325      330      335
Pro Ser Leu Gly Pro Ala Gly Asp Asn Pro Leu Glu Leu Ser Arg Ile
      340      345      350
Pro Asp Glu Asn Cys Gln Ile Asn Arg Tyr Gly His Phe Gln Ala Thr
      355      360      365
Ile Thr Ile Val Glu Gly Ile Leu Glu Val Asn Ile Ile Gln Met Thr
      370      375      380
Asp Val Leu Met Pro Val Pro Trp Pro Glu Ser Ser Leu Ile Asp Phe
385      390      395      400
Val Val Thr Cys Gln Gly Ser Ile Pro Thr Glu Val Cys Thr Ile Ile
      405      410      415
Ser Asp Pro Thr Cys Glu Ile Thr Gln Asn Thr Val Cys Ser Pro Val
      420      425      430
Asp Val Asp Glu Met Cys Leu Leu Thr Val Arg Arg Thr Phe Asn Gly
      435      440      445
Ser Gly Thr Tyr Cys Val Asn Leu Thr Leu Gly Asp Asp Thr Ser Leu
      450      455      460
Ala Leu Thr Ser Thr Leu Ile Ser Val Pro Asp Arg Asp Pro Ala Ser
465      470      475      480
Pro Leu Arg Met Ala Asn Ser Ala Leu Ile Ser Val Gly Cys Leu Ala
      485      490      495
Ile Phe Val Thr Val Ile Ser Leu Leu Val Tyr Lys Lys His Lys Glu
      500      505      510
Tyr Asn Pro Ile Glu Asn Ser Pro Gly Asn Val Val Arg Ser Lys Gly
      515      520      525
Leu Ser Val Phe Leu Asn Arg Ala Lys Ala Val Phe Phe Pro Gly Asn
      530      535      540
Gln Glu Lys Asp Pro Leu Lys Asn Gln Glu Phe Lys Gly Val Ser
545      550      555      560

```

<210> 226

<211> 9

<212> PRT

<213> Homo sapien

<400> 226

Ile Leu Ile Pro Ala Thr Trp Lys Ala

1

5

<210> 227

<211> 9

<212> PRT
<213> Homo sapien
<400> 227
Phe Leu Leu Asn Asp Asn Leu Thr Ala
1 5
<210> 228
<211> 9
<212> PRT
<213> Homo sapien
<400> 228
Leu Leu Gly Asn Cys Leu Pro Thr Val
1 5
<210> 229
<211> 10
<212> PRT
<213> Homo sapien
<400> 229
Lys Leu Leu Gly Asn Cys Leu Pro Thr Val
1 5 10
<210> 230
<211> 10
<212> PRT
<213> Homo sapien
<400> 230
Arg Leu Thr Gly Gly Leu Lys Phe Phe Val
1 5 10
<210> 231
<211> 9
<212> PRT
<213> Homo sapien
<400> 231
Ser Leu Gln Ala Leu Lys Val Thr Val
1 5
<210> 232
<211> 20
<212> PRT
<213> Homo sapiens
<400> 232
Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr Ser Arg Tyr Phe
5 10 15
Phe Ser Phe Ala
20

<210> 233
<211> 21
<212> PRT
<213> Homo sapiens

<400> 233
Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys Val His Val
 5 10 15
Asn His Ser Pro Ser
 20

<210> 234
<211> 20
<212> PRT
<213> Homo sapiens

<400> 234
Phe Leu Val Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe
 5 10 15
Asp Pro Asp Gly
 20

<210> 235
<211> 20
<212> PRT
<213> Homo sapiens

<400> 235
Leu Gln Ser Ala Val Ser Asn Ile Ala Gln Ala Pro Leu Phe Ile Pro
 5 10 15
Pro Asn Ser Asp
 20

<210> 236
<211> 20
<212> PRT
<213> Homo sapiens

<400> 236
Ile Gln Asp Asp Phe Asn Asn Ala Ile Leu Val Asn Thr Ser Lys Arg
 5 10 15
Asn Pro Gln Gln
 20

<210> 237

<211> 21
<212> PRT
<213> Homo sapiens

<400> 237
Arg Asn Ser Leu Gln Ser Ala Val Ser Asn Ile Ala Gln Ala Pro Leu
5 10 15

Phe Ile Pro Pro Asn
20

<210> 238
<211> 20
<212> PRT
<213> Homo sapiens

<400> 238
Thr His Glu Ser His Arg Ile Tyr Val Ala Ile Arg Ala Met Asp Arg
5 10 15

Asn Ser Leu Gln
20

<210> 239
<211> 20
<212> PRT
<213> Homo sapiens

<400> 239
Arg Asn Pro Gln Gln Ala Gly Ile Arg Glu Ile Phe Thr Phe Ser Pro
5 10 15

Gln Ile Ser Thr
20

<210> 240
<211> 21
<212> PRT
<213> Homo sapiens

<400> 240
Gly Gln Ala Thr Ser Tyr Glu Ile Arg Met Ser Lys Ser Leu Gln Asn
5 10 15

Ile Gln Asp Asp Phe
20

<210> 241
<211> 20
<212> PRT
<213> Homo sapiens

<400> 241
Glu Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser
5 10 15

Val Leu Gly Val
20

<210> 242
<211> 20
<212> PRT
<213> Homo sapiens

<400> 242
Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn Ile
5 10 15

Gln Met Asn Ala
20

<210> 243
<211> 20
<212> PRT
<213> Homo sapiens

<400> 243
Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile Pro Gly
5 10 15

Ser His Ala Met
20

<210> 244
<211> 20
<212> PRT
<213> Homo sapiens

<400> 244
Ala Val Pro Pro Ala Thr Val Glu Ala Phe Val Glu Arg Asp Ser Leu
5 10 15

His Phe Pro His
20

<210> 245
<211> 20
<212> PRT
<213> Homo sapiens

<400> 245
Lys Pro Gly His Trp Thr Tyr Thr Leu Asn Asn Thr His His Ser Leu

5 10 15
Gln Ala Leu Lys
20

<210> 246
<211> 20
<212> PRT
<213> Homo sapiens

<400> 246
Asn Leu Thr Phe Arg Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys
5 10 15
Pro Gly His Trp
20

<210> 247
<211> 20
<212> PRT
<213> Homo sapiens

<400> 247
Leu His Phe Pro His Pro Val Met Ile Tyr Ala Asn Val Lys Gln Gly
5 10 15
Phe Tyr Pro Ile
20

<210> 248
<211> 20
<212> PRT
<213> Homo sapiens

<400> 248
Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu Leu Asp Asp Gly Ala
5 10 15
Gly Ala Asp Val
20

<210> 249
<211> 20
<212> PRT
<213> Homo sapiens

<400> 249
Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val Thr Ala Thr Val Glu Pro
5 10 15
Glu Thr Gly Asp

20

<210> 250
 <211> 20
 <212> PRT
 <213> Homo sapiens

<400> 250
 Phe Asp Pro Asp Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn
 5 10 15

Leu Thr Phe Arg
 20

<210> 251
 <211> 20
 <212> PRT
 <213> Homo sapiens

<400> 251
 Leu Gln Ala Leu Lys Val Thr Val Thr Ser Arg Ala Ser Asn Ser Ala
 5 10 15

Val Pro Pro Ala
 20

<210> 252
 <211> 153
 <212> PRT
 <213> Homo sapien

<400> 252
 Met Ala Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Ile Thr
 85 90 95
 Pro Glu Ala Phe Glu Lys Leu Gly Phe Pro Ala Ala Lys Glu Ile Ala
 100 105 110
 Asn Met Cys Arg Phe Tyr Glu Met Lys Pro Asp Arg Asp Val Asn Leu
 115 120 125
 Thr His Gln Leu Asn Pro Lys Val Lys Ser Phe Ser Gln Phe Ile Ser
 130 135 140
 Glu Asn Gln Gly Ala Phe Lys Gly Met
 145 150

<210> 253
 <211> 462
 <212> DNA
 <213> Homo sapien

<400> 253
 atggccagtg tccgcgtggc ggcctacttt gaaaactttc tcgcgccgtg gcggcccggtg 60
 aaagcctctg atggagatta ctacaccttg gctgtaccga tgggagatgt accaatggat 120
 ggtatctctg ttgctgatat tggagcagcc gtctctagca tttttaattc tccagaggaa 180
 tttttaggca aggccgtggg gctcagtgca gaagcactaa caatacagca atatgctgat 240
 gttttgtcca aggccttggg gaaagaagtc cgagatgcaa agattacccc ggaagctttc 300
 gagaagctgg gattccctgc agcaaaggaa atagccaata tgtgtcgttt ctatgaaatg 360
 aagccagacc gagatgtcaa tctcaccac caactaaatc ccaaagtc aaagcttcagc 420
 cagtttatct cagagaacca gggagccttc aaggcatgt ag 462

<210> 254
 <211> 8031
 <212> DNA
 <213> Homo sapien

<400> 254
 tggcgaatgg gacgcgccct gtagcggcgc attaagcgcg gcgggtgtgg tggttacgcg 60
 cagcgtgacc gctacacttg ccagcgccct agcgcgccgt cctttcgctt tcttcccttc 120
 ctttctcgcc acgttcgccg gctttccccg tcaagctcta aatcgggggc tcccttttagg 180
 gttccgattt agtgccttac ggcacctcga ccccaaaaaa cttgattagg gtgatggttc 240
 acgtagtggg ccacgcgccct gatagacggt ttttcgccct ttgacgttgg agtccacgtt 300
 ctttaatagt ggactcttgt tccaaactgg aacaacactc aacctatct cggctctattc 360
 ttttgattta taagggattt tgccgatttc ggcctattgg ttaaaaaatg agctgattta 420
 acaaaaaatt aacgcgaatt ttaacaaaa attaacgttt acaatttcag gtggcacttt 480
 tcggggaaat gtgcgcggaa cccctatttg tttatttttc taaatacatt caaatatgta 540
 tccgctcatg aattaattct tagaaaaact catcgagcat caaatgaaac tgcaatttat 600
 tcatatcagg attatcaata ccatattttt gaaaaagccg tttctgtaat gaaggagaaa 660
 actcaccgag gcagttccat aggatggcaa gatcctggta tcggctcgcg attccgactc 720
 gtcccaacatc aatacaacct attaatctcc cctcgtcaaa aataaggtta tcaagtgaga 780
 aatcaccatg agtgacgact gaatccgggtg agaatggcaa aagtttatgc atttctttcc 840
 agacttgctc aacaggccag ccattacgct cgtcatcaaa atcactcgca tcaaccaaac 900
 cgttattcat tcgtgattgc gcctgagcga gacgaatac gcgacgcgtg ttaaaaggac 960
 aattacaaac aggaatcgaa tgcaaccggc gcaggaaacac tgccagcgca tcaacaatat 1020
 tttcacctga atcaggatat tcttctaata cctggaatgc tgttttcccg gggatcgag 1080
 tggtagtaaa ccatgcatca tcaggagtag gataaaaatg cttgatggtc ggaagaggca 1140
 taaattccgt cagccagttt agtctgacca tctcatctgt aacatcattg gcaacgctac 1200
 ctttgccatg tttcagaaac aactctggcg catcgggctt cccatacaat cgatagattg 1260
 tcgcaacctga ttgcccgaca ttatcgcgag cccattttata cccataataa tcagcatcca 1320
 tgttggaatt taatcgcggc cttagcgaag acgtttcccg ttgaatatgg ctcataaacac 1380
 cccttgattt actgtttatg taagcagaca gttttattgt tcatgaccaa aatcccttaa 1440
 cgtgagtttt cgttccactg agcgtcagac cccgtagaaa agatcaaagg atcttcttga 1500
 gatccctttt ttctgcgcgt aatctgctgc ttgcaaacaa aaaaaccacc gctaccagcg 1560
 gtgggtttgtt tgccggatca agagctacca actctttttc cgaaggtaac tggcttcagc 1620
 agagcgcaga taccaaaatac tgtccttcta gtgtagccgt agttaggcca ccacttcaag 1680
 aactctgtag caccgcctac atacctcgtc ctgctaatac tgttaccagt ggctgctgcc 1740
 agtggcgata agtcgtgtct taccgggttg gactcaagac gatagtacc ggataaggcg 1800
 cagcggctcg gctgaacggg ggggtcgtgc acacagccca gcttgagcg aacgacctac 1860
 accgaactga gatacctaca gcgtgagcta tgagaaagcg ccacgcttcc cgaagggaga 1920
 aaggcggaca ggtatccggt aagcggcagg gtcggaacag gagagcgcac gagggagctt 1980

ccagggggaa	acgcctggta	tctttatagt	cctgtcgggt	ttcgccacct	ctgacttgag	2040
cgtcgatttt	tgtgatgctc	gtcagggggg	cggagcctat	ggaaaaacgc	cagcaacgcg	2100
gcctttttac	ggttccctggc	cttttgcctg	ccttttgctc	acatgttctt	tcctgcgtta	2160
ccccctgatt	ctgtggataa	ccgtattacc	gcctttgagt	gagctgatac	cgctcgccgc	2220
agccgaacga	ccgagcgag	cgagtcagtg	agcgaggaag	cggaagagcg	cctgatgcgg	2280
tattttctcc	ttacgcattc	gtgcgggtat	tcacaccgca	tatatgggtg	actctcagta	2340
caatctgctc	tgatgcccga	tagttaagcc	agtatacact	ccgctatcgc	tacgtgactg	2400
ggtcattggt	gcgccccgac	acccgccaac	acccgctgac	gcgcccctgac	gggcttgtct	2460
gtccccggca	tcgccttaca	gacaagctgt	gaccgtctcc	gggagctgca	tgtgtcagag	2520
gttttcaccg	tcacaccgga	aacgcgcgag	gcagctgcgg	taaagctcat	cagcgtggtc	2580
gtgaagcgat	tcacagatgt	ctgcctgttc	atccgcgtcc	agctcgttga	gtttctccag	2640
aagcgtaaat	gtctggcttc	tgataaagcg	ggccatgtta	agggcggttt	tttctgttt	2700
ggtcactgat	gcctccgtgt	aagggggatt	tctgttcatg	ggggtaatga	taccgatgaa	2760
acgagagagg	atgctcacga	tacgggttac	tgatgatgaa	catgcccggt	tactggaaag	2820
ttgtgagggg	aaacaactgg	cgggtatggat	gcggcgggac	cagagaaaaa	tcactcaggg	2880
tcgaatgccg	cgcttcgtta	atacagatgt	aggtgttcca	cagggtagcc	agcagcatcc	2940
tgcgatgcag	atccgggaaca	taatgggtgca	gggcgctgac	ttccgcgttt	ccagacttta	3000
cgaaacacgg	aaaccgaaga	ccattcatgt	tgttgcctag	gtcgagacg	ttttgcagca	3060
gcagtcgctt	cacgttcgct	cgcgtatcgg	tgattcattc	tgctaaaccag	taaggcaacc	3120
ccgccagcct	agccgggtcc	tcaacgacag	gagcacgac	atgcgcaccc	gtggggccgc	3180
catgcggggg	ataatggcct	gcttctcgcc	gaaacgtttg	gtggcgggac	cagtgcgaa	3240
ggcttgagcg	agggcggtga	agattccgaa	taccgcaagc	gacaggccga	tcacgtctgc	3300
gtccagcgga	aagcggctct	cgcgaaaaat	gacccagagc	gctgcggca	cctgtcctac	3360
gagttgcatg	ataaagaaga	cagtcataag	tcggcgagcg	atagtcatgc	cccgcgcca	3420
ccggaaggag	ctgactgggt	tgaaggctct	caagggcatc	ggtcgagatc	ccggtgccta	3480
atgagtgagc	taacttacat	taattgcgtt	gcgctcactg	cccgtttccc	agtcgggaaa	3540
cctgtcgtgc	cagctgcatt	aatgaatcgg	ccaacgcgcg	gggagagggc	gtttgcgtat	3600
tgggcgcagc	gggtgttttt	cttttcacca	gtgagacggg	caacagctga	ttgcccttca	3660
ccgcctggcc	ctgagagagt	tgacgcaagc	ggtcacacgt	ggtttgcccc	agcaggcgaa	3720
aatcctgttt	gatgggtggt	aacggcggga	tataacatga	gctgtcttcg	gtatcgtcgt	3780
atcccaactc	cgagatatcc	gcaccaacgc	gcagcccggg	ctcggtaatg	gcgcgcattg	3840
cgccacccgc	catctgatcg	ttggcaacca	gcacgcagtg	gggaacgatg	ccctcattca	3900
gcatttgcat	ggtttgttga	aaacgggaca	tggcactcca	gtcgccctcc	cgttccgcta	3960
tcgggtgaat	ttgattgcga	gtgagatatt	tatgccagcc	agccagacgc	agacgcgccg	4020
agacagaact	taatggggccc	gctaacagcg	cgatttgctg	gtgacccaat	gcgaccagat	4080
gtccacggcc	cagtcgcgta	ccgtcttcat	gggagaaaaa	aatactgttg	atgggtgtct	4140
ggtcagagac	atcaagaaat	aacgcgggaa	cattagtga	ggcagcttcc	acagcaatgg	4200
catcctggtc	atccagcgga	tagttaatga	tcagcccact	gacgcgttgc	gcgagaagat	4260
tgtgcaccgc	cgctttacag	gcttcgacgc	cgcttcgttc	taccatcgac	accaccacgc	4320
tggcacccag	ttgatcgcg	cgagatttaa	tcgcccgcgac	aatttgcgac	ggcgcggtga	4380
gggcccagact	ggaggtggca	acgccaatca	gcaacgactg	tttgcccggc	agttgttgtg	4440
ccacgcgggt	gggaatgtaa	ttcagctccg	ccatcgccgc	ttccactttt	tcgccggttt	4500
tcgcagaaac	gtggctggcc	tggttcacca	cgcgggaaac	ggctctgata	gagacaccgg	4560
catactctgc	gacatcgat	aacgttactg	gtttcacatt	caccaccctg	aattgactct	4620
cttcggggcg	ctatcatgcc	ataccgcgaa	aggttttgcg	ccattcgatg	gtgtccggga	4680
tctcgacgct	ctcccttatg	cgactcctgc	attaggaagc	agcccgatag	taggttgagg	4740
ccgttgagca	ccgcgcgcgc	aagggaatgg	gcattgcaag	agatggcgcc	caacagtcce	4800
ccggccacgg	ggcctgccac	catacccacg	ccgaaacaag	cgctcatgag	ccggaagtgg	4860
cgagcccgat	cttccccatc	ggatgatgtc	gcgatatagg	cgccagcaac	cgcacctgtg	4920
gcgcccgtga	tgccggccac	gatgcgtccg	gcgtagagga	tcgagatctc	gatcccgcga	4980
aattaatacg	actcactata	ggggaattgt	gagcggataa	caattcccct	ctagaaataa	5040
ttttgtttaa	ctttaagaag	gagataatac	tatgcagcat	caccaccatc	accacggagt	5100
acagcttcaa	gacaatgggt	ataatggatt	gctcattgca	attaatcctc	aggtacctga	5160
gaatcagaac	ctcatctcaa	acattaagga	aatgataaact	gaagcttcat	tttacctatt	5220
taatgtctacc	aagagaagag	tattttttcag	aaatataaag	attttaatac	ctgccacatg	5280

```

gaaagctaataataacagcaaaataaaaacaagaatcatatgaaaaggcaa atgtcatagt 5340
gactgactggtatgggggcacatggagatga tccatacacc ctacaataca gaggggtgtgg 5400
aaaaagagggaaataacattc atttcacacc taatttccta ctgaatgata acttaacagc 5460
tggctacggatcacgagggc gagtgtttgt ccatgaatgg gccacacctc gttgggggtgt 5520
gttcgatgagtataacaatg acaaaccttt ctacataaat gggcaaaatc aaattaaagt 5580
gacaagggtgttcattcgacatcacaggcat ttttgtgtgt gaaaaaggtc cttgcccoca 5640
agaaaactgt attattagta agctttttaa agaaggatgc acctttatct acaatagcac 5700
ccaaaatgca actgcatcaa taatgttcat gcaaagttaa tcttctgtgg ttgaattttg 5760
taatgcaagta acccacaacc aagaagcacc aaacctacag aaccagatgt gcagcctcag 5820
aagtgcattg gatgtaatca cagactctgc tgactttcac cacagctttc ccatgaacgg 5880
gactgagctt ccacctcttc ccacattctc gctttagtag gctgggtgaca aagtgggtctg 5940
tttagtgctg gatgtgtcca gcaagatggc agaggctgac agactccttc aactacaaca 6000
agccgcagaa ttttatttga tgcagattgt tgaaattcat accttcgtgg gcattgcccag 6060
tttcgacagc aaaggagaga tcagagccca gctacaccaa attaacagca atgatgatcg 6120
aaagtgtgct gtttcataatc tgcccaccac tgtatcagct aaaacagaca tcagcatttg 6180
ttcaggggctt aagaaaaggat ttgaggtggg tgaaaaactg aatggaaaag cttatgggtc 6240
tgtgatgata tttagtgacca gcggagatga taagcttctt ggcaattgct taccactgt 6300
gctcagcagtg ggttcaacaa ttactctcat tgccctgggt tcatctgcag ccccaaatct 6360
ggaggaaatta tcacgtctta caggaggttt aaagtctctt gtcccagata tatcaaactc 6420
caatagcatg attgatgctt tcagtagaat ttcctctgga actggagaca ttttccagca 6480
acataattcag cttgaaagta caggtgaaaa tgtcaaacct caccatcaat tgaaaaacac 6540
agtgaactggt gataaactg tgggcaacga cactatgttt ctagttagct ggaggccag 6600
tgggtcctct gagattatat tatttgatcc tgatggagca aaatactaca caaataattt 6660
tatcaccaat ctaacttttc ggacagctag tctttggatt ccaggaacag ctaagcctgg 6720
gcactggact tacacctga acaataccca tcattctctg caagccctga aagtgcagct 6780
gacctctctc gcctccaact cagctgtgccc cccagccact gtggaagcct ttgtggaag 6840
agacagcttc cattttcttc atcctgtgat gatttatgcc aatgtgaaac agggatttta 6900
tcccattctt aatgccactg tcaactgccac agttgagcca gagactggag atcctgttac 6960
gctgagactc cttgatgatg gagcaggtgc tgatgttata aaaaatgatg gaatttactc 7020
gaggtcattt tttctctttg ctgcaaatgg tagatatagc ttgaaagtgc atgtcaatca 7080
ctctccctcc ataacgccc cagcccactc tattccaggg agtcatgcta tgtatgtacc 7140
agggttacaca gcaaacggta atattcagat gaatgctcca aggaatcag taggcagaaa 7200
tgaggaggag cgaagtggg gcttttagcc agtcagctca ggaggctcct tttcagtgct 7260
gggagttcca gctggccccc accctgatgt gtttccacca tgcaaaatta ttgacctgga 7320
agctgtaaaa gtagaagagg aattgacct atcttggaca gcacctggag aagactttga 7380
tcagggccag gctacaagct atgaaataag aatgagttaa agtctacaga atatccaaga 7440
tgactttaac aatgctattt tagtaaatat atcaaagcga aatcctcagc aagctggcat 7500
cagggagata ttacgtttct caccctaaat tcccacgaat ggacctgaac atcagccaaa 7560
tggagaaaca catgaaagcc acagaattta tgttgcaata cgagcaatgg ataggaactc 7620
ottacagtct gctgtatcta acattgccc ggcgcctctg tttattcccc ccaattctga 7680
tcctgtacct gccagagatt atcttatatt gaaaggagtt ttaacagcaa tgggtttgat 7740
aggaatcatt tgccttatta tagttgtgac acatcatact ttaagcagga aaaagagagc 7800
agacaagaaa gagaatggaa caaaattatt ataatagaat ctgcagatat ccatcacact 7860
ggcgccgct cgagcaccac caccaccacc actgagatcc ggctgctaac aaagcccgaa 7920
aggaagctga gttggctgct gccaccgctg agcaataact agcataaccc cttggggcct 7980
ctaaacgggt cttgaggggt tttttgctga aaggaggaac tatatccgga t 8031

```

<210> 255

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 255

gtggccagng	actagaaggc	gaggcgccgc	gggacccatgg	cggcggcggc	ggacgagcgg	60
agtcacnagg	acggagaaga	cgaggaagag	gaggagcagt	tgggtctggg	ggaattatca	120
ggaattattg	attcagactt	cctctcaaaa	tgtgaaaata	aatgcaagg	tttgggcatt	180
gacactgaga	ggcccattct	gcaagtggac	agctgtgtct	ttgctgggga	gtatgaagac	240
actctangga	cctgtgttat	atttgaagaa	aatgntnaac	atgctgatac	agaaggcaat	300
aataaaacag	tgctaaaata	taaattgcat	acaatgaaga	agctcagcat	gacaagaact	360
ctcctgacag	agaagaagga	aggagaagaa	aacatangtg	g		401

<210> 256

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 256

tggtggncct	gggatgggga	acgcggtgg	cttccgngga	ggtttcggca	ntggcatccg	60
gggcccgggt	cgccgcccng	gacggggccg	gggccnangc	cgngganctc	gcggangcaa	120
ggccgaggat	aaggagtggg	tgcccgtcac	caacttgggc	cgcttgncca	aggacatgaa	180
nancaagccc	ctgnaggaga	tctatntctt	cttccctgcc	ccattaagga	atcaagagat	240
catttgattt	cttccctggg	gcctctctca	aggatnagg	ttttgaagat	tatgccagt	300
canaaannan	accccggtgc	ccngtccatc	tncacccaac	ncttccaagg	gcnatttttg	360
tttaggcctc	attncngggg	ggaaccttaa	cccaatttgg	g		401

<210> 257

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 257

atgtatgtaa	aacacttcat	aaaatgtaaa	gggctataac	aaatatgtta	taaagtgatt	60
ctctcagccc	tgaggtatac	agaatcattt	gcctcagact	gctgttggat	tttaaaattt	120
ttaaaataac	tgctaagtaa	tttgctatgt	cttctcccac	actatcaata	tgcttgcctc	180
taacaggctc	cccactttct	tttaattgtc	tgttatgagc	tttggacatg	agataaccgt	240
gcctgttcag	agtgctctca	gtaagagctg	gacaaactct	ggagggacac	agtctttgag	300
acagctcttt	tggttgcttt	ccacttttct	gaaagggtca	cagtaacctt	ctagataata	360
gaaactccca	gttaaagcct	angctancaa	tttttttag	t		401

<210> 258

<211> 401

<212> DNA

<213> Homo sapien

<400> 258
 ggagcgctag gtcggtgtac gaccgagatt aggggtgcgtg ccagctccgg gaggcgcgg 60
 tgagggggccg ggcccaagct gccgaccga gccgatcgtc aggggtcgcca gcgcctcagc 120
 tctgtggagg agcagcagta gtcggagggt gcaggatatt agaaatggct actccccagt 180
 caattttcat ctttgcaatc tgcattttta tgataacaga attaatctcg gcctcaaaaa 240
 gctactatga tatcttaggt gtgccaaaat cggcatcaga gcgccaatc aagaaggcct 300
 ttcacaagtt ggccatgaag taccaccctg acaaaaaata gaccagatg ctgaagcaaa 360
 attcagagag attgcagaag catatgaaac actctcagat g 401

<210> 259
 <211> 401
 <212> DNA
 <213> Homo sapien

<400> 259
 attgggtttt gagggaggat gatgacagag gaatgccctt tggccatcac ggttttgatt 60
 ctccagaata ttgtgggttt gatcatcaat gcagtcagt taggctgcat tttcatgaaa 120
 acagctcagg ctcacagaag ggcagaaact ttgattttca gccgccatgc tgtgattgcc 180
 gtccgaaatg gcaagctgtg cttcatgttc cgagtgggtg acctgaggaa aagcatgac 240
 attagtgcct ctgtgcgcac ccagggtgtc aagaaaacaa ctacacctga agggggagggtg 300
 gttcctatcc accaactgga cattcctgtt gataacccaa tcgagagcaa taacattttt 360
 ctggtggccc ctttgatcat ctgccacgtg attgacaagc g 401

<210> 260
 <211> 363
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (363)
 <223> n = A,T,C or G

<400> 260
 aggaganang gagggggana tgaataggga tggagaggga natagtggat gagcagggca 60
 cangagagg aancagaaag gagaggcaag acaggggagac acacancaca nangangana 120
 cagggtgggg ctgggggtgg gcatggagag cctttanagt cccccaggcc accctgctct 180
 cgctggncct ttgaaaccca ctccatggct tcctgccact gcagttgggc ccagggtgtg 240
 cttattnctg gaatgcaagt ggctgtggct tggagcctcc cctctggnnn anggaaannn 300
 attgctccct tatctgcttg gaatatctga gtttttccan cccggaaata aaacacacac 360
 aca 363

<210> 261
 <211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (401)
 <223> n = A,T,C or G

<400> 261
 cggctctccg ccgctctccc ggggttttcgg ggcacttggg tcccacagtc tggctcctgct 60
 tcaccttccc ctgacctgag tagtgcacat ggcacagggt ctcagaggca ctgngactga 120

```

cttccctgga tttgatgagc gggctgatgc anaaactctt cgggaaggcta tgaaaggctt 180
gggcacagat gaggagagca tcctgactct gttgacatcc cgaagtaatg ctcagcgcca 240
ggaaatctct gcagctttta agactctgtt tggcagggat cttctggatg acctgaaatc 300
agaactaact ggaaaatttg aaaaattaat tgtggctctg atgaaaccct ctcggcttta 360
tgatgcttat gaactgaaac atgccttgaa gggagctgga a 401

```

```

<210> 262
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

```

```

<400> 262
agtctanaac atttctaata ttttgngctt tcatatatca aaggagatta tgtgaaacta 60
tttttaataa ctgtaaagtg acatatagtt ataagatata tttctgtaca gtagagaaaag 120
agtttataac atgaagaata ttgtaccatt atacattttc attctcgatc tcataagaaa 180
ttcaaaagaa taatgataga ggtgaaaata tgtttacttt ctctaaatca agcctagttg 240
tcaactcaaa aattatgntg catagtttta ttttgaattt aggttttggg actacttttt 300
tccancttca atgagaaaat aaaatctaca actcaggagt tactacagaa gttctaanta 360
tttttttgct aannagcnaa aaatataaac atatgaaat g 401

```

```

<210> 263
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_featura
<222> (1)...(401)
<223> n = A,T,C or G

```

```

<400> 263
ctgtccgacc aagagaggcc ggcgagccc gaggcttggg cttttgcttt ctggcggagg 60
gatctgcggc ggttttaggag gcggcgctga tcctgggagg aagaggcagc tacggcggcg 120
goggcggttg cggctagggc ggcggcgaat aaaggggccc ccgcccgggtg atgcggtgac 180
cactgcggca ggcccaggag ctgagtgggc cccggccctc agcccgtccc gncggacccg 240
ctttcctcaa ctctccatct tctcctgccg accgagatcg cggaggcggn ctcaggctcc 300
ctanccctt ccccgtcct tcccncccc cgtccccgccc cggggggccc ccgcccacccg 360
cctcccacca tggctctgaa ganaatccac aaggaattga a 401

```

```

<210> 264
<211> 401
<212> DNA
<213> Homo sapien

```

```

<400> 264
aacaccagcc actccaggac ccctgaaggc ctctaccagg tcaccagtgt tctgcgccta 60
aagccacccc ctggcagaaa cttcagctgt gtgttctgga atactcacgt gagggaaactt 120
actttggcca gcattgacct tcaaagtcag atggaaccca ggacccatcc aacttggctg 180
cttcacattt tcatccccct ctgcatcatt gctttcattt tcatagccac agtgatagcc 240
ctaagaaaac aactctgtca aaagctgtat tcttcaaaa acacaacaaa aagacctgtc 300

```

accacaacaa agaggggaagt gaacagtgcgt gtgaatctga acctgtgggc ttgggagcca 360
gggtgacctg atatgacatc taaagaagct tctggactct g 401

<210> 265
<211> 271
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(271)
<223> n = A,T,C or G

<400> 265
gccacttcct gtggacatgg gcagagcgct gctgccagtt cctggtagcc ttgaccacna 60
cgctggggggg tctttgtgat ggtcatgggt ctcatttgca cttgggggtg tgggattcaa 120
gttagaagtt tctagatctg gccgggcgca gtggctcaca cctgtaatcc cagcacttta 180
ggaggctgag gcaggcggat catgaggtca ggagatcgag accgtcctgg ctaacacagt 240
gaaaccccgct ctctactaaa aatacaaaaa a 271

<210> 266
<211> 401
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

<400> 266
attcataaat ttagctgaaa gatactgatt caatttgtat acagngaata taaatgagac 60
gacagcaaaa ttttcatgaa atgtaaaata tttttatagt ttgttcatac tatatgaggt 120
tctattttta atgactttct ggatttttaa aaatttcttt aaatacaatc atttttgtaa 180
tattttatct atgcttatga tctagataat tgcagaatat cattttatct gactctgtct 240
tcataagaga gctgtggccg aattttgaac atctgttata gggagtgtac aaattagaag 300
gcaatgtgga aaaacaatc tgggaaagat ttctttatat gaagtccctg ccactagcca 360
gccatcccaa ttgatgaaag ttatctgttc acaggcctgc a 401

<210> 267
<211> 401
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

<400> 267
gaagaggcat cacctgatcc cggagacctt tggagttaag aggcggcgga agcgagggcc 60
tgtggagtcg gatactcttc ggggtgagcc agggtcggcg cgcgcggctg tctcanaact 120
catgcagctg ttcccgcgag gcctgtttga ggacgcgctg ccgccatcg tgctgaggag 180
ccaggtgtac agccttgtgc ctgacaggac cgtggccgac cggcagctga aggagcttca 240
agagcanggg gagacaaaat cgtccagctg ggcttcnact tggatgcccc tggaaantta 300

tctttcnctt ganggactta cnngggaccc aagaanccct tncaaggggc ccttngtgga 360
 tgggncccg aaccccnnta tttgccctg ggggggncca a 401

<210> 268
 <211> 223
 <212> DNA
 <213> Homo sapien

<400> 268
 tcgccatggt ggccaggctg gtcttgaact cctgacttta agtgatccac ccgcctcaac 60
 ctcccaaagt gctgggatta caggtgtgag ccaccgcgc tggcctgata catactttta 120
 gaatcaagta gtcacgcact ttttctgttc atttttctaa aaagtaaata tacaaatgtt 180
 ttgttttttg ttttttttgt ttgtttgttt ctgttttttt ttt 223

<210> 269
 <211> 401
 <212> DNA
 <213> Homo sapien

<400> 269
 actatgtaaa ccacattgta ctttttttta ctttggcaac aaatatttat acatacaaga 60
 tgcctagtcca tttgaatatt tctcccaact tatccaagga tctccagctc taacaaaatg 120
 gtttattttt atttaaatgt caatagtgtt tttttaaaat ccaaatcaga ggtgcaggcc 180
 accagttaaa tgccgtctat caggttttgt gccttaagag actacagagt caaagctcat 240
 ttttaaagga gtaggacaaa gttgtcacag gttttgttg ttgtttttat tgcccccaaa 300
 attacatggt aatttccatt tatatcaggg attctattta cttgaagact gtgaagttgc 360
 cattttgtct cattgttttc ttgacataa ctaggatcca t 401

<210> 270
 <211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 270
 tggctgttga ttcacctcag cactgcttgg tatctgcacc ctacctctct ttagaggctg 60
 ccttgtcaac tgaaaaatgc acctgacttc gagcaagact ctttccttag gttctggatc 120
 tgtttgagcc ccatggcact gagctggaat ctgagggctc tgttccaagg atgtgatgat 180
 gtgggagaat gttctttgaa agagcagaaa tccagtctgc atggaaaacag cctgtagagn 240
 agaagtttcc agtgataagt gttcactgtt ctaaggaggt acaccacagc tacctgaatt 300
 ttcccaaaat gagtgttctt gtggtttaca actggccttt gtacttgact gtgatgactt 360
 tgttttttct tttcaattct anatgaacat gggaaaaaat g 401

<210> 271
 <211> 329
 <212> DNA
 <213> Homo sapien

<400> 271
 ccacagcctc caagtcaggt ggggtggagt cccagagctg cacagggttt ggcccaagtt 60
 tctaaggagg gcacttcttc ccctcgccca tcagtgccag ccctgtctgg ctggtgcctg 120

```

agccctcag acagccccc gcccgcagg cctgccttct cagggacttc tgcggggcct 180
gaggcaagcc atggagttag acccaggagc cggacacttc tcaggaaatg gcttttccca 240
accccagcc cccaccgggt ggttcttctt gttctgtgac tgtgtatagt gccaccacag 300
cttatggcat ctcataggag acaaaaaaa 329

```

```

<210> 272
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

```

```

<400> 272
nggctgntaa cntcggagggt nacttctctg actatcctgg agaccccttc cgcttccacg 60
nncatnatat cntcatnngc tgggcccctn angacacnat cccactccaa cacttgngng 120
atgctggncn cctnggaacc ancntcagaa ngacctgnt cntntgtntt ccgcaanctg 180
aagnnaangc gggntacacc tncntgcant ggnccacnet gcnnggaact ntacacacct 240
acgggatgtg gctgcgcca gagccaagag cntttctgga tgattcccca gcctcttgnn 300
agggantcta caacattgct nnntaccttt ntccnnncgc nntnnttgga ntacaggngn 360
tnntaacact acatcttttt tactgcncn tnttggtgg g 401

```

```

<210> 273
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

```

```

<400> 273
cagcaccatg aagatcaaga tcatcgacc cccagagcgc aagtactcgg tgtggatcgg 60
tggctccatc ctggcctcac tgtccacctt ccagcagatg tggattagca agcaggagta 120
cgacgagtcg ggcccctcca tctccaccg caaatgcttc taaacggact cagcagatgc 180
gtagcatttg ctgcatgggt taattgagaa tagaaatttg cccctggcaa atgcacacac 240
ctcatgctag cctcacgaaa ctggaataag ccttcgaaaa gaaattgtcc ttgaagcttg 300
tatctgatat cagcactgga ttgtagaact tgttgctgat tttagccttg tattgaagtt 360
aactgttccc ctctgtatta acgtgtcagg gctgagtgt c 401

```

```

<210> 274
<211> 401
<212> DNA
<213> Homo sapien

```

```

<400> 274
ccacccacac ccaccgcgc ctcgttcgcc tcttctccgg gagccagtc gcgccaccgc 60
cgccgccag gccatcgcca cctccgcag ccatgtccac caggtccgtg tcctcgtcct 120
cctaccgcag gatgttcggc gggccgggca ccgcgagccg gccgagctcc agccggagct 180
acgtgactac gtccacccgc acctacagcc tgggcagcgc gctgcgcccc agcaccagcc 240
gcagcctcta cgccctcgtc ccgggcggcg tgtatgccac gcgtctctct gcgtgcgcc 300
tgccgagcag cgtgccggg gtgcggctcc tgcaggactc ggtggacttc tcgctggccg 360

```

acgccatcaa caccgagttc aagaacaccc gcaccaacga g

401

<210> 275
<211> 401
<212> DNA
<213> Homo sapien

<400> 275
ccaattccac cactttgtgg agcagtgcct tcagcgcaac ccgcatgcca ggtatccctg 60
ctggcctggg cctgggcttc gggagagcag aggggtgctc ggagggttaag gccaggggtg 120
gaagggaactt acctcccaa ggttctgcag gggaatctgg agctacacac aggagggatc 180
agctcctggg tgtgtcagag gccagcctgg ggagctctgg ccactgcttc ccatgagctg 240
agggagaggg agaggggacc cgaggctgag gcataagtgg caggatttcg ggaagctggg 300
gacacggcag tgatgctgcy gtctctcttc ccttttcct ccaggcccgag tgccagcacc 360
ctcttgaacc actctttctt caagcagatc aagcgacgtg c 401

<210> 276
<211> 401
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

<400> 276
tctgatattg ntacccttga gccacctaag ttagaagaaa ttggaaatca agaagttgtc 60
attgttgaag aagcacagag ttcagaagac tttaacatgg gctcttcctc tagcagccag 120
tatactttct gtcagccaga aactgtatct tcactctcagc ctagtgtatga tgaatcaagt 180
agtgtatgaa ccagtaatac gccagtcctt gccttttagac gacgcccgtg taggaagaag 240
accgtttctg cttcagaatc tgaagaccgg ctagtgtgtg aacaagaaac tgaaccttct 300
aaggagttga gtaaacgtca gttcagtagt ggtctcaata agtgtgttat acttgctttg 360
gtgattgcaa tcagcatggg atttggccat ttctatggca c 401

<210> 277
<211> 401
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

<400> 277
aactttggca acatattctc gcaaaaacta cagctatgtt attcatgcca aaataaaagc 60
tgtgcagagg agtggctgca atgagggtcac aacgggtggg gatgtaaaag agatcttcaa 120
gtctctcatc cccatccctc gaactcaagt cccgctcatt acaaattctt cttgccagtg 180
tccacacatc ctgcccacac aagatgttct catcatgtgt tacgagnggc gctcaaggat 240
gatgcttctt gaaaaattgct tagttgaaaa atggagagat cagcttagta aaagatccat 300
acagtgggaa gagaggctgc aggaacagcg ganaacagtt caggacaaga agaaaacagc 360
cggggcgacc agtcgtagta atcccccaa accaaaggga a 401

<210> 278

<211> 401
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 278
 aatgagtgtg agaccacaaa tgaatgccgg gaggatgaaa tgtgttgaa ttatcatggc 60
 ggcttcggtt gttatccacg aaatccttgt caagatccct acattctaac accagagaaac 120
 cgatgtgttt gccagctctc aaatgccatg tgccgagaaac tgccccagtc aatagtctac 180
 aaatacatga gcacccgctc tgataggtct gtgccatcag acatcttcca gatacaggcc 240
 acaactatgt atgccaacac catcaatact ttccggatta aatctggaaa tgaaaatgga 300
 gagtctacct acgacaacaa anccctgtaa gtgcaatgct tgtgctcgtg aagncattat 360
 caggaccaag agaacatata gtggacctgg agatgctgac a 401

<210> 279
 <211> 401
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 279
 aaattattgc ctctgatata tacctaagtn aacanaacat taatacctaa gtaaacataa 60
 cactacttgg aggggttgag nttctaantg aaactgtatt tgaaactttt aagtatactt 120
 taggaaacaa gcctgaacgy cagtctagaa taccagaaac atctacttgg gtagcttggg 180
 gccattatcc tgtggaatct gatatgtctg gnagcatgtc attgatggga catgaagaca 240
 tctttggaaa tgatgagatt atttctgtg ttaaaaaaaa aaaaaatctt aaattcctac 300
 aatgtgaaac tgaaactaat aattttgatc ctgatgtatg ggacagcgta tctgtaccag 360
 gctctaaata acaaaagnta gggngacaag nacatgttcc t 401

<210> 280
 <211> 326
 <212> DNA
 <213> Homo sapien

<400> 280
 gaagtggaaat tgtataatcc aattcgataa ttgatctcat gggctttccc tggaggaaag 60
 gttttttttg ttgttttttt ttttaagaact tgaaacttgt aaactgagat gtctgtagct 120
 tttttgcccc tctgtagtgt atgtgaagat ttcaaaacct gagagcactt tttctttgtt 180
 tagaattatg agaaaggcac tagatgactt taggatttgc atttttccct ttattgcctc 240
 atttcttggt acgccttggt ggggagggaa atctgtttat tttttcctac aaataaaaag 300
 ctaagattct atatcgcaaa aaaaaa 326

<210> 281
 <211> 374
 <212> DNA
 <213> Homo sapien

<400> 281
 caacgcgttt gcaaatattc ccctggtagc ctacttcctt acccccgaat attggttaaga 60
 tcgagcaatg gcttcaggac atgggttctc ttctcctgtg atcattcaag tgetcactgc 120
 atgaagactg gcttgtctca gtgtttcaac ctcaccaggg ctgtctcttg gtccacacct 180
 cgctccctgt tagtgccgta tgacagcccc catcaaatga ccttggccaa gtcaacggttt 240
 ctctgtgggc aaggttggtt ggctgattgg tggaaagtag ggtggaccaa aggaggccac 300
 gtgagcagtc agcaccagtt ctgcaccagc agcgccctcg tcctagtggg tgttcctggt 360
 tctcctggcc ctgg 374

<210> 282
 <211> 404
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)... (404)
 <223> n = A,T,C or G

<400> 282
 agtgtgtggg aattcccgca tctanncg cgaactcacac aaggcagagt ngccatggag 60
 aaaattccag tgtcagcatt cttgtctcct gtggccctct cctacactct ggccagagat 120
 accacagtca aacctgnagc caaaaaggac acaaaggact ctgcacccaa actgcccacn 180
 accctctcca gaggttgggg tgaccaactc atctggactc anacatatga agaagctcta 240
 tataaatcca agacaagcaa caaaccttg atgattatc atcacttgga tgagtgccca 300
 cacagtcaag ctttaagaa agtgtttgct gaaaataaag aaatccagaa attggcagag 360
 cagtttgtcc tctcaatct ggtttatgaa acaactgaca aaca 404

<210> 283
 <211> 184
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)... (184)
 <223> n = A,T,C or G

<400> 283
 agtgtgtggg aattcacttg cttaanttgt gggcaaaaga gaaaaagaag gattgatcag 60
 agcattgtgc aatacagttt cattaactcc ttccctcgct cccccaaaaa tttgaatttt 120
 tttttcaaca ctcttacacc tgttatggaa aatgtcaacc tttgtaagaa aacaaaaata 180
 aaaa 184

<210> 284
 <211> 421
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)... (421)
 <223> n = A,T,C or G

<400> 284

```

ctattaatcc tgcacaata tttttaatta cgtacaaaaga tctgacatgt caccacaggga      60
cccatttcac ccactgctct gtttgccgc cagtcttttg tctctctctt cagcaatggg      120
gaggcgggata ccttttcctc ggggaanana aatccatggg ttgttgccct tgccaataac      180
aaaaatgttg gaaagtcgag tggcaaagct gttgccattg gcatctttca cgtgaaccac      240
gtcaaaagat ccagggtgcc tctctctggt ggtgatcaca ccaattcttc ctagggttagc      300
acctccagtc accatacaca ggttaccagt gtcgaacttg atgaaatcag taatcttgcc      360
agctctctaaa tcaatctgaa tgggtatcatt caccttgatg aggggatcgg ggtagcggat      420
g                                                                                   421

```

```

<210> 285
<211> 361
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(361)
<223> n = A,T,C or G

```

```

<400> 285
ctgggtggta actcttttatt tcattgtccg gaanaaagat gggagtggga acagggtgga      60
cactgtgcag gcttcagctt ccactccggg caggattcag gctatctggg accgcaggga      120
ctgccagggtg cacagccctg gctcccagg caggcaggca aggtgacggg actggaagcc      180
cttttcanaag ccttgaggga gctgggtccg ccacaagcaa tgagtgccac tctgcagttt      240
gcaggggatg gataaacagg gaaacactgt gcattcctca cagccaacag tgtagggtctt      300
ggtgaagccc cggcgctgag ctaagctcag gctgttccag ggagccacga aactgcagggt      360
a                                                                                   361

```

```

<210> 286
<211> 336
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(336)
<223> n = A,T,C or G

```

```

<400> 286
tttgagtggc agcgccttta tttgtggggg ccttcaaggn agggtcgtgg ggggcagcgg      60
ggaggaanag ccganaaact gtgtgaccgg ggcctcagggt ggtgggcatt gggggctcct      120
cttgcanatg ccatttgga tcaccgggtgc agccattggt ggcagcgggt accgggtcctt      180
tcttggtcaa catagggttag gtggcagcca cgggtccaac tcgcttgagg ctgggcccctg      240
ggcgctccat tttgtgttcc angagcatgt ggttctgttg cgggagcccc acgcaggccc      300
tgaggatggt ctcgatgcag ctgcgctggc ggaaaaa                                     336

```

```

<210> 287
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 287
tgggtaccac atttttttat ttgaaggaaat ggnacaaatc aaanaactta agnggatgtt      60
ttggtacacac ttatanaaaa ggnaaaggaa accccaacat gcatgcncctg ccttggngac      120
cagggaaagtc accccacggc tatggggaaa ttancccgag gcttancttt cattatcact      180
gtctcccagg gngngcttgt caaaaanata ttccnccaag ccaaattcgg gcgctcccat      240
nttgcncaaag ttggtcacgt ggtcacccaa ttctttgatg gctttcacct gctcattcag      300
g                                          301

```

```

<210> 288
<211> 358
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(358)
<223> n = A,T,C or G

```

```

<400> 288
aagtttttaa acttttttatt tgcatattaa aaaaattgng cattccaata attaaaatca      60
tttgaacaaa aaaaaaaatg gcactctgat taaactgcat tacagcctgc aggacacctt      120
gyggcagctt ggttttactc tanatttcac tgtcgtccca ccccacttct tccaccccac      180
ttcttccttc accaacatgc aagttctttc cttccctgcc agccanatag atagacagat      240
gggaaaggca ggcgcgccct tcgttgtcag tagttctttg atgtgaaagg ggcagcacag      300
tcatttaaac ttgatccaac ctctttgcat cttacaaagt taaacagcta aaagaagt      358

```

```

<210> 289
<211> 462
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(462)
<223> n = A,T,C or G

```

```

<400> 289
ggcatcagaa atgctgttta tttctctgct gctcccaagc tggctggcct ttgcagagga      60
gcagacaaca gatgcatagt tgggganaaa gggaggacag gttccaggat agaggggtgca      120
ggctgaggga ggaagggtaa naggaaggaa ggccatcctg gatccccaca ttccagtctc      180
anatgaggac aaagggactc ccaagccccc aaatcatcan aaaacaccaa ggagcaggag      240
gagcttgagc aggcgccagg gagcctcana gccataccag ccactgtcta cttcccatcc      300
tcctctccca ttccctgtct gcttcanacc acctccagc taagccccag ctccattccc      360
ccaatcctgg cccttgccag cttgacagtc acagtgcctg gaattccacc actgaggcctt      420
ctcccagttg gattaggacg tcgcctgtt agcatgctgc cc                                          462

```

```

<210> 290
<211> 481
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(481)

```

<223> n = A,T,C or G

<400> 290

tactttccta	aactttatta	aagaaaaaag	caataagcaa	tggnggtaaa	tctctanaac	60
ataccaatt	ttctgggctt	cctccccga	gaatgtgaca	ttttgatttc	caaacatgcc	120
anaagtgtat	ggttcccaac	tgtactaaag	taggtganaa	gctgaagtcc	tcaagtgttc	180
atcttccaac	ttttcccgat	ctgtggctctg	tctttggatc	agcaataatt	gctgaacag	240
ctactatggc	ttcgttgatt	tttgtctgta	gctctctgag	ctcctctatg	tgcagcaatc	300
gcanaatttg	agcagcttca	ttaanaactg	catctcctgt	gtcaaaacca	anaatatgtt	360
tgtctaaagc	aacaggtaag	ccctcttttg	tttgatttgc	cttancaact	gcatcctgtg	420
tcaggcgctc	ctgaaccaa	atccgaattg	ccttaagcat	taccaggtaa	tcacatgac	480
g						481

<210> 291

<211> 381

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(381)

<223> n = A,T,C or G

<400> 291

tcatagtaat	gtaaaacat	ttgtttaatt	ctaaatcaa	tcactttcac	aacagtgaag	60
attagtgaat	gggttaaggng	tgccactgta	catatcatca	ttttctgact	ggggtcagga	120
cctggctcta	gtccacaagg	gtggcaggag	gaggggtggag	gctaanaaca	cagaaaacac	180
acaaaanaaa	ggaaagctgc	cttggcanaa	ggatgaggng	gtgagcttgc	cgaaggatgg	240
tgggaagggg	gctccctgtt	ggggccgagc	caggagtcce	aagtcaagctc	tcctgcctta	300
cttagctcct	ggcanagggt	gagtggggac	ctacgagggt	caaaatcaa	tggcatttgg	360
ccagcctggc	tttactaaca	g				381

<210> 292

<211> 371

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(371)

<223> n = A,T,C or G

<400> 292

gaaaaataa	tccgtttaat	tgaaaaacct	gnaggatact	attccactcc	cccanatgag	60
gaggctgagg	anaccaaacc	cctacatcac	ctcgtagcca	cttctgatac	tcttcacgag	120
gcagcaggca	aagacaattc	ccaaaacctc	nacaaaagca	attccaaggg	ctgctgcagc	180
taccaccanc	acatttttcc	tcagccagcc	cccaatcttc	tccacacagc	cctccttatg	240
gatcgcttc	tcgttgaaat	taatcccaca	gccacagta	acattaatgc	ancaggagtc	300
ggggactcgg	ttcttcgaca	tggaaaggat	tttctcccaa	tctgtgtagt	tagcagcccc	360
acagcactta	a					371

<210> 293

<211> 361

<212> DNA

<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(361)
<223> n = A,T,C or G

<400> 293
gattttaaag aaaacacttt attgttcagc aattaaaagt tagccaaata tgtatttttc 60
tccataatatt attgngatgt tatcaacatc aagtataatg ctcatatttc tcatattgctt 120
ctgttcattgt tttcttgaac acgtcttcaa ttttccttcc aaaatgctgc atgccacact 180
tgaggtaacg aagcanaagt atttttaaac atgacagcta anaacattca tctacagcaa 240
cctatatgct caatacatgc cgcgtgatcc tagtagtttt ttcacaacct tctacaagtt 300
tttggaaaac atctgttatg atgactttca tacaccttca cctcaaaggc tttcttgcac 361
c

<210> 294
<211> 391
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(391)
<223> n = A,T,C or G

<400> 294
tatttttaaag tttaattatg attcanaaaa aatcgagcga ataactttct ctgaaaaaat 60
atattgactc tgtatanacc acagtatttg gggganaagg gctggtaggt taaattatcc 120
tattttttat tctgaaaatg atattaatan aaagtcccg ttcagtcctg attataaaga 180
tacatacgcc caaaatggct ganaataaat acaacaggaa atgcaaaagc tgtaaaagcta 240
agggcatgca ananaaaatc tcanaatacc caaagnggca acaagggaacg tttggctgga 300
atttgaagtt atttcagtca tctttgtctt tggctccatg tttcaggatg cgtgtgaact 360
cgatgtaatt gaaattcccc tttttatcaa t 391

<210> 295
<211> 343
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(343)
<223> n = A,T,C or G

<400> 295
ttcttttggt ttattgataa cagaaactgt gcataattac agatttgatg aggaatctgc 60
aaataataaa gaatgtgtct actgccagca aaatacaatt attccatgcc ctctcaacat 120
acaaatatag agttcttcac accanattgc tctggtgtaa caaagccatt ttanatgttt 180
aattgtgctt ctacaaaacc ttcanagcat gaggtagttt cttttaccta cnatattttc 240
cacatttcca ttattacact tttagtgagc taaaatcctt ttaacatagc ctgcggatga 300
tctttcacaa aagccaagcc tcatttacaa aggggtttatt tct 343

<210> 296
<211> 241
<212> DNA

```

<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 296
ttcttggata ttggttgttt ttgtgaaaaa gtttttgttt ttcttctcag tcaactgaat      60
tattttctcta ctttgccttc ctgatgccca catgananaa cttaanataa tttctaacag      120
cttccacttt ggaaaaaaaa aaacctgtt ttcttcattg aaccccagga gttgaaagt      180
gatanatgc tctcaaaatc taaggctctg ttcagcttta cattatgta cctgacgtt      240
t                                                                                   241

<210> 297
<211> 391
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(391)
<223> n = A,T,C or G

<400> 297
gttgtggctg anaatgctgg agatgctcag ttctctccct cacaaggtag gccacaaatt      60
cttggtgggtg ccttcacatc tggggctctc aggcaccagc catgcctgcc gaggagtgt      120
gtcaggacan accatgtccg tgctaggccc aggcacagcc caaccactcc tcatccaagt      180
ctctcccagg tttctggttc cgatgggcaa ggatgacccc tccagtgggt ggtacccac      240
catcccacta cccctcacat gctctcactc tccatcaggt cccaatcct ggcttccctc      300
ttcacgaact ctcaaagaaa aggaaggata aaacctaaat aaaccagaca gaagcagctc      360
tggaaaagta caaaaagaca gccagaggtg t                                                                                   391

<210> 298
<211> 321
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(321)
<223> n = A,T,C or G

<400> 298
caagccaaac tgnctccagc tttattaaan atactttcca taaacaatca tggatatttca      60
ggcaggacat ggycanacaa tcgttaacag tatacaacaa ctttcaaact cccttnttca      120
atggactacc aaaaatcaaa aagccactat aaaccccaat gaagtcttca tctgatgttc      180
tgaacaggga aagtttaaag ngagggttga catttcacat ttagcatgtt gtttaacaac      240
ttttcacaag ccgacctga ctttcaggaa gtgaaatgaa aatggcanaa tttatctgaa      300
natccacaat ctaaaaatgg a                                                                                   321

<210> 299
<211> 401
<212> DNA
<213> Homo sapien

```

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

<400> 299
tatcataaag agtgttgaag tttatattt atagcaccat tgagacattt tgaaattgga 60
attggtaaaa aaataaaaaca aaaagcattt gaattgtatt tggnggaaca gcaaaaaaag 120
agaagtatca tttttctttg tcaaattata ctgtttccaa acattttgga aataaataac 180
tggaattttg tgggtcactt gcactgggtg acaagattag aacaagagga acacatatgg 240
agttaaattt tttttgttgg gatttcana agagtttggg ttataaaaag caaacagggc 300
caacgtccac accaaattct tgatcaggac caccaatgtc ataggngca atatctacaa 360
taggtagtct cacagccttg cgtgttcgat attcaaagac t 401

<210> 300
<211> 188
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(188)
<223> n = A,T,C or G

<400> 300
tgaatgcttt gtcattattaa gaaagttaaa gtgcaataat gtttgaanac aataagtggg 60
gggtgatctt gtttctaata agataaaactt ttttgtcttt gctttatctt attagggagt 120
tgtatgtcag tgtataaaac atactgtgtg gtataacagg cttaataaat tctttaaaag 180
gaaaaaaa 188

<210> 301
<211> 291
<212> DNA
<213> Homo sapien

<400> 301
aagattttgt tttatattt tatggctaga aagacactgt tatagccaaa atcggcaatg 60
acactaaaga aatcctctgt gcttttcaat atgcaaatat atttcttcca agagttgccc 120
tgggtgtact tcaagagttc atgttaactt cttttctgga aacttccttt tcttagttgt 180
tgtattcttg aagagcctgg gccatgaaga gcttgccaa gttttgggca gtgaactcct 240
tgatgttctg gcagtaagtg tttatctggc ctgcaatgag cagcgagtcc a 291

<210> 302
<211> 341
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(341)
<223> n = A,T,C or G

<400> 302
tgatttttca taatttttatt aaatnatcac tgggaaaact aatgggtcgc gtatcacaca 60

```

attacactac aatctgatag gagtggtaaa accagccaat ggaatccagg taaagtacaa      120
aaacgccacc ttttattgtc ctgtcttatt tctcggaag gagggttcta ctttacacat      180
ttcatgagcc agcagtggac ttgagttaca atgtgtaggt tccttggtgt tatagctgca      240
gaagaagcca tcaaattctt gaggaactga catctctcgg aaagaagcaa actagtggat      300
cccccgggct gcaggaattc gatatcaagc ttatcgatac c                          341

```

```

<210> 303
<211> 361
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(361)
<223> n = A,T,C or G

```

```

<400> 303
tgcagacagt aaatnaattt tatttgngtt cacagaacat actaggcgat ctgcacagtc      60
gctccgtgac agcccaccaa cccccaaccc tntacctcgc agccacccta aaggcgactt      120
caanaanatg gaaggatctc acggatctca ttctaatgg tccgcggaug tctcacacag      180
tanacagacg gagttganat gctggaggat gcagtcacct cctaaactta cgacccacca      240
ccanacttca tcccagccgg gacgtcctcc cccacccgag tccctcccat ttcttctcct      300
actttgccgc agttccaggg gtcctgcttc caccagtcctt acaaagctca ataaatacca      360
a                                                                    361

```

```

<210> 304
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 304
ctctttacaa cagcctttat ttncggccct tgatcctgct cggatgctgg tggaggccct      60
tagctccgcc cgccaggctc tgtgccgcct ccccgaggc gcanattcat gaacacgggtg      120
ctcaggggct tgaggccgta ctccccagc gggagctggt cctccagggg cttccctcgc      180
aaggtcagcc anaacaggtc gtcctgcaca ccctccagcc cgctcacttg ctgcttcagg      240
tgggccacgg tctgcgtcag ccgcacctcg taggtgctgc tgcggccctt gttattcctc      300
a                                                                    301

```

```

<210> 305
<211> 331
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(331)
<223> n = A,T,C or G

```

```

<400> 305
ganaggctag taacatcagt tttattgggt tggggnggca accatagcct ggctgggggn      60

```

```

ggggctggcc ctcacagggt gttgagttcc agcagggtct ggtccaaggt ctggtgaatc 120
tcgacgttct cctccttggc actggccaag gtctcttcta ggtcatcgat ggttttctcc 180
aactttgcca canacctctc ggcaactctt gctcgggtct canctcctt cagcttctcc 240
tccaacaggt tgatctcttc ttcatattta tcttctttgg gggaatactc ctctctctgag 300
gcatcagggt acttgagggt ctggtccatg g 331

```

<210> 306
 <211> 457
 <212> DNA
 <213> Homo sapien

```

<400> 306
aatatgtaaa ggtaataact tttattatat taaagacaat gcaaacgaaa aacagaattg 60
agcagtgcaa aatttaaagg actgttttgt tctcaaagtt gcaagtttca aagccaaaag 120
aatttatgt atcaaatata taagtataaa aaagttagac tttcaagcct gtaatcccag 180
cactttggga ggtgaggcca ggtggatcac taacattaaa aagacaacat tagattttgt 240
cgatttatag caattttata aatatataac tttgtcactt ggtacctgaa gcaaaaataat 300
aaagtgaatt tgggattttt gtacttggtt aaaagtttaa caccctaaat tcacaactag 360
tggatccccc gggctgcagg aattcgatat caagcttata gataccgtcg acctcgaggg 420
ggggcccggt acccaattcg ccttatagtg agtcgta 457

```

<210> 307
 <211> 491
 <212> DNA
 <213> Homo sapien

```

<400> 307
gtgcttggac ggaacccggc gctcgttccc cccccggccc ggccgcccac agccagccct 60
ccgtcacctc ttcaccgcac cctcggactg ccccaaggcc cccgcgcgag ctccagcgcc 120
gcgagccac cgccgcgccc gccgcctctc cttagtgcgc gccatgacga ccgcgtccac 180
ctgcaggtg cgccagaact accaccagga ctcaagggcc gccatcaacc gccagatcaa 240
cctggagctc tacgcctcct acgtttacct gtccatgtct tactactttg accgcgatga 300
tgtggctttg aagaactttg ccaaaactct tcttcaccaa tctcatgagg agagggaaca 360
tgctgagaaa ctgatgaagc tgcagaacca acgaggtggc cgaatcttcc ttcaggatat 420
caagaaacca gactgtgatg actgggagag cgggctgaat gcaatggagt gtgcattaca 480
tttggaaaaa a 491

```

<210> 308
 <211> 421
 <212> DNA
 <213> Homo sapien

```

<400> 308
ctcagcgctt cttctttctt ggtttgatcc tgactgctgt catggcgctg cctctggaga 60
agggccctga tgtgatgggt tccaccttcc acaagtactc gggcaagag ggtgacaagt 120
tcaagctcaa caagtacaga ctaaaggagc tgctgaccgc gtagctgccc agcttcttgg 180
ggaaaaggac agatgaagct gctttccaga agctgatgag caacttggac agcaacaggg 240
acaacgaggt ggacttccaa gagtactgtg tcttctgtc ctgcatcgcc atgatgtgta 300
acgaattctt tgaaggcttc ccagataaag agcccaggaa gaaatgaaaa ctctctctgat 360
gtgggtgggg ggtctgccag ctggggccct ccctgtcgcc agtgggcaact ttttttttc 420
c 421

```

<210> 309
 <211> 321
 <212> DNA

<213> Homo sapien

<400> 309

accaaattggc	ggatgacgcc	ggtgcagcgg	ggggggcccg	gggccctggg	ggccctggga	60
tggggaaccg	cggtggttc	cgcggaggtt	tcggcagtg	catccggggc	cggggtcgcg	120
gccgtggacg	gggcggggc	caggcccgcg	gagctcgcg	aggcaaggcc	gaggataagg	180
agtggatgcc	cgtcaccaag	ttgggcccgt	tggccaagga	catgaagatc	aagtccttgg	240
aggagatcta	tctcttctcc	ctgcccatta	aggaatcaga	gatcattgat	ttcttcttgg	300
gggcctctct	caaggatgag	g				321

<210> 310

<211> 381

<212> DNA

<213> Homo sapien

<400> 310

ttaaccagcc	atattggctc	aataaatagc	ttcggtaagg	agtteatttc	cttctagaaa	60
tcagtgcccta	tttttcctgg	aaactcaatt	ttaaatagtc	caattccatc	tgaagccaag	120
ctgttgtcat	tttcattcgg	tgacattctc	tcccatgaca	cccagaaggg	gcagaagaac	180
cacatttttc	atztatagat	gtttgcatcc	tttgtattaa	aattattttg	aaggggttgc	240
ctcattggat	ggcttttttt	tttttcctcc	agggagaagg	ggagaaatgt	acttggaaat	300
taatgtatgt	ttacatctct	ttgcaaattc	ctgtacatag	agatatattt	tttaagtgtg	360
aatgtaacaa	catactgtga	a				381

<210> 311

<211> 538

<212> DNA

<213> Homo sapien

<400> 311

tttgaattta	caccaagaac	ttctcaataa	aagaaaatca	tgaatgctcc	acaatttcaa	60
cataccacaa	gagaagttaa	tttcttaaca	tttgtttcta	tgattatttg	taagaccttc	120
accaagttct	gatattcttt	aaagacatag	ttcaaaaattg	cttttgaaaa	tctgtattct	180
tgaataatc	cttggttgtg	attaggtttt	taaataaccag	ctaaaggatt	acctcactga	240
gtcatcagta	ccctcctatt	cagctcccca	agatgatgtg	tttttgctta	ccctaagaga	300
ggttttcttc	ttatttttag	ataattcaag	tgcttagata	aattatgttt	tctttaagtg	360
tttatggtaa	actcttttaa	agaaaattta	atatgttata	gctgaatctt	tttggttaact	420
ttaaatcttt	atcatagact	ctgtacatat	gttcaaatta	gctgcttgcc	tgatgtgtgt	480
atcatcggtg	ggatgacaga	acaaacatat	ttatgatcat	gaataatgtg	ctttgtaa	538

<210> 312

<211> 176

<212> DNA

<213> Homo sapien

<400> 312

ggaggagcag	ctgagagata	gggtcagtga	atgcggttca	gcctgctacc	tctcctgtct	60
tcatagaacc	attgccttag	aattattgta	tgacacgttt	tttgttggtt	aagctgtaag	120
gttttgttct	ttgtgaacat	gggtattttg	aggggagggt	ggaggagta	gggaag	176

<210> 313

<211> 396

<212> DNA

<213> Homo sapien

<400> 313

ccagcacc	ccagccctgg	gggacctggg	ttctcagact	gccaaagaag	ccttgccatc	60
tggcgctccc	atggctcttg	caacatctcc	ccttcgtttt	tgaggggggc	atgccggggg	120
agccaccagc	ccctcactgg	gttcggagga	gagtcaggaa	gggccaagca	cgacaaagca	180
gaaacatcgg	atttggggaa	cgcggtgcaa	tcccttgtgc	cgcagggctg	ggcgggagag	240
actgttctgt	tccttgtgta	actgtgttgc	tgaaagacta	cctcgttctt	gtcttgatgt	300
gtcacccggg	caactgcctg	ggggcgggga	tgggggcagg	gtggaagcgg	ctccccattt	360
tataccaaag	gtgctacatc	tatgtgatgg	gtgggg			396

<210> 314

<211> 311

<212> DNA

<213> Homo sapien

<400> 314

cctcaacatc	ctcagagagg	actggaagcc	agtccttacg	ataaactcca	taatttatgg	60
cctgcagtat	ctcttcttgg	agcccaaccc	cgaggaccca	ctgaacaagg	aggccgcaga	120
ggtcctgcag	aacaaccggc	ggctgtttga	gcagaacgtg	cagcgctcca	tgccgggtgg	180
ctacatcggc	tccacctact	ttgagcgtcg	cctgaaatag	ggttggcgca	taccaccccc	240
cgccacggcc	acaagccctg	gcattccctg	caaatatatta	ttggggggcca	tggttagggg	300
tttggggggc	g					311

<210> 315

<211> 336

<212> DNA

<213> Homo sapien

<400> 315

tttagaaccat	ggttatcatc	caagactact	ctaccctgca	acattgaact	cccaagagca	60
aatccacatt	cctctttagt	tctgcagctt	ctgtgtaaat	agggcagctg	tcgtctatgc	120
cgtagaatca	catgatctga	ggaccattca	tggaaagctgc	taaatagcct	agtctgggga	180
gtcttccata	aagttttgca	tggagcaaac	aaacaggatt	aaactagggt	tggttccttc	240
agccctctaa	aagcataggg	cttagcctgc	aggcttcctt	gggcttcttc	tgtgtgtgta	300
gttttgtaaa	cactatagca	tctgttaaga	tccagt			336

<210> 316

<211> 436

<212> DNA

<213> Homo sapien

<400> 316

aacatggctc	gcgtgcctta	agagagacgc	ttctgcaga	acaggacctg	actacaaaga	60
atgtttccat	tggaaattgt	ggtaaagact	tggagtttac	aatctatgat	gatgatgatg	120
tgctctccatt	cctggaaggt	cttgaaagaa	gaccacagag	aaaggcacag	cctgctcaac	180
ctgtctgatga	acctgcagaa	aaggctgatg	aaccaatgga	acattaagtg	ataagccagt	240
ctatatatgt	attatcaaat	atgtaagaat	acaggcacca	catactgatg	acaataatct	300
atactttgaa	ccaaaagtgt	cagagtgggt	gaatgctatg	ttttaggaat	cagtcagat	360
gtgagttttt	tccaagcaac	ctcactgaaa	cctatataat	ggaatacatt	tttctttgaa	420
agggtctgta	taatca					436

<210> 317

<211> 196

<212> DNA

<213> Homo sapien

<400> 317

tattccttgt gaagatgata tactatTTTT gttaagcgtg tctgtattta tgtgtgagga	60
gctgctggct tgcaagtgcg gtgcacgtgg agagctggg cccggagatt ggacggcctg	120
atgctccctc ccttgccttg gtccaggga gctggcggag ggtcctggct cctgaggggc	180
atctgcccc ccccca	196

<210> 318

<211> 381

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(381)

<223> n = A,T,C or G

<400> 318

gacgcttng cgttaacgat gatcggagac atcctgctgt tcgggacgtt gctgatgaat	60
gccggggcgg tgctgaactt taagctgaaa aagaaggaca cncagggtt tggggaggag	120
tnacgggagc ccaacacagg tgacaacatc cgggaattct tgctgancct cagatacttt	180
cnaatcttca tcnccctgtg gaacatcttc atgatgttct gcatgattgt gctgntcggc	240
tcttgaatcc cangcatgaa accannaact cactttccc ggatgccgan tctccattcc	300
tccattcctg atgacttcaa naatgttttt gacaaaaaa ccgacaacct tcccagaaag	360
tccaagctcg tgggtggngg a	381

<210> 319

<211> 506

<212> DNA

<213> Homo sapien

<400> 319

ctaagcttta cgaatggggg gacaacttat gataaaaact agagctagtg aattagccta	60
tttgtaaata cctttgttat aattgatagg atacatcttg gacatggaat tgttaagcca	120
cctctgagca gtgtatgtca ggacttgttc attaggttgg cagcagaggg gcagaaggaa	180
ttatacagg agagatgtat gcagatgtgt ccatatatgt ccataattac attttgatag	240
ccattgatgt atgcatctct tggctgtact ataagaacac attaatcaa tggaaatata	300
ctttgcta attttaattgg tatagatctg ctaatgaatt ctcttaaaaa catactgtat	360
tctgttgctg tgtgtttcat tttaaattga gcattaaggg aatgcagcat ttaaatcaga	420
actctgccaa tgcctttatc tagaggcgtg ttgccatttt tgtcttatat gaaatttctg	480
tccaagaaa ggcaggatta catctt	506

<210> 320

<211> 351

<212> DNA

<213> Homo sapien

<400> 320

ctgacctgca ggacgaaacc atgaagagcc tgatccttct tgccatcctg gccgccttag	60
cggtagtaac tttgtgttat gaatcacatg aaagcatgga atcttatgaa cttaatccct	120
tcattaacag gagaatgca aataccttca tatccctca gcagagatgg agagctaaag	180
tccaagagag gatccgagaa cgctctaagc ctgtccacga gctcaatagg gaagcctgtg	240
atgactacag actttgcgaa cgctacgcca tggtttatgg atacaatgct gcctataatc	300
gctacttcag gaagcgccga gggaccaa atgagactgagg gaagaaaaa a	351

<210> 321

<211> 421
<212> DNA
<213> Homo sapien

<400> 321
ctcggaggcg ttcagctgct tcaagatgaa gctgaacatc tccttcccag ccaactggctg 60
ccagaaactc attgaagtgg acgatgaacg caaacttcgt actttctatg agaagcgtat 120
ggccacagaa gttgctgctg acgctctggg tgaagaatgg aagggttatg tgggtccgaat 180
cagtggtggg aacgacaaac aagggtttccc catgaagcag ggtgtcttga cccatggcgg 240
tgtccgcctg ctactgagta aggggcatc ctgttacaga ccaaggagaa ctggagaaag 300
aaagagaaaa tcagttcgtg gttgcattgt ggatgcaaat ctgagcgttc tcaacttggg 360
tattgtaaaa aaaggagaga aggatattcc tggactgact gatactacag tgccctgccc 420
c 421

<210> 322
<211> 521
<212> DNA
<213> Homo sapien

<400> 322
agcagctctc ctgccacagc tcctcaccac ctgaaaaatgt tcgcctgctc caagtttgtc 60
tcactccct ccttgggtcaa gagcacctca cagctgctga gccgtccgct atctgcagtg 120
gtgctgaaac gaccggagat actgacagat gagagcctca gcagcttggc agtctcatgt 180
ccccttacct cactttgtct tagccgcagc ttccaaacca gcgccatttc aaggagacac 240
gacacagcag ccaagtccat tggagctggg gctgccacag ttgggggtggc tggttctggg 300
gctgggattg gaactgtgtt tgggagcctc atcattgggt atgccaggaa cccttctctg 360
aagcaacagc tcttctccta cgcattctg ggctttgcc tctcggaggc catggggctc 420
ttttgtctga tggtagcctt tctcatcctc ttgcatgt gaaggagccg tctccacctc 480
ccatagttct ccgcgtctg gttggccccg tgtgttcctt t 521

<210> 323
<211> 435
<212> DNA
<213> Homo sapien

<400> 323
ccgaggctgc acgcgtgaga cttctccgcc gcagaagccg ccgcgatgag ctacgtcgcc 60
tcctacctgc tggctgccct aggggggcaac tcctcccccga gcgccaagga catcaagaag 120
atcttggaca gcgtgggtat cgaggcggac gacgacccgc tcaacaagggt tatcagtga 180
ctgaatggaa aaaacattga agacgtcatt gccagggtta ttggcaagct tgccagtgt 240
cctgctggtg gggctgtagc cgtctctgct gcccaggct ctgcagcccc tgctgctggt 300
tctgccccctg ctgcagcaga ggagaagaaa gatgagaaga aggaggagtc tgaagagtca 360
gatgatgaca tgggatttgg cctttttgat taaattcctg ctccccctgca aataaagcct 420
ttttacacat ctcaa 435

<210> 324
<211> 521
<212> DNA
<213> Homo sapien

<400> 324
aggagatcga ctttcgggtc ccgcaagacc agggctggaa cgccgagatc acgctgcaga 60
tgggtgcagta caagaatcgt caggccatcc tggcgggtcaa atccacgcgg cagaagcagc 120
agcacctggg ccagcagcag cccccctcgc agccgcagcc gcagccgcag ctccagcccc 180
aaccaccagc tcagcctcag ccgcaacccc agccccaatc acaaccccag cctcagcccc 240

```

aaccacagcc tcagcccccag cagctccacc cgtatccgca tccacatcca catccacact    300
ctcatcctca ctgcacccca caccctcacc cgcaccgca tccgcaccaa ataccgcacc    360
cacacccaca gccgcactcg cagccgcacg ggcaccggct tctccgcagc acctccaaact    420
ctgcctgaaa ggggcagctc ccgggcaaga caagggtttg aggacttgag gaagtgggac    480
gagcacattt ctattgtctt cacttgatc aaaagcaaaa c                    521

```

<210> 325
 <211> 451
 <212> DNA
 <213> Homo sapien

```

<400> 325
attttcattt ccattaacct ggaagctttc atgaatattc tcttctttta aaacatttta    60
acattattta aacagaaaaa gatgggtctt ttctgggttag ttgttacatg atagcagaga    120
tatttttact tagattactt tgggaatgag agattgttgt cttgaactct ggcactgtac    180
agtgaatgtg tctgtagttg tgttagtttg cattaagcat gtataacatt caagtatgtc    240
atccaaataa gaggcataata cattgaattg tttttaatcc tctgacaagt tgactcttcg    300
acccccaccc ccaccaaga cattttaata gtaaatagag agagagagaa gagttaatga    360
acatgaggta gtgttccact ggcaggatga cttttcaata gtcacaaatca atttcagtgc    420
ctttatcact tgaattatta acctaatctg a                    451

```

<210> 326
 <211> 421
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (421)
 <223> n = A,T,C or G

```

<400> 326
cgcggtcgtg agggctgagg atttttggtc cgcacgctcc tgctcctgac tcaccgctgt    60
tcgctctcgc cgaggaaaca gtccggtcagg aagcccgccg gcaacagcca tggcttttaa    120
ggataccgga aaaacacccg tggagccgga ggtggcaatt caccgaattc gaatcacctc    180
aacaagccgc aacgtaaaat ccttggaaaa ggtgtgtgct gacttgataa gaggcgcaaa    240
agaaaagaat ctcaagtga aaggaccagt tcgaatgcct accaagactt tgagantcac    300
tacaagaaaa actccttgtg gtgaagggtc taagacgtgg gatcgtttcc agatgagaat    360
tcacaagcga ctcatctgact tgcacagtcc tcttgagatt gtttaagcaga ttacttccat    420
c

```

<210> 327
 <211> 456
 <212> DNA
 <213> Homo sapien

```

<400> 327
atcttgacga ggctgcggtg tctgctgcta ttctccgagc ttcgcaatgc cgcctaagga    60
cgacaagaag aagaaggacg ctggaaagtc ggccaagaaa gacaaagacc cagtgaacaa    120
atccgggggc aaggccaaaq agaagaagtg gtccaaaggc aaagtccggg acaagctcaa    180
taacttagtc ttgtttgaca aagctaccta tgataaactc tgtaaggaag ttcccaacta    240
taaaactata accccagctg tggctctctg gagactgaag attcgaggct ccctggccag    300
ggcagccctt caggagctcc ttagtaaaag acttatcaaa ctggtttcaa agcacagagc    360
tcaagttaatt tacaccagaa ataccaaggg tggagatgct ccagctgctg gtgaagatgc    420
atgaataggt ccaaccagct gtacatttgg aaaaaa

```

<210> 328
<211> 471
<212> DNA
<213> Homo sapien

<400> 328
gtggaagtga catcgtcttt aaacctgcg tggcaatccc tgacgcaccg ccgtgatgcc 60
cagggaagac agggcgacct ggaagtccaa ctacttcctt aagatcatcc aactattgga 120
tgattatccg aaatgtttca ttgtgggagc agacaatgtg ggctccaagc agatgcagca 180
gatccgcatg tcccttcgcg ggaaggctgt ggtgctgatg ggcaagaaca ccatgatgag 240
caaggccatc cgagggcacc tggaaaacaa cccagctctg gagaaactgc tgcctcatat 300
ccgggggaat gtgggctttg tgttcaccaa ggaggacctc actgagatca gggacatgtt 360
gctggccaat aagggtgccag ctgctgcccg tgcgtggtgcc attgcccac gtgaagtcc 420
tgtgccagcc cagaacactg gtctcgggccc cgagaagacc tcctttttcc a 471

<210> 329
<211> 278
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (278)
<223> n = A,T,C or G

<400> 329
gtttaaactt aagcttggtg ccgagctcgg atccactagt ccagtgtggt ggaattctag 60
aaattgagat gccccccag gccagcaaat gtcccttttt gtccaaagtc tatttttatt 120
ccttgatatt tttctttttt tttttttttt ttgnggatgg ggacttgtga atttttctaa 180
agggtctatt taacatggga gganagcgtg tgcggctcca gccagcccg ctgctcactt 240
tccacctct ctccacctgc ctctggttc tcaggcct 278

<210> 330
<211> 338
<212> DNA
<213> Homo sapien

<400> 330
ctcaggcttc aacatcgaat acgcccagc ccccttcgcc ctattcttca tagccgaata 60
cacaaacatt attataataa acaccctcac cactacaatc ttcctaggaa caacatatga 120
cgcactctcc cctgaactct acacaacata tttgtcacc aagaccctac ttctaacctc 180
cctgttctta tgaattcgaa cagcataccc ccgattccgc tacgaccaac tcatacacct 240
cctatgaaaa aacttcctac cactcaccct agcattactt atatgatatg tctccatacc 300
cattacaatc tccagcattc cccctcaaac ctaaaaaa 338

<210> 331
<211> 2820
<212> DNA
<213> Homo sapiens

<400> 331
tggcaaaatc ctggagccag aagaaaggac agcagcattg atcaattctta cagctaaccat 60
gttgtacctg gaaaacaatg cccagactca atttagtgag ccacagtaca cgaacctggg 120

```

gctcctgaac agcatggacc agcagattcg gaacggctcc tcgtccacca gtcctataa 180
cacagaccac gcgcagaaca gogtcacggc gccctcgccc tacgcacagc ccagccccac 240
cttcgatgct ctctctccat caccgcctat cccctccaac accgactacc caggccccca 300
cagttccgac gtgtccttcc agcagtcgag caccgccaag tcggccacct ggacgtattc 360
cactgaactg aagaaactct actgccaaat tgcaaagaca tgccccatcc agatcaaggt 420
gatgacccca cctcctcagg gagctgttat ccgcgccatg cctgtctaca aaaaagctga 480
gcacgtcacg gaggtggtga agcgggtccc caaccatgag ctgagccgtg agttcaacga 540
gggacagatt gccctccta gtcatttgat tcgagtagag gggaacagcc atgcccagta 600
tgtagaagat cccatcacag gaagacagag tgtgctggta ccttatgagc cccccaggt 660
tggcactgaa ttcacgacag tcttgtacaa tttcatgtgt aacagcagtt gtgttgagg 720
gatgaaccgc cgtccaattt taatcattgt tactctggaa accagagatg ggcaagtcct 780
gggcccagcg tgctttgagg cccggatctg tgcttgccca ggaagagaca ggaaggcgga 840
tgaagatagc atcagaaagc agcaagtttc ggacagtaca aagaacggtg atggtacgaa 900
gcgcccgttt cgtcagaaca cacatgggtat ccagatgaca tccatcaaga aacgaagatc 960
ccagatgatg gaactgttat acttaccagt gaggggctgt gagacttatg aaatgctgtt 1020
gaagatcaaa gagtccctgg aactcatgca gtaccttctt cagcacacaa ttgaacgta 1080
caggcaacag caacagcagc agcaccagca cttacttcag aaacagacct caatacagtc 1140
tccatcttca tatggttaaca gctccccacc tctgaacaaa atgaacagca tgaacaagct 1200
gccttctgtg agccagctta tcaaccctca gcacgcgaac gccctcactc ctacaacct 1260
tcttgatggc atgggagcca acattcccat gatgggcacc cacatgcaa tggctggaga 1320
catgaatgga ctcagcccca cccaggcact cctccccca ctctccatgc catccacctc 1380
ccactgcaca cccccacctc cgtatccccc agattgcagc attgtcagtt tcttagcgag 1440
gttgggctgt tcatcatgtc tggactattt cagcaccag gggctgacca ccattatca 1500
gattgagcat tactccatgg atgatctggc aagtctgaaa atccctgagc aatttcgaca 1560
tgcgatctgg aagggcattc tggaccaccg gcagctccac gaatttctct ccccttctca 1620
tctcctgcgg accccaagca gtgcctctac agtcagtgtg ggctccagtg agaccgggg 1680
tgagcgtggt attgatgctg tgcgatccac cctccgccag accatctctt tcccccccg 1740
agatgagtg aatgacttca actttgacat ggatgctcgc cgcaataagc aacagcgcat 1800
caaagaggag ggggagtgag cctcaccatg tgagctcttc ctatccctct cctaactgcc 1860
agccccctaa aagcactcct gcttaactctt caaagccttc tccctagctc ctccccctcc 1920
tcttgctctg tttcttaggg gaaggagaag taaggaggta cctcttacct aacatctgac 1980
ctggcatcta attctgattc tggctttaag ccttcaaaac tatagcttg agaaactgtag 2040
ctgccatggc taggtagaag tgagcaaaaa agagttgggt gtctccttaa gctgcagaga 2100
tttctcattg acttttataa agcatgttca ccttatagt ctaagactat atatataaat 2160
gtataaatat acagtataga tttttgggtg gggggcattg agtattgctt aaaaatgta 2220
ttaaatgaaa gaaaattgag ttgcacttat tgaccatttt ttaatttact tgttttggt 2280
ggcttgctca tactccttcc cttaaggggt atcatgtatg tgataggtta tctagagctt 2340
aatgctacat gtgagtcgca tgatgtacag attctttcag ttctttggat tctaaataca 2400
tgccacatca aacctttgag tagatccatt tccattgctt attatgtagg taagactgta 2460
gatatgtatt cttttctcag tgttggtata ttttatatta ctgacatttc tctagtgtat 2520
gatggttcac gttgggtgta tttaatccag ttataagaag aagttcatgt ccaaacggtc 2580
ctctttagtt tttgggtggg aatgaggaaa attcttaaaa ggcccatagc agccagttca 2640
aaaacacccg acgtcatgta tttgagcata tcagtaacct ccttaaatat aataaccaga 2700
taccttatct tacaatgttg attgggaaaa catttgctgc ccattacaga ggtattaaaa 2760
ctaaatttca ctactagatt gactaactca aatacacatt tgctactgtt gtaagaattc 2820

```

<210> 332

<211> 2270

<212> DNA

<213> Homo sapiens

<400> 332

```

tcgttgatat caaagacagt tgaaggaaat gaattttgaa acttcacggt gtgccaccct 60
acagtactgc cctgaccctt acatccagcg ttctgtagaa acccagctca tttctcttgg 120

```

```

aaagaaagt attaccgat caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagaggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatgggt cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctcgccacc 420
agtccctata acacagacca cgcgcagaa acgctcacgg cgccctcgcc ctaccgacag 480
cccagctcca ccttcgatgc tctctctcca tcacccgcca tccctccaa caccgactac 540
ccaggcccg acagtcttga cgtgtccttc cagcagtcga gcaccgcaa gtcggccacc 600
tggacgtatt ccactgaact gaagaaactc tactgccaaa ttgcaaagac atgccccatc 660
cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgcat gcctgtctac 720
aaaaaagctg agcagctcac ggaggtgggt aagcgggtgc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgccctcct agtcatttga ttcgagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgtgtgt acctatgag 900
ccaccccgag ttggcactga attcacgaca gtctgttaca atttcatgtg taacagcagt 960
tgtgttggag ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagctc ttggccgacg ctgctttgag gcccggtatc gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggg 1140
gatgttacga agcgcctgtt tcgtcagaa acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccctg gaactcatgc agtacctcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacagacc 1380
tcaatacagt ctccatcttc atatgttaac agctccccc ctctgaacaa aatgaacagc 1440
atgaacaagc tgcctctgtg gagccagctt atcaaccctc agcagcgcaa cgcctcact 1500
cctacaacca ttctgatgg catgggagcc aacattccca tgatgggcaa ccacatgcca 1560
atggctggag acatgaatgg actcagcccc acccaggcac tccctcccc actctccatg 1620
ccatccacct cccactgcac acccccacct ccgtatccaa cagattgcag cattgtcgtt 1680
ttcttagcga ggttgggctg ttcatcatgt ctggactatt tcacgacca ggggtgacc 1740
accatctatc agattgagca ttactccatg gatgatctgg caagtctgaa aatccctgag 1800
caatttcgac atgcgatctg gaagggcatc ctggaccacc ggcagctcca cgaattctcc 1860
tccccctctc atctcctgcg gaccccaagc agtgccctca cagtcagtgt gggctccagt 1920
gagaccgggg gtgagcgtgt tattgatgct gtgcatcca cctccgcca gaccatctct 1980
ttcccacccc gagatgagtg gaatgacttc aactttgaca tggatgctcg ccgcaataag 2040
caacagcgca tcaaagagga gggggagtga gcctcaccat gtgagctctt cctatccctc 2100
tcctaactgc cagcccccta aaagcactcc tgcctaatct tcaaagcctt ctccctagct 2160
cctcccttc ctctgtctg atttcttagg ggaaggagaa gtaagagggt acctcttacc 2220
taacatctga cctggcatct aattctgatt ctggctttaa gccttcaaaa 2270

```

```

<210> 333
<211> 2816
<212> DNA
<213> Homo sapiens

```

```

<400> 333
tcgttgatat caaagacagt tgaaggaaat gaattttgaa acttcacggt gtgccaccct 60
acagtactgc cctgaccctt acatccagcg ttctgtagaa acccagctca tttctcttgg 120
aaagaaagt attaccgatc caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagaggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatgggt cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctcgccacc 420
agtccctata acacagacca cgcgcagaa acgctcacgg cgccctcgcc ctaccgacag 480
cccagctcca ccttcgatgc tctctctcca tcacccgcca tccctccaa caccgactac 540
ccaggcccg acagtcttga cgtgtccttc cagcagtcga gcaccgcaa gtcggccacc 600
tggacgtatt ccactgaact gaagaaactc tactgccaaa ttgcaaagac atgccccatc 660

```

```

cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcacgtcac ggaggtgggtg aagcgggtgcc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgcctctcct agtcatttga ttcgagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccaccccagg ttggcactga attcacgaca gtcttgtaca atttcatgtg taacagcagt 960
tgtgttgagg ggtatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggcccagc ctgctttgag gcccggtatct gtgcttgccc aggaagagat 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggt 1140
gatggtacga agcgcctgtt tctgcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat ccccgatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgtctg tgaagatcaa agagtccctg gaactcatgc agtaccttcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacatctc 1380
ctttcagcct gcttcaggaa tgagcttgtg gagccccgga gagaaactcc aaaacaatct 1440
gacgtcttct ttagacattc caagccccca aaccgatcag tgtacccata gagccctatc 1500
tctatatttt aagtgtgtgt gtgtgttttc catgtgtata tgtgagtggtg tgtgtgtgtg 1560
tgtgtgtggtg tgtgtatcta gccctcataa acaggacttg aagacacttt ggctcagaga 1620
cccaactgct caaaggcaca aagccactag tgagagaatc ttttgaaggg actcaaacct 1680
ttacaagaaa ggtatgtttc tgcagatttt gtatccttag accggccatt ggtgggtgag 1740
gaaccactgt gtttgtctgt gagctttctg ttgtttcctg ggaggagggtg gtcaggtggg 1800
gaaaggggca ttaagatgtt tattggaacc cttttctgtc ttcttctgtt gtttttctaa 1860
aattcacagg gaagcttttg agcaggtctc aaacttaaga tgtcttttta agaaaaggag 1920
aaaaaagtgt ttattgtctg tgcataagta agttgtaggt gactgagaga ctcatgcaga 1980
cccttttaat gctggtcatg taataatatt gcaagtagta agaaacgaag gtgtcaagtg 2040
tactgtgtgg cagcgagggt atcattacca aaagtaatca actttgtggg tggagagttc 2100
tttgtgagaa cttgcattat ttgtgtctc ccttcctgtg taggtagaac atttcttaat 2160
gctgtgtanc tgcctctgcc actgtatgtt ggcatctgtt atgctaaagt ttttcttgta 2220
catgaaaccc tggaaagacct actacaaaaa aactgttgtt tggcccccat agcaggtgaa 2280
ctcattttgt gcttttaata gaaagacaaa tccacccag taatatgccc cttaacgtag 2340
tgtttaccat tattcaaac tcaaaataga atttgaagcc ctctcaciaa atctgtgatt 2400
aatttgctta attagagctt ctatccctca agcctaccta ccataaaacc agccatatta 2460
ctgatactgt tcagtgcatt tagccaggag acttacgttt tgagtaagt agatccaagc 2520
agacgtgtta aaatcagcac tcctggactg gaaattaaag attgaaagg tagactactt 2580
ttcttttttt tactcaaaag ttttagagaat ctctgtttct ttccatttta aaaacatatt 2640
ttaagataat agcataaaga ctttaaaaat gttcctcccc tccatcttcc cacaccaggt 2700
caccagcact gtattttctg tcaccaagac aatgatttct tgttatagag gctgttgctt 2760
ttgtggatgt gtgattttaa ttttcaataa acttttgcct cttgggttaa aagaaa 2816

```

```

<210> 334
<211> 2032
<212> DNA
<213> Homo sapiens

```

```

<400> 334
agatgctaca gcgactgcac acccaggctg tatgatacag cctattgtct cggggctgca 60
aacctgtcca gcatgtgatg tgggtgggata ctgaattgaa taccgaatac tgtaggcaat 120
tgtaacacag tggtaagtct ttgtgtatct aaacatagct aaacacaaa aggtatagta 180
agaatattgt attataatct tatggaacta tcattgtata tgtggtttgt caaccagaat 240
gtagttatac agcacaggac tgtgcttatg atgtgccaag cacagctctc agtactaact 300
cctttaatct tcatatcaac cctaggaggt aacttcttaa gtatattcat attgtaaggg 360
tctcgggggtg ggggggttgg caaaatcctg gagccagaag aaaggacagc agcattgac 420
aatcttacag ctaacatggt gtacctggaa aacaatgccc agactcaatt tagtgagcca 480
cagtacacga acctggggct cctgaacagc atggaccagc agattcagaa cggctcctcg 540
tccaccagtc cctataaac agaccagcg cagaacagcg tcacgggcc ctcgccctac 600
gcacagccca gctccacctt cgtgctctc tctccatcac ccgccatccc ctccaacacc 660

```

gactacccag gcccgcacag ttctgacgtg tccttccagc agtcgagcac cgccaagtcg 720
gccacctgga cgtattccac tgaactgaag aaactctact gccaaattgc aaagacatgc 780
cccattccaga tcaagtgat gacccaccc cctcagggag ctgttatccg cgccatgcct 840
gtctacaaaa aagctgagca cgtcacggag gtgggtgaagc ggtgccccaa ccatgagctg 900
agccgtgaat tcaacgaggg acagattgcc cctcctagtc atttgattcg agtagagggg 960
aacagccatg cccagtatgt agaagatccc atcacaggaa gacagagtgt gctgggtacct 1020
tatgagccac cccaggttgg cactgaattc acgacagtct tgtacaattt catgtgtaac 1080
agcagttgtg ttggagggat gaaccgccgt ccaattttta tcattgttac tctggaaacc 1140
agagatgggc aagtcctggg ccgacgctgc tttagggccc ggatctgtgc ttgcccagga 1200
agagacagga aggcggatga agatagcatc agaaagcagc aagtttcgga cagtacaaag 1260
aacgggtgatg gtacgaagcg cccgtctcgt cagaacacac atgggtatcca gatgacatcc 1320
atcaagaaac gaagatcccc agatgatgaa ctgttatact taccagttag gggccgtgag 1380
acttatgaaa tgcgttgtaa gatcaaagag tccctggaac tcatgcagta ccttcctcag 1440
cacacaattg aaacgtacag gcaacagcaa cagcagcagc accagcactt acttcagaaa 1500
cagtgagtgt atcaacgtgt cattttagga ggcatgagtg acggtgactt tatttggatc 1560
agcaataggg tgattgatga gcaatgtgga acataatggg agatagcaga ttgtcataga 1620
ttcagatgac ctgggtatggc aacctctttt cagttgcaac cttttttacg tgtcttatta 1680
taaccttccc ttcagaattc cacttatgtt ctgaaattaa atacaaacca tttctgggtg 1740
attacaaaga aactcacact aacagttctc ttctctatat gcctgggtcca tacacactaa 1800
cagtaagtag acactctatt tggtagtgat gtgtatat ttgaaaacatga aatcttttct 1860
catcccaatg gattgtctta taaatctcct gggatgcaca ctatccactt ttgggaataa 1920
cactgtagac cagggatagc aaataggctt tactataata taaagtgaat tgtttgaatg 1980
ctgtaatgag aagaattctg agacctagtg catgataatt ggggaaatat ctgggtgcag 2040
aaggataagg tagcatcatg ttgccgtatt ttagcatctc tg 2082

<210> 335

<211> 4849

<212> DNA

<213> Homo sapiens

<400> 335

cggtgatatc aaagacagtt gaaggaaatg aattttgaaa cttcacgggtg tgccacccta 60
cagtactgcc ctgacctta catccagcgt ttctgtagaa cccagctca tttctcttgg 120
aaagaaagtt attaccgat caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagagggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatgggt cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacgggtc ctctgccacc 420
agtccctata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccgccca tccccctcaa caccgactac 540
ccaggcccgcc acagtttcga cgtgtccttc cagcagtcga gcacggccaa gtcggccacc 600
tggacgtatt ccactgaact gaagaaactc tactgcca aa ttgcaaaagac atgccccatc 660
cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaaagctg agcacgtcac ggagggtgggt aagcgggtgcc ccaacctaga gctgagccgt 780
gaattcaacg agggacagat tgcccctcct agtcatttga ttctgagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccacccacag ttggcactga attcacgaca gtcttgta ca atttcatgtg taacagcagt 960
tgtgttggag ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggcccagc ctgctttgag gccgggatct gtgcttgccc aggaagagac 1080
aggaagggcg atgaagatag catcagaag cagcaagttt cggacagtac aaagaacgggt 1140
gatggtacga agcggccgtt tgcgcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccctg gaactcatgc agtaccttc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacagacc 1380

tcaatacagt ctccatcttc atatggtaac agtccccac ctctgaacaa aatgaacagc 1440
atgaacaagc tgccctctgt gagccagctt atcaaccctc agcagcgcaa cgccctcact 1500
cctacaacca ttccctgatgg catgggagcc aacattccca tgatgggcac ccacatgcca 1560
atggctggag acatgaatgg actcagcccc acccaggcac tccctcccc actctccatg 1620
ccatccacct ccagtgac accccacct cgtatccca cagattgcag cattgtcagt 1680
ttcttagcga ggttgggctg ttcatcatgt ctggactatt tcacgaccca ggggctgacc 1740
accatctatc agattgagca ttactccatg gatgatctgg caagtctgaa aatccctgag 1800
caatttcgac atgcgatctg gaagggcac ctggaccacc ggcagctcca cgaattctcc 1860
tccccttctc atctctctgg gaccccaagc agtgccctca cagtcaagtgt gggctccagt 1920
gagaccggg gtgagcgtgt tattgatgct gtgcgattca ccctccgcca gaccatctct 1980
ttcccacccc gagatgagtg gaatgacttc aactttgaca tggatgctcg ccgcaataag 2040
caacagcgca tcaaagagga gggggagtga gcctcaccat gtgagctctt cctatccctc 2100
tcctaactgc cagcycccta aaagcactcc tgcttaactt tcaaagcctt ctccctagct 2160
cctccctctc ctcttctctg atttcttagg ggaaggagaa gtaagaggct acctcttacc 2220
taacatctga cctggcatct aattctgatt ctggctttaa gccttcaaaa ctatagcttg 2280
cagaactgta gctgccatgg ctaggtagaa gtgagcaaaa aagagttggg tgtctcctta 2340
agctgcagag atttctcatt gacttttata aagcatgttc acccttatag tctaagacta 2400
tatataataa tgtataaata tacagtatag atttttgggt ggggggcatg gagtattgtt 2460
taaaatgtaa tttaaatgaa agaaaattga gttgcactta ttgaccattt ttaattttac 2520
ttgttttggg tggcttctct atactccttc ccttaagggg tatcatgtat ggtgatagg 2580
atctagagct taatgtaca tgtgagtac gatgatgtac agattctttc agttctttgg 2640
attctaaata catgccacat caaacctttg agtagatcca ttcccatgct ttattatgta 2700
ggtaagctga tagatatgta ttctttcttc agtgttggta tattttatat tactgacatt 2760
tcttctagtg atgatgggtc acgttggggt gatttaatcc agttataaga agaagttcat 2820
gtccaaacgt cctctttagt ttttgggttg gaatgaggaa aattcttaa aggcccatag 2880
cagccagttc aaaaacaccc gacgtcatgt atttgagcat atcagtaacc cccttaaat 2940
taaatgtaga taccttatct tacaatcttg attgggaaaa catttgctgc cattacagag 3000
gtattaaaac taattttcac tactagattg actaactcaa atacacattt gctactgttg 3060
taagaattct gattgatttg attgggatga atgcatctta tctagtctta acagtgaagt 3120
tttactgtct attaatattc agggtaataa ggaatcattc agaaatgttg agtctgtact 3180
aaacagtaag atatctcaat gaaccataaa ttcaactttg taaaaatctt ttgaagcata 3240
gataatattg tttggtaaat gtttcttttg tttggtaaat gtttctttta aagaccctcc 3300
tattctataa aactctgcat gttagggctt gtttaccttt ctctctctaa ggtttacaat 3360
aggagtgggt atttgnaaaa tataaaatta tgagattgggt tttctctgtg cataaattgc 3420
atcactgtat cattttcttt tttaaccggt aagagtttca gtttgttga aagtaactgt 3480
gagaacccag tttcccgctc atctccctta gggactaccc atagacatga aaggctccca 3540
cagagcaaga gataagtctt tcatggctgc tgttgcttaa accacttaa cgaagagttc 3600
ccttgaact ttgggaaaac atgttaatga caatattcca gatctttcag aaatataaca 3660
catttttttg catgcatgca aatgagctct gaaatcttcc catgcattct ggtcaagggc 3720
tgtcattgca cataagcttc cattttaatt ttaaagtga aaagggccag cgtggctcta 3780
aaaggtaatg tgtggattgc ctctgaaaag tgtgtatata tttgtgtga aattgcatac 3840
tttgtatttt gattattttt ttttcttctt tgggatagtg ggatttccag aaccacactt 3900
gaaacctttt tttatcgttt ttgtattttc atgaaaatac catttagtaa gaataccaca 3960
tcaaataaga aataatgcta caattttaag aggggagggg aggggaaagt tttttttatt 4020
atttttttaa aattttgtat gttaaagaga atgagtcctt gatttcaaag ttttgttgta 4080
cttaaatggt aataagcact gtaaaccttc gcaacaagca tgcagctttg caaacccatt 4140
aaggggaaga atgaaagctg ttccctgggc ctagttaagaa gacaaactgc ttcccttact 4200
ttgctgaggg tttgaataaa cctaggactt ccgagctatg tccagtactat tcaggtaaca 4260
ctagggcctt ggaaattcct gtactgtgtc tcatggattt ggcactagcc aaagcgaggc 4320
acccttactg gcttacctcc tcatggcagc ctactctcct tgagtgtatg agtagcagg 4380
gtaaggggtg aaaggatagt aagcatagaa accactagaa agtgggctta atggagttct 4440
tgtggcctca gctcaatgca gttagctgaa gaattgaaaa gtttttgggt ggagacgttt 4500
ataaacagaa atggaaagca gatttttcat taaatccttt tacccttttt ttttcttgg 4560
aatcccttaa aataacagta tgtgggatat tgaatgttaa agggatattt ttttctatt 4620
atttttataa ttgtacaaaa ttaagcaaat gttaaaagt ttatatgctt tattaatggt 4680


```

ttcaaaaggt attatacatg tgatacatTT ttttaagcttc agttgcttgt cttctgggtac 4740
tttctgttat gggcttttgg ggagccagaa gccaatctac aatctctttt tgtttgccag 4800
gacatgcaat aaaattttaa aaataaataa aaactaatta agaaataaa 4849

```

```

<210> 336
<211> 1386
<212> DNA
<213> Homo sapiens

```

```

<400> 336
atgttgtacc tggaaaacaa tgcccagact caatttagtg agccacagta cacgaacctg 60
gggctcctga acagcatgga ccagcagatt cagaacggct cctcgtccac cagtccctat 120
aacacagacc acgcgagaa cagcgtcacg gcgcctctgc cctacgcaca gccagctcc 180
accttcgatg ctctctctcc atcaccgcgc atccctctca acacogacta cccaggcccg 240
cacagtctcg acgtgtcctt ccagcagtcg agcaccgcca agtcggccac ctggacgtat 300
tccactgaac tgaagaaact ctactgcaa attgcaaaga catgccccat ccagatcaag 360
gtgatgaccc cactctctca gggagctgtt atccgcgcca tgctgtctta caaaaaagct 420
gagcacgtca cggaggtggt gaagcgtgac cccaaccatg agctgagccg tgaattcaac 480
gagggacaga ttgccctccc tagtcatttg attcgagtag aggggaacag ccattgccag 540
tatgtagaag atcccatcac aggaagacag agtgtgctgg taccttatga gccacccag 600
gttggcactg aattcacgac agtctgttac aatttcattgt gtaacagcag ttgtgttggg 660
gggatgaacc gccgtccaat tttaatcatt gttactctgg aaaccagaga tgggcaagtc 720
ctgggcccag gctgctttga ggcccggtac tgtgcttgcc caggaaagaga caggaaaggcg 780
gatgaagata gcatcagaaa gcagcaagtt tcggacagta caaagaacgg tgatggtacg 840
aagcgcctgt ttctgcagaa cacacatggt atccagatga catccatcaa gaaacgaaga 900
tccccagatg atgaactggt atacttacca gtgagggggc gtgagactta tgaattgctg 960
ttgaagatca aagagtcctt ggaactcatg cagtaccttc ctcagcacac aattgaaacg 1020
tacaggcaac agcaacagca gcagcaccag cacttacttc agaaacagac ctcaatacag 1080
tctccatctt catatggtaa cagctcccca cctctgaaca aaatgaacag catgaacaag 1140
ctgccttctg tgagccagct tatcaaccct cagcagcgca acgcctcac tctacaacc 1200
attcctgatg gcatgggagc caacattccc atgatgggca cccacatgcc aatgggtgga 1260
gacatgaatg gactcagccc caccagggca ctccctcccc cactctccat gccatccacc 1320
tcccactgca cccccccacc tccgtatccc acagattgca gcattgtcag gatctggcaa 1380
gtctga 1386

```

```

<210> 337
<211> 1551
<212> DNA
<213> Homo sapiens

```

```

<400> 337
atgtcccaga gcacacagac aaatgaattc ctccagtcag aggttttcca gcatatctgg 60
gattttctgg aacagcctat atgttcagtt cagcccattg acttgaactt tgtggatgaa 120
ccatcagaag atggtgagac aaacaagatt gagattagca tggactgtat ccgcatgcag 180
gactcggacc tgagtgaacc catgtggcca cagtacaga acctggggct cctgaacagc 240
atggaccagc agattcagaa cggctcctcg tccaccagtc cctataacac agaccacgcg 300
cagaacagcg tcacggcgcc ctccgcccac gcacagccca gctccacctt cgatgctctc 360
tctccatcac ccgcatccc ctccaacacc gactaccag gcccgcacag tttcgacgtg 420
tcttccagc agtcgagcac cgccaagtgc gccacctgga cgtattccac tgaactgaag 480
aaactctact gccaaattgc aaagacatgc cccatccaga tcaagggtgat gacccacct 540
cctcagggag ctgttatccg cgccatgcct gtctacaaaa aagctgagca cgtcacggag 600
gtggtgaagc ggtgcccaca ccatgagctg agccgtgaat tcaacgaggg acagattgcc 660
cctcctagtc atttgattcg agtagagggg aacagccatg cccagtatgt agaagatccc 720

```

```

atcacaggaa gacagagtgt gctggtacct tatgagccac cccaggttgg cactgaattc 780
acgacagtct tgtacaattt catgtgtaac agcagttgtg ttggagggat gaaccgccgt 840
ccaattttaa tcattgttac tctggaaacc agagatgggc aagtcctggg ccgacgctgc 900
tttgaggccc gcatctgtgc ttgcccagga agagacagga aggcggatga agatagcatc 960
agaaagcagc aagtttcgga cagtacaaag aacggtgatg gtacgaagcg cccgtttcgt 1020
cagaacacac atggtatcca gatgacatcc atcaagaaac gaagatcccc agatgatgaa 1080
ctgttatact taccagttag ggccgtgag acttatgaaa tgctgttgaa gatcaaagag 1140
tccttggaac tcatgcagta ccttcctcag cacacaattg aaacgtacag gcaacagcaa 1200
cagcagcagc accagcactt acttcagaaa cagacctcaa tacagtctcc atcttcatat 1260
ggtaacagct cccacacctt gaacaaaatg aacagcatga acaagctgcc ttctgtgagc 1320
cagcttatca accctcagca gcgcaacgcc ctactccta caaccattec tgatggcatg 1380
ggagccaaca ttcccatgat gggcacccac atgccaatgg ctggagacat gaatggactc 1440
agccccaccc aggcactccc tccccactc tccatgccat ccacctccca ctgcacaccc 1500
ccacctccgt atcccacaga ttgcagcatt gtcaggatct ggcaagtctg a 1551

```

<210> 338

<211> 586

<212> PRT

<213> Homo sapiens

<400> 338

```

Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
      5                      10                      15

Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Arg Asn
      20                      25                      30

Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
      35                      40                      45

Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Pro Thr Phe Asp Ala
      50                      55                      60

Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
      65                      70                      75                      80

His Ser Ser Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
      85                      90                      95

Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
      100                      105                      110

Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
      115                      120                      125

Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
      130                      135                      140

Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn
      145                      150                      155                      160

Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
      165                      170                      175

Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val

```

180	185	190
Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val		
195	200	205
Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg		
210	215	220
Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val		
225	230	235
Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg		
245	250	255
Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp		
260	265	270
Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr		
275	280	285
His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp		
290	295	300
Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu		
305	310	315
Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His		
325	330	335
Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu		
340	345	350
Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser		
355	360	365
Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val		
370	375	380
Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr		
385	390	395
Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met		
405	410	415
Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro		
420	425	430
Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro		
435	440	445
Tyr Pro Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys		
450	455	460
Ser Ser Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr		
465	470	475
		480

Gln Ile Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro
 485 490 495
 Glu Gln Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln
 500 505 510
 Leu His Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser
 515 520 525
 Ala Ser Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val
 530 535 540
 Ile Asp Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro
 545 550 555 560
 Arg Asp Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn
 565 570 575
 Lys Gln Gln Arg Ile Lys Glu Glu Gly Glu
 580 585
 <210> 339
 <211> 641
 <212> PRT
 <213> Homo sapiens
 <400> 339
 Met Ser Gln Ser Thr Gln Thr Asn Glu Phe Leu Ser Pro Glu Val Phe
 5 10 15
 Gln His Ile Trp Asp Phe Leu Glu Gln Pro Ile Cys Ser Val Gln Pro
 20 25 30
 Ile Asp Leu Asn Phe Val Asp Glu Pro Ser Glu Asp Gly Ala Thr Asn
 35 40 45
 Lys Ile Glu Ile Ser Met Asp Cys Ile Arg Met Gln Asp Ser Asp Leu
 50 55 60
 Ser Asp Pro Met Trp Pro Gln Tyr Thr Asn Leu Gly Leu Leu Asn Ser
 65 70 75 80
 Met Asp Gln Gln Ile Gln Asn Gly Ser Ser Ser Thr Ser Pro Tyr Asn
 85 90 95
 Thr Asp His Ala Gln Asn Ser Val Thr Ala Pro Ser Pro Tyr Ala Gln
 100 105 110
 Pro Ser Ser Thr Phe Asp Ala Leu Ser Pro Ser Pro Ala Ile Pro Ser
 115 120 125
 Asn Thr Asp Tyr Pro Gly Pro His Ser Phe Asp Val Ser Phe Gln Gln
 130 135 140

Ser Ser Thr Ala Lys Ser Ala Thr Trp Thr Tyr Ser Thr Glu Leu Lys
 145 150 155 160
 Lys Leu Tyr Cys Gln Ile Ala Lys Thr Cys Pro Ile Gln Ile Lys Val
 165 170 175
 Met Thr Pro Pro Pro Gln Gly Ala Val Ile Arg Ala Met Pro Val Tyr
 180 185 190
 Lys Lys Ala Glu His Val Thr Glu Val Val Lys Arg Cys Pro Asn His
 195 200 205
 Glu Leu Ser Arg Glu Phe Asn Glu Gly Gln Ile Ala Pro Pro Ser His
 210 215 220
 Leu Ile Arg Val Glu Gly Asn Ser His Ala Gln Tyr Val Glu Asp Pro
 225 230 235 240
 Ile Thr Gly Arg Gln Ser Val Leu Val Pro Tyr Glu Pro Pro Gln Val
 245 250 255
 Gly Thr Glu Phe Thr Thr Val Leu Tyr Asn Phe Met Cys Asn Ser Ser
 260 265 270
 Cys Val Gly Gly Met Asn Arg Arg Pro Ile Leu Ile Ile Val Thr Leu
 275 280 285
 Glu Thr Arg Asp Gly Gln Val Leu Gly Arg Arg Cys Phe Glu Ala Arg
 290 295 300
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile
 305 310 315 320
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys
 325 330 335
 Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys
 340 345 350
 Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly
 355 360 365
 Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu
 370 375 380
 Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln
 385 390 395 400
 Gln Gln Gln His Gln His Leu Leu Gln Lys Gln Thr Ser Ile Gln Ser
 405 410 415
 Pro Ser Ser Tyr Gly Asn Ser Ser Pro Pro Leu Asn Lys Met Asn Ser
 420 425 430
 Met Asn Lys Leu Pro Ser Val Ser Gln Leu Ile Asn Pro Gln Gln Arg

Lys Ile Glu Ile Ser Met Asp Cys Ile Arg Met Gln Asp Ser Asp Leu
 50 55 60
 Ser Asp Pro Met Trp Pro Gln Tyr Thr Asn Leu Gly Leu Leu Asn Ser
 65 70 75 80
 Met Asp Gln Gln Ile Gln Asn Gly Ser Ser Ser Thr Ser Pro Tyr Asn
 85 90 95
 Thr Asp His Ala Gln Asn Ser Val Thr Ala Pro Ser Pro Tyr Ala Gln
 100 105 110
 Pro Ser Ser Thr Phe Asp Ala Leu Ser Pro Ser Pro Ala Ile Pro Ser
 115 120 125
 Asn Thr Asp Tyr Pro Gly Pro His Ser Phe Asp Val Ser Phe Gln Gln
 130 135 140
 Ser Ser Thr Ala Lys Ser Ala Thr Trp Thr Tyr Ser Thr Glu Leu Lys
 145 150 155 160
 Lys Leu Tyr Cys Gln Ile Ala Lys Thr Cys Pro Ile Gln Ile Lys Val
 165 170 175
 Met Thr Pro Pro Pro Gln Gly Ala Val Ile Arg Ala Met Pro Val Tyr
 180 185 190
 Lys Lys Ala Glu His Val Thr Glu Val Val Lys Arg Cys Pro Asn His
 195 200 205
 Glu Leu Ser Arg Glu Phe Asn Glu Gly Gln Ile Ala Pro Pro Ser His
 210 215 220
 Leu Ile Arg Val Glu Gly Asn Ser His Ala Gln Tyr Val Glu Asp Pro
 225 230 235 240
 Ile Thr Gly Arg Gln Ser Val Leu Val Pro Tyr Glu Pro Pro Gln Val
 245 250 255
 Gly Thr Glu Phe Thr Thr Val Leu Tyr Asn Phe Met Cys Asn Ser Ser
 260 265 270
 Cys Val Gly Gly Met Asn Arg Arg Pro Ile Leu Ile Ile Val Thr Leu
 275 280 285
 Glu Thr Arg Asp Gly Gln Val Leu Gly Arg Arg Cys Phe Glu Ala Arg
 290 295 300
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile
 305 310 315 320
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys
 325 330 335

Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys
 340 345 350
 Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly
 355 360 365
 Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu
 370 375 380
 Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln
 385 390 395 400
 Gln Gln Gln His Gln His Leu Leu Gln Lys His Leu Leu Ser Ala Cys
 405 410 415
 Phe Arg Asn Glu Leu Val Glu Pro Arg Arg Glu Thr Pro Lys Gln Ser
 420 425 430
 Asp Val Phe Phe Arg His Ser Lys Pro Pro Asn Arg Ser Val Tyr Pro
 435 440 445
 <210> 341
 <211> 356
 <212> PRT
 <213> Homo sapiens
 <400> 341
 Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
 5 10 15
 Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn
 20 25 30
 Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
 35 40 45
 Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala
 50 55 60
 Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
 65 70 75 80
 His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
 85 90 95
 Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
 100 105 110
 Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
 115 120 125
 Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
 130 135 140
 Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn

145 150 155 160
 Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
 165 170 175
 Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val
 180 185 190
 Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val
 195 200 205
 Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg
 210 215 220
 Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val
 225 230 235 240
 Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg
 245 250 255
 Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp
 260 265 270
 Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Ser Arg Gln Asn Thr
 275 280 285
 His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp
 290 295 300
 Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu
 305 310 315 320
 Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His
 325 330 335
 Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu
 340 345 350
 Leu Gln Lys Gln
 355
 <210> 342
 <211> 680
 <212> PRT
 <213> Homo sapiens
 <400> 342
 Met Asn Phe Glu Thr Ser Arg Cys Ala Thr Leu Gln Tyr Cys Pro Asp
 5 10 15
 Pro Tyr Ile Gln Arg Phe Val Glu Thr Pro Ala His Phe Ser Trp Lys
 20 25 30
 Glu Ser Tyr Tyr Arg Ser Thr Met Ser Gln Ser Thr Gln Thr Asn Glu
 35 40 45

Phe Leu Ser Pro Glu Val Phe Gln His Ile Trp Asp Phe Leu Glu Gln
 50 55 60
 Pro Ile Cys Ser Val Gln Pro Ile Asp Leu Asn Phe Val Asp Glu Pro
 65 70 75 80
 Ser Glu Asp Gly Ala Thr Asn Lys Ile Glu Ile Ser Met Asp Cys Ile
 85 90 95
 Arg Met Gln Asp Ser Asp Leu Ser Asp Pro Met Trp Pro Gln Tyr Thr
 100 105 110
 Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn Gly Ser
 115 120 125
 Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser Val Thr
 130 135 140
 Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala Leu Ser
 145 150 155 160
 Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro His Ser
 165 170 175
 Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala Thr Trp
 180 185 190
 Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala Lys Thr
 195 200 205
 Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly Ala Val
 210 215 220
 Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr Glu Val
 225 230 235 240
 Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn Glu Gly
 245 250 255
 Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn Ser His
 260 265 270
 Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val Leu Val
 275 280 285
 Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val Leu Tyr
 290 295 300
 Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg Arg Pro
 305 310 315 320
 Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val Leu Gly
 325 330 335

Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg Asp Arg
 340 345 350
 Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp Ser Thr
 355 360 365
 Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr His Gly
 370 375 380
 Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp Glu Leu
 385 390 395 400
 Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu Leu Lys
 405 410 415
 Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His Thr Ile
 420 425 430
 Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu Leu Gln
 435 440 445
 Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser Ser Pro
 450 455 460
 Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val Ser Gln
 465 470 475 480
 Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr Ile Pro
 485 490 495
 Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met Pro Met
 500 505 510
 Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro Pro Pro
 515 520 525
 Leu Ser Met Pro Ser Thr Ser Gln Cys Thr Pro Pro Pro Pro Tyr Pro
 530 535 540
 Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys Ser Ser
 545 550 555 560
 Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr Gln Ile
 565 570 575
 Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro Glu Gln
 580 585 590
 Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln Leu His
 595 600 605
 Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser Ala Ser
 610 615 620
 Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val Ile Asp

625 630 635 640
 Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro Arg Asp
 645 650 655
 Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn Lys Gln
 660 665 670
 Gln Arg Ile Lys Glu Glu Gly Glu
 675 680
 <210> 343
 <211> 461
 <212> PRT
 <213> Homo sapiens
 <400> 343
 Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
 5 10 15
 Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn
 20 25 30
 Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
 35 40 45
 Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala
 50 55 60
 Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
 65 70 75 80
 His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
 85 90 95
 Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
 100 105 110
 Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
 115 120 125
 Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
 130 135 140
 Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn
 145 150 155 160
 Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
 165 170 175
 Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val
 180 185 190
 Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val
 195 200 205

Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg
 210 215 220
 Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val
 225 230 235 240
 Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg
 245 250 255
 Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp
 260 265 270
 Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr
 275 280 285
 His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp
 290 295 300
 Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu
 305 310 315 320
 Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His
 325 330 335
 Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu
 340 345 350
 Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser
 355 360 365
 Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val
 370 375 380
 Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr
 385 390 395 400
 Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met
 405 410 415
 Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro
 420 425 430
 Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro
 435 440 445
 Tyr Pro Thr Asp Cys Ser Ile Val Arg Ile Trp Gln Val
 450 455 460

<210> 344

<211> 516

<212> PRT

<213> Homo sapiens

<400> 344

Met	Ser	Gln	Ser	Thr	Gln	Thr	Asn	Glu	Phe	Leu	Ser	Pro	Glu	Val	Phe
					5					10					15
Gln	His	Ile	Trp	Asp	Phe	Leu	Glu	Gln	Pro	Ile	Cys	Ser	Val	Gln	Pro
			20					25					30		
Ile	Asp	Leu	Asn	Phe	Val	Asp	Glu	Pro	Ser	Glu	Asp	Gly	Ala	Thr	Asn
		35					40					45			
Lys	Ile	Glu	Ile	Ser	Met	Asp	Cys	Ile	Arg	Met	Gln	Asp	Ser	Asp	Leu
		50				55					60				
Ser	Asp	Pro	Met	Trp	Pro	Gln	Tyr	Thr	Asn	Leu	Gly	Leu	Leu	Asn	Ser
					70					75					80
Met	Asp	Gln	Gln	Ile	Gln	Asn	Gly	Ser	Ser	Ser	Thr	Ser	Pro	Tyr	Asn
				85					90					95	
Thr	Asp	His	Ala	Gln	Asn	Ser	Val	Thr	Ala	Pro	Ser	Pro	Tyr	Ala	Gln
			100					105					110		
Pro	Ser	Ser	Thr	Phe	Asp	Ala	Leu	Ser	Pro	Ser	Pro	Ala	Ile	Pro	Ser
			115				120					125			
Asn	Thr	Asp	Tyr	Pro	Gly	Pro	His	Ser	Phe	Asp	Val	Ser	Phe	Gln	Gln
		130				135					140				
Ser	Ser	Thr	Ala	Lys	Ser	Ala	Thr	Trp	Thr	Tyr	Ser	Thr	Glu	Leu	Lys
		145			150					155					160
Lys	Leu	Tyr	Cys	Gln	Ile	Ala	Lys	Thr	Cys	Pro	Ile	Gln	Ile	Lys	Val
				165					170					175	
Met	Thr	Pro	Pro	Pro	Gln	Gly	Ala	Val	Ile	Arg	Ala	Met	Pro	Val	Tyr
			180					185					190		
Lys	Lys	Ala	Glu	His	Val	Thr	Glu	Val	Val	Lys	Arg	Cys	Pro	Asn	His
		195					200					205			
Glu	Leu	Ser	Arg	Glu	Phe	Asn	Glu	Gly	Gln	Ile	Ala	Pro	Pro	Ser	His
		210				215					220				
Leu	Ile	Arg	Val	Glu	Gly	Asn	Ser	His	Ala	Gln	Tyr	Val	Glu	Asp	Pro
		225			230					235					240
Ile	Thr	Gly	Arg	Gln	Ser	Val	Leu	Val	Pro	Tyr	Glu	Pro	Pro	Gln	Val
				245					250					255	
Gly	Thr	Glu	Phe	Thr	Thr	Val	Leu	Tyr	Asn	Phe	Met	Cys	Asn	Ser	Ser
			260					265					270		
Cys	Val	Gly	Gly	Met	Asn	Arg	Arg	Pro	Ile	Leu	Ile	Ile	Val	Thr	Leu
		275					280					285			
Glu	Thr	Arg	Asp	Gly	Gln	Val	Leu	Gly	Arg	Arg	Cys	Phe	Glu	Ala	Arg

290 295 300
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile
 305 310 315 320
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys
 325 330 335
 Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys
 340 345 350
 Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly
 355 360 365
 Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu
 370 375 380
 Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln
 385 390 395 400
 Gln Gln Gln His Gln His Leu Leu Gln Lys Gln Thr Ser Ile Gln Ser
 405 410 415
 Pro Ser Ser Tyr Gly Asn Ser Ser Pro Pro Leu Asn Lys Met Asn Ser
 420 425 430
 Met Asn Lys Leu Pro Ser Val Ser Gln Leu Ile Asn Pro Gln Gln Arg
 435 440 445
 Asn Ala Leu Thr Pro Thr Thr Ile Pro Asp Gly Met Gly Ala Asn Ile
 450 455 460
 Pro Met Met Gly Thr His Met Pro Met Ala Gly Asp Met Asn Gly Leu
 465 470 475 480
 Ser Pro Thr Gln Ala Leu Pro Pro Pro Leu Ser Met Pro Ser Thr Ser
 485 490 495
 His Cys Thr Pro Pro Pro Pro Tyr Pro Thr Asp Cys Ser Ile Val Arg
 500 505 510
 Ile Trp Gln Val
 515

<210> 345
 <211> 1800
 <212> DNA
 <213> Homo sapiens

<400> 345
 gcccttcatt gccactgcag tgactaaagc tgggaagacg ctggtcagtt cacctgcccc 60
 actgggttgtt ttttaaacaa attctgatac aggcgacatc ctcactgacc gagcaaagat 120
 tgacattcgt atcatcactg tgcaccattg gcttctaggg actccagtgg ggtaggagaa 180

```
<210> 346
<211> 261
<212> PRT
<213> Homo sapiens
```

```

<400> 346
Met Asp Trp Gly Thr Leu His Thr Phe Ile Gly Gly Val Asn Lys His
          5                      10                      15

Ser Thr Ser Ile Gly Lys Val Trp Ile Thr Val Ile Phe Ile Phe Arg
          20                      25                      30

Val Met Ile Leu Val Val Ala Ala Gln Glu Val Trp Gly Asp Glu Gln
          35                      40                      45

Glu Asp Phe Val Cys Asn Thr Leu Gln Pro Gly Cys Lys Asn Val Cys
          50                      55                      60

Tyr Asp His Phe Phe Pro Val Ser His Ile Arg Leu Trp Ala Leu Gln
          65                      70                      75                      80

Leu Ile Phe Val Ser Thr Pro Ala Leu Leu Val Ala Met His Val Ala
          85                      90                      95

Tyr Tyr Arg His Glu Thr Thr Arg Lys Phe Arg Arg Gly Glu Lys Arg
          100                      105                      110

```


Asn Asp Phe Lys Asp Ile Glu Asp Ile Lys Lys His Lys Val Arg Ile
 115 120 125
 Glu Gly Ser Leu Trp Trp Thr Tyr Thr Ser Ser Ile Phe Phe Arg Ile
 130 135 140
 Ile Phe Glu Ala Ala Phe Met Tyr Val Phe Tyr Phe Leu Tyr Asn Gly
 145 150 155 160
 Tyr His Leu Pro Trp Val Leu Lys Cys Gly Ile Asp Pro Cys Pro Asn
 165 170 175
 Leu Val Asp Cys Phe Ile Ser Arg Pro Thr Glu Lys Thr Val Phe Thr
 180 185 190
 Ile Phe Met Ile Ser Ala Ser Val Ile Cys Met Leu Leu Asn Val Ala
 195 200 205
 Glu Leu Cys Tyr Leu Leu Leu Lys Val Cys Phe Arg Arg Ser Lys Arg
 210 215 220
 Ala Gln Thr Gln Lys Asn His Pro Asn His Ala Leu Lys Glu Ser Lys
 225 230 235 240
 Gln Asn Glu Met Asn Glu Leu Ile Ser Asp Ser Gly Gln Asn Ala Ile
 245 250 255
 Thr Gly Phe Pro Ser
 260

<210> 347

<211> 1740

<212> DNA

<213> Homo sapiens

<400> 347

atgaacaaac tgtatatcgg aaacctcagc gagaacgccg cccctcggga cctagaaagt 60
 atcttcaagg acgccaagat cccggtgtcg ggaccttcc tgggaagac tggctacgcg 120
 ttcgtggact gcccggaaga gagctgggccc ctcaaggcca tcgaggcgct ttcagggtaaa 180
 atagaactgc acgggaaacc catagaagtt gagcactcgg tccccaaaag gcaaaggatt 240
 cggaaacttc agatacgaat tatccgcct catttacagt gggagggtgct ggatagttta 300
 ctagtccagt atggagtggg gagagactgt gagcaagtga acactgactc ggaaactgca 360
 gttgtaaatg taacctattc cagtaaggac caagctagac aagcactaga caaactgaat 420
 ggatttcagt tagagaattt caccctgaaa gtagcctata tccctgatga aacggccgcc 480
 cagcaaaacc ccttgcagca gcccagaggt cgcggggggc ttgggcagag gggctcctca 540
 aggcaggggg ctccaggatc cgtatccaag cagaaaccat gtgatttgcc tctgcgcctg 600
 ctggttccca cccaatttgt tggagccatc ataggaaaag aaggtgccac cattcggaac 660
 atcaccaaac agaccagtc taaaatcgat gtccaccgta aagaaaatgc gggggctgct 720
 gagaagtoga ttactatcct ctctactcct gaaggcacct ctgcggcttg taagtctatt 780
 ctggagatta tgcataagga agctcaagat ataaaattca cagaagagat ccccttgaag 840
 attttagctc ataataaact tgttggacgt cttattggta aagaaggaaag aaatcttaaa 900
 aaaattgagc aagacacaga cactaaaatc acgatatttc cattgcagga attgacgctg 960

<213> Homo sapiens

Met Asn Lys Leu Tyr Ile Gly Asn Leu Ser Glu Asn Ala Ala Pro Ser
5 10 15

Asp Leu Glu Ser Ile Phe Lys Asp Ala Lys Ile Pro Val Ser Gly Pro
20 25 30

Phe Leu Val Lys Thr Gly Tyr Ala Phe Val Asp Cys Pro Asp Glu Ser
35 40 45

Trp Ala Leu Lys Ala Ile Glu Ala Leu Ser Gly Lys Ile Glu Leu His
50 55 60

Gly Lys Pro Ile Glu Val Glu His Ser Val Pro Lys Arg Gln Arg Ile
65 70 75 80

Arg Lys Leu Gln Ile Arg Asn Ile Pro Pro His Leu Gln Trp Glu Val
85 90 95

Leu Asp Ser Leu Leu Val Gln Tyr Gly Val Val Glu Ser Cys Glu Gln
100 105 110

Val Asn Thr Asp Ser Glu Thr Ala Val Val Asn Val Thr Tyr Ser Ser
115 120 125

Lys Asp Gln Ala Arg Gln Ala Leu Asp Lys Leu Asn Gly Phe Gln Leu
130 135 140

Glu Asn Phe Thr Leu Lys Val Ala Tyr Ile Pro Asp Glu Thr Ala Ala
145 150 155 160

Gln Gln Asn Pro Leu Gln Gln Pro Arg Gly Arg Arg Gly Leu Gly Gln
165 170 175

Arg Gly Ser Ser Arg Gln Gly Ser Pro Gly Ser Val Ser Lys Gln Lys

180	185	190
Pro Cys Asp Leu Pro Leu Arg Leu Leu Val Pro Thr Gln Phe Val Gly 195 200 205		
Ala Ile Ile Gly Lys Glu Gly Ala Thr Ile Arg Asn Ile Thr Lys Gln 210 215 220		
Thr Gln Ser Lys Ile Asp Val His Arg Lys Glu Asn Ala Gly Ala Ala 225 230 235 240		
Glu Lys Ser Ile Thr Ile Leu Ser Thr Pro Glu Gly Thr Ser Ala Ala 245 250 255		
Cys Lys Ser Ile Leu Glu Ile Met His Lys Glu Ala Gln Asp Ile Lys 260 265 270		
Phe Thr Glu Glu Ile Pro Leu Lys Ile Leu Ala His Asn Asn Phe Val 275 280 285		
Gly Arg Leu Ile Gly Lys Glu Gly Arg Asn Leu Lys Lys Ile Glu Gln 290 295 300		
Asp Thr Asp Thr Lys Ile Thr Ile Ser Pro Leu Gln Glu Leu Thr Leu 305 310 315 320		
Tyr Asn Pro Glu Arg Thr Ile Thr Val Lys Gly Asn Val Glu Thr Cys 325 330 335		
Ala Lys Ala Glu Glu Glu Ile Met Lys Lys Ile Arg Glu Ser Tyr Glu 340 345 350		
Asn Asp Ile Ala Ser Met Asn Leu Gln Ala His Leu Ile Pro Gly Leu 355 360 365		
Asn Leu Asn Ala Leu Gly Leu Phe Pro Pro Thr Ser Gly Met Pro Pro 370 375 380		
Pro Thr Ser Gly Pro Pro Ser Ala Met Thr Pro Pro Tyr Pro Gln Phe 385 390 395 400		
Glu Gln Ser Glu Thr Glu Thr Val His Leu Phe Ile Pro Ala Leu Ser 405 410 415		
Val Gly Ala Ile Ile Gly Lys Gln Gly Gln His Ile Lys Gln Leu Ser 420 425 430		
Arg Phe Ala Gly Ala Ser Ile Lys Ile Ala Pro Ala Glu Ala Pro Asp 435 440 445		
Ala Lys Val Arg Met Val Ile Ile Thr Gly Pro Pro Glu Ala Gln Phe 450 455 460		
Lys Ala Gln Gly Arg Ile Tyr Gly Lys Ile Lys Glu Glu Asn Phe Val 465 470 475 480		

Ser Pro Lys Glu Glu Val Lys Leu Glu Ala His Ile Arg Val Pro Ser
 485 490 495

Phe Ala Ala Gly Arg Val Ile Gly Lys Gly Gly Lys Thr Val Asn Glu
 500 505 510

Leu Gln Asn Leu Ser Ser Ala Glu Val Val Val Pro Arg Asp Gln Thr
 515 520 525

Pro Asp Glu Asn Asp Gln Val Val Val Lys Ile Thr Gly His Phe Tyr
 530 535 540

Ala Cys Gln Val Ala Gln Arg Lys Ile Gln Glu Ile Leu Thr Gln Val
 545 550 555 560

Lys Gln His Gln Gln Gln Lys Ala Leu Gln Ser Gly Pro Pro Gln Ser
 565 570 575

Arg Arg Lys

<210> 349
 <211> 207
 <212> DNA
 <213> Homo sapiens

<400> 349
 atgtggcagc cctctcttctt caagtggctc ttgtctctgtt gccctgggag ttctcaaatt 60
 gctgcagcag cctccaccca gcctgaggat gacatcaata cacagaggaa gaagagtcag 120
 gaaaagatga gagaagttac agactctctt gggcgacccc gagagcttac cattctcag 180
 acttcttcac atggtgctaa cagattt 207

<210> 350
 <211> 69
 <212> PRT
 <213> Homo sapiens

<400> 350
 Met Trp Gln Pro Leu Phe Phe Lys Trp Leu Leu Ser Cys Cys Pro Gly
 5 10 15

Ser Ser Gln Ile Ala Ala Ala Ala Ser Thr Gln Pro Glu Asp Asp Ile
 20 25 30

Asn Thr Gln Arg Lys Lys Ser Gln Glu Lys Met Arg Glu Val Thr Asp
 35 40 45

Ser Pro Gly Arg Pro Arg Glu Leu Thr Ile Pro Gln Thr Ser Ser His
 50 55 60

Gly Ala Asn Arg Phe
 65